


<http://www.proteker.net/Kerguelen-and-other-sub-Antarctic-83.html>

PROTEKER



Kerguelen (and other sub-Antarctic and Antarctic islands/territories) useful references (sorted by authors)

- USEFUL REFERENCES -

Publication date: Thursday 2 August 2018

Copyright © Programme IPEV n° 1044 - All rights reserved

<!--sommaire--><!--/sommaire-->

REFERENCE ARTICLES AND BOOKS

(no date).

Abele, D., Brey, T. & Philipp, E. Bivalve models of aging and the determination of molluscan lifespans. *Experimental gerontology* 44, 307-15 (2009).

Adami, M. L. & Gordillo, S. Structure and dynamics of the biota associated with *Macrocystis pyrifera* (Phaeophyta) from the Beagle Channel, Tierra del Fuego. *Scientia Marina* 63 (Suppl. 1), 183-191 (1999).

Agardh, J. G. *Species genera et ordines algarum, seu descriptiones succinctae specierum, generum et ordinum, quibus algarum regnum constituitur. Volumen secundum: algas florideas complectens. Part 2, fasc. 3.* (C.W.K. Glerup, 1863).at <<http://img.algaebase.org/pdf/25E4D8D70c555117E9jP7A9EF640/12224.pdf>>

Agardh, J. G. *Species genera et ordines algarum, seu descriptiones succinctae specierum, generum et ordinum, quibus algarum regnum constituitur. Volumen tertium: de Florideis curae posteriores. Part 1.* (C.W.K. Glerup, 1876).at <<https://img.algaebase.org/pdf/5964B93707be1311BChil3436422/16058.pdf>>

Aghmich, A., Taboada, S., Toll, L. & Ballesteros, M. First assessment of the rocky intertidal communities of Fildes Bay, King George Island (South Shetland Islands, Antarctica). *Polar Biology* 39, 189-198 (2016).

Agüera, A. & Byrne, M. A dynamic energy budget model to describe the reproduction and growth of invasive starfish *Asterias amurensis* in southeast Australia. *Biological Invasions* 20, 2015-2031 (2018).

Agüera, A., Collard, M., Jossart, Q., Moreau, C. & Danis, B. Parameter Estimations of Dynamic Energy Budget (DEB) Model over the Life History of a Key Antarctic Species: The Antarctic Sea Star *Odontaster validus* Koehler, 1906. *PLOS ONE* 10, e0140078 (2015).

Al-Handal, A. Y., Riaux-Gobin, C. & Wulff, A. *Cocconeis pottercovei* sp. nov. and *Cocconeis pinnata* var. *matsii* var. nov., two new marine diatom taxa from King George Island, Antarctica. *Diatom Research* 25, 1-11 (2010).

Albouy, C., et al. From projected species distribution to food-web structure under climate change. *Global Change Biology* 20, 730-741 (2014).

Aldea, C., Olabarria, C. & Troncoso, J. S. Bathymetric zonation and diversity gradient of gastropods and bivalves in West Antarctica from the South Shetland Islands to the Bellingshausen Sea. *Deep Sea Research Part I: Oceanographic Research Papers* 55, 350-368 (2008).

- Aldea, C., Zelaya, D. G. & Troncoso, J. S. A new gigantic species of *Zeidora* Adams, 1860 from Antarctic waters (Gastropoda: Fissurellidae). *The Nautilus* 125, 79-82 (2011).
- Ali, J. R. & Aitchison, J. C. Kerguelen Plateau and the Late Cretaceous southern-continent bioconnection hypothesis: tales from a topographical ocean. *Journal of Biogeography* 36, 1778-1784 (2009).
- Allan, L. E., et al. Critical indirect effects of climate change on sub-Antarctic ecosystem functioning. *Ecology and Evolution* 3, 2994-3004 (2013).
- Allcock, A. L. On the confusion surrounding *Pareledone charcoti* (Joubin, 1905) (Cephalopoda: Octopodidae): endemic radiation in the Southern Ocean. *Zoological Journal of the Linnean Society* 143, 75-108 (2005).
- Allcock, A. L., et al. Cryptic speciation and the circumpolarity debate: A case study on endemic Southern Ocean octopuses using the COI barcode of life. *Deep Sea Research Part II: Topical Studies in Oceanography* 58, 242-249 (2011).
- Allcock, A. L., Collins, M. A. & Vecchione, M. A redescription of *Graneledone verrucosa* (Verrill, 1881) (Octopoda, Octopodidae). *Journal Molluscan Studies* 69, 135-143 (2003).
- Allcock, A. L., Hocberg, F. G., Rodhouse, P. G. K. & Thorpe, J. P. *Adelieledone*, a new genus of octopodid from the Southern Ocean. *Antarctic Science* 15, 415-424 (2003).
- Allcock, A. L. & Piertney, S. B. Evolutionary relationships of Southern Ocean Octopodidae (Cephalopoda: Octopoda) and a new diagnosis of *Pareledone*. *Marine Biology* 140, 129-135 (2002).
- Allcock, A. L. & Strugnell, J. M. Southern Ocean diversity: new paradigms from molecular ecology. *Trends in ecology & evolution* 27, 520-528 (2012).
- Allman, M. D. An account of the petrological, botanical and zoological collections made in Kerguelen's Island and Rodriguez during Philosophical Transactions of the Royal Society of London the Transit of Venus Expedition, 1874-1875 282-285 (Philosophical Transactions of the Royal Society of London. Vol. 168, 1879).
- Alongi, G., Cormaci, M. & Furnari, G. The Corallinaceae (Rhodophyta) from the Ross Sea (Antarctica): a taxonomic revision rejects all records except *Phymatolithon foecundum*. *Phycologia* 41, 140-146 (2002).
- Améziane, N., et al. The Kerguelen Plateau: marine ecosystem and fisheries 157-167 (2011).
- Amsler, C., et al. Comprehensive evaluation of the palatability and chemical defenses of subtidal macroalgae from the Antarctic Peninsula. *Marine Ecology Progress Series* 294, 141-159 (2005).

Amsler, C. D., Amsler, M. O., McClintock, J. B. & Baker, B. J. Filamentous algal endophytes in macrophytic Antarctic algae: prevalence in hosts and palatability to mesoherbivores. *Phycologia* 48, 324-334 (2009).

Amsler, C. D., Rowley, R. J., Laur, D. R., Quetin, L. B. & Ross, R. M. Vertical distribution of Antarctic peninsular macroalgae: cover, biomass and species composition*. *Phycologia* 34, 424-430 (1995).

Amsler, C. D., Rowley, R. J., Laur, D. R., Quetin, L. B. & Ross, R. M. Vertical distribution of Antarctic peninsular macroalgae: cover, biomass and species composition. *Phycologia* 34, 424-430 (1995).

André, M. Crustacés recueillis par M. E. Aubert de la Rüe aux îles Kerguelen, Saint-Paul et de la Nouvelle-Amsterdam. *Bulletin du Muséum d'Histoire Naturelle, ser.2* 4, 174-181 (1932).

Andújar, C., Arribas, P., Yu, D. W., Vogler, A. P. & Emerson, B. C. Why the COI barcode should be the community DNA metabarcode for the metazoa. *Molecular Ecology* 2018, 1-8 (2018).

Angot, M. Observation sur la faune marine et la pêche aux îles Saint-Paul et Amsterdam. *Mémoires de l'Institut scientifique de Madagascar, ser A* 6, (1951).

Angulo-Preckler, C., et al. Macrobenthic patterns at the shallow marine waters in the caldera of the active volcano of Deception Island, Antarctica. *Continental Shelf Research* 157, 20-31 (2018).

Angulo-Preckler, C., Tuya, F. & Avila, C. Abundance and size patterns of echinoderms in coastal soft-bottoms at Deception Island (South Shetland Islands, Antarctica). *Continental Shelf Research* 137, 131-141 (2017).

Anonymous, Régions Antarctiques. XVIII° Bibliographie Géographique Annuelle, 1908. *Annales de Géographie* 18, 313-317 (1909).

Ansorge, I. J., Durgadoo, J. V. & Pakhomov, E. A. Dynamics of physical and biological systems of the Prince Edward Islands in a changing climate. *Papers and Proceedings of the Tasmanian Royal Society* 143, 15-18 (2009).

Ansorge, I. J., Durgadoo, J. V. & Treasure, A. M. Sentinels to climate change. The need for monitoring at South Africa's Subantarctic laboratory. *South African Journal of Science* 110, 1-4 (2014).

Arabi, J., Cruaud, C., Couloux, A. & Hassanin, A. Studying sources of incongruence in arthropod molecular phylogenies: sea spiders (Pycnogonida) as a case study. *Comptes rendus biologies* 333, 438-53 (2010).

Arakaki, N., Alveal, K., Ramírez, M. E. & Fredericq, S. The genus *Callophyllis* (Kallymeniaceae, Rhodophyta) from the central-south Chilean coast (33° to 41° S), with the description of two new species. *Revista chilena de historia natural* 84, 481-499 (2011).

Arana, P. M., Orellana, J. C. & De Caso, Á. Escape vents and trap selectivity in the fishery for the Juan Fernández rock lobster (*Jasus frontalis*), Chile. *Fisheries Research* 110, 1-9 (2011).

Arango, C. P., Soler-Membrives, A. & Miller, K. J. Genetic differentiation in the circum Antarctic sea spider *Nymphon australe* (Pycnogonida; Nymphonidae). *Deep Sea Research Part II: Topical Studies in Oceanography* 58, 212-219 (2011).

Araújo, M. B. & Guisan, A. Five (or so) challenges for species distribution modelling. *Journal of Biogeography* 33, 1677-1688 (2006).

Yoon, H. S., et al. *Handbook of the Protists* (Archibald, J. M. Simpson, A. G. B. & Slamovits, C. H.) 89-133 (Springer International Publishing, 2017). at <http://link.springer.com/10.1007/978-3-319-28149-0_33>

Ardyna, M., et al. Delineating environmental control of phytoplankton biomass and phenology in the Southern Ocean: Phytoplankton Dynamics in the SO. *Geophysical Research Letters* 44, 5016-5024 (2017).

Arnaud, F. Invertébrés marins de XIIème et XVème expéditions antarctiques françaises en Terre Adélie. 9. Pycnogonides. *Téthys* 4, 135-156 (1972).

Arnaud, F. Nouveaux pycnogonides des Îles Saint Paul et Amsterdam (Océan Indien). *Téthys* 5, 779-790 (1974).

Arnaud, F. Pycnogonides littoraux des îles St. Paul et Amsterdam (Océan Indien). *Téthys* 3, 159-1695 (1971).

Arnaud, F. Pycnogonides des îles Kerguelen (Sud Océan Indien); matériel nouveau et révision des spécimens du Muséum National d'Histoire Naturelle, Paris. *Bulletin du Muséum National d'Histoire Naturelle, Paris* 51, 801-815 (1972).

Arnaud, F. Pycnogonides subantarctiques des îles Crozet. *Bulletin du Muséum d'Histoire Naturelle, ser.2* 41, 1423-1428 (1970).

Arnaud, F. Un aspect de la biologie marine dans les Terres Australes et Antarctiques françaises: Les pycnogonides. *CNFRA (Comité National Français des Recherches Antarctiques)* 47, 35-41 (1969).

Arnaud, F. & Bamber, R. N. The Biology of Pycnogonida. *Advances in Marine Biology* 24, 1-96 (1988).

Arnaud, F. & Branch, M. L. The Pycnogonida of subantarctic Marion and Prince Edward Islands: Illustrated keys to the species. *South African Journal of Antarctic Research* 21, 65-71 (1992).

Arnaud, P. M. Contribution à la bionomie benthique antarctique et subantarctique. *Téthys* 6, 469-653 (1974).

Arnaud, P. M. Contribution à la bionomie marine benthique des régions antarctiques et subantarctiques. *Téthys* 6, 467-653 (1974).

Arnaud, P. M. Invertébrés marins des XIIème et XVème Expéditions Antarctiques Françaises en Terre Adélie 8. Gastéropodes prosobranchs. *Tethys Suppl.* 4, 105-134 (1972).

Arnaud, P. M. Notes écologiques sur *Zanclorhynchus spinifer* (Téléostéen, Congiopodidae) aux îles Kerguelen et sur sa prédation par les pétrels géants *Macronectes* spp. par ARNAUD Patrick M.: *Tethys* 4 (3) 1972 - Sylvain Paré. *Tethys* 4, 757-760 (1972).

Arnaud, P. M. Ecologie, biogéographie et caractères biologiques des pélicypodes macrobenthiques du Plateau des Iles Kerguelen (Sud. Océan Indien). *Mémoires du Muséum National d'Histoire Naturelle, Paris n.s. Série C* 43, 221-233 (1979).

Arnaud, P. M. Adaptations within the Antarctic marine benthic ecosystem. *Adaptations within Antarctic Ecosystems, Proceedings of the Third SCAR Symposium on Antarctic Biology.* 135-157 (1977).

Arnaud, P. M. Le Genre *Lepas* Linné, 1758, Dans Les Terres Australes Et Antarctiques Françaises (*Cirripedia*). *Crustaceana* 24, 157-162 (1973).

Arnaud, P. M. Les moulières à *Mytilus* et *Aulacomya* des îles Kerguelen (Sud de l'Océan Indien). Les 'moulières de seuil' et leur intérêt possible pour l'aquaculture des Pélécypodes. *Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences. Série D: Sciences Naturelles* 272, 1423-1425 (1971).

Arnaud, P. M. Les écosystèmes benthiques des plateaux péri-insulaires des îles françaises du sud de l'Océan Indien. Actes du colloque sur la recherche dans les Terres Australes (Kerguelen, Crozet, Saint-Paul et Amsterdam) et à partir des navires qui les desservent 129-138 (CNFRA, 1989).

Arnaud, P. M. & Bandel, K. Comments on six species of marine antarctic Littorinacea (Mollusca, Gastropoda). *Tethys* 8, (1976).

Arnaud, P. M. & Beurois, J. Première signalisation des genres *Charonia* et *Ranella* aux îles Saint-Paul et Amsterdam (Océan Indien) et révision du genre *Argobuccinum* (Gastropoda Cymatiidae). *Tethys* 3, (1971).

Arnaud, P. M., Beurois, J. & Noël, P. Portunidae et Grapsidae des îles Saint Paul et Amsterdam, Océan Indien (Decapoda, Brachyura). *Beaufortia* 20, 7-14 (1972).

Arnaud, P. M. & Miquel, J. C. Antarctic nutrient cycles and food web 381-388 (Springer, 1985).

Aronson, R. B., et al. Climate change and trophic response of the Antarctic bottom fauna. *PLoS one* 4, e4385-e4385

(2009).

Arrigo, K. R. Sea ice ecosystems. Annual review of marine science 6, 439-67 (2014).

Arthur, C., Sutton-Grier, A. E., Murphy, P. & Bamford, H. Out of sight but not out of mind: Harmful effects of derelict traps in selected U.S. coastal waters. Marine Pollution Bulletin 86, 19-28 (2014).

Asensi, A., Delépine, R., Rousseau, F. & de Reviers, B. Morphology and taxonomy of *Adenocystis longissima* (Skottsberg) stat. nov. (Phaeophyceae) from subantarctic South America. Polar Biology 28, 82-91 (2004).

Asensi, A. O., Beucher, M. & Delépine, R. Etude sur la croissance et le développement de *Macrocystis pyrifera* (L.) C. Ag. aux îles Kerguelen. Proceedings of the 8th International Seaweed Symposium, 18-23 August 1974 (Fogg, G. E.) 278-289 (Menai Bridge : Marine Science Laboratories, 1981).

Asensi, A. O. & Delépine, R. New contributions on *Macrocystis* from Kerguelen Islands (abstract). Journal of Phycology 13, 5 (1977).

Asensi, A. & Reviers de, B. Illustrated catalogue of types of species historically assigned to *Lessonia* (Laminariales, Phaeophyceae) preserved at PC, including a taxonomic study of three South-American species with a description of *L. searlesiana* sp. nov. and a new lectotypification of *L. flavicans*. Cryptogamie, Algologie 30, 209-249 (2009).

Ashford, J., Duhamel, G., Jones, C. & Bobko, S. Age, growth and mortality of Patagonian toothfish (*Dissostichus eleginoides*) caught off Kerguelen. CCAMLR Science 12, 29-41 (2005).

Ashton, G. V., Morley, S. A., Barnes, D. K. A., Clark, M. S. & Peck, L. S. Warming by 1°C Drives Species and Assemblage Level Responses in Antarctica's Marine Shallows. Current Biology 27, 2698-2705.e3 (2017).

Ashton, G. V., Morley, S. A., Barnes, D. K. A., Clark, M. S. & Peck, L. S. Warming by 1°C Drives Species and Assemblage Level Responses in Antarctica's Marine Shallows. Current Biology 27, 2698-2705.e3 (2017).

Askenasy, E. Forschungsreise S.M.S. « Gazelle » in den Jahren 1874 bis 1876 : unter Kommando des Kapitän See Freiherrn von Schleinitz. IV Botanik 4, (E.S. Mittler und Sohn, 1889).

Assis, J., et al. Bio-ORACLE v2.0: Extending marine data layers for bioclimatic modelling. Global Ecology and Biogeography 27, 277-284 (2018).

Atkin, A. New Light on the British National Antarctic Expedition (Scott's Discovery Expedition) 1901-1904. (2008).

Aubert de la Rüe, E. Informations sur les pêches étrangères. et coloniales. La pêche aux îles Saint Paul et

Amsterdam. Revue des travaux de l'Officie des Pêches Maritimes 5, 83-109 (1932).

Aubert de la Rüe, E. La flore et la faune des îles Kerguelen. (1932).at
<https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=45&ved=2ahUKewi6kLnAxangAhVKXhoKHd uJBqc4KBAWMAR6BAgFEAI&url=http%3A%2F%2Fdocuments.irevues.inist.fr%2Fbitstream%2Fhandle%2F2042%2F60219%2FLATERREETLAVIE_1932_1_29.pdf%3Fsequence%3D1&usg=AOvVaw1BgrORU7UV3FbN_aCI-tvD>

Austin, M. Species distribution models and ecological theory: A critical assessment and some possible new approaches. *Ecological Modelling* 200, 1-19 (2007).

Australian Antarctic Division, Home page Heard Island <<http://www.heardisland.aq/>>. (no date).at
<<http://www.heardisland.aq/>>

Australian Antarctic Division, British, Australian, New Zealand Antarctic Research Expeditions 1929-31 (BANZARE). (2012).at
<<http://www.antarctica.gov.au/about-antarctica/history/exploration-and-expeditions/british,-australian,-new-zealand-antarctic-research-expeditions-1929-31>>

Australian Antarctic Division, Australasian Antarctic Expedition 1911-14. (2008).at
<<http://www.antarctica.gov.au/about-antarctica/history/exploration-and-expeditions/creation-of-australian-antarctic-territory>>

Australian Antarctic Division, Heard Island and McDonald Island Marine Reserve_Management Plan. (2005).at
<http://www.heardisland.aq/__data/assets/pdf_file/0006/2112/HIMIMR_MP.pdf>

Avila, M., Alcapan, A., Piel, M. I., Ramirez, M. E. & Cortes, M. Manual de cultivo del alga comestible *Callophyllis variegata* (Bory) Kutzing (carola) en el sur de Chile. (2015).at <<http://rgdoi.net/10.13140/RG.2.1.2392.7202>>

Ayress, M. A., De Decker, P. & Coles, G. P. A taxonomic and distributional survey of marine benthonic Ostracoda off Kerguelen and Heard Islands, South Indian Ocean. *Journal of Micropalaeontology* 23, 15-38 (2004).

Baird, H. P., Miller, K. J. & Stark, J. S. Genetic population structure in the Antarctic benthos: insights from the widespread amphipod, *Orchomenella franklini*. *PloS one* 7, e34363-e34363 (2012).

Baker, E. K. & Harris, P. T. Seafloor Geomorphology as Benthic Habitat 23-38 (Elsevier, 2012).at
<<https://linkinghub.elsevier.com/retrieve/pii/B9780123851406000025>>

Bakker, D. C. E., et al. An update to the Surface Ocean CO₂ Atlas (SOCAT version 2). *Earth System Science Data* 6, 69-90 (2014).

Balech, E., El-Sayed, S. Z., Hasle, G., Neushul, M. & Zaneveld, J. S. Antarctic Map Folio Series 1-12, 15 plates (1968).at <<http://share.biodiversity.aq/Atlas/Resources/AntarticMapFolio10.pdf>>

Barboza, C. A. de M., Moura, R. B., Lanna, A. M., Oackes, T. & Campos, L. S. Echinoderms as clues to Antarcti-South America connectivity. *Oecologia Australis* 15, 86-110 (2011).

Bardout, G. Manuel technique de plongée polaire. (Ulmer, 2016).

Barnard, K. H. Discovery Reports, Vol. V 3-326, plate I (1932).

Barnes, D. K. A., Hodgson, D. A., Convey, P., Allen, C. S. & Clarke, A. Incursion and excursion of Antarctic biota: past, present and future. *Global Ecology and Biogeography* 15, 121-142 (2006).

Barnes, D. K. A. Iceberg killing fields limit huge potential for benthic blue carbon in Antarctic shallows. *Global Change Biology* 23, 2649-2659 (2017).

Barnes, D. K. A. Polar zoobenthos blue carbon storage increases with sea ice losses, because across-shelf growth gains from longer algal blooms outweigh ice scour mortality in the shallows. *Global Change Biology* 23, 5083-5091 (2017).

Barnes, D. K. A. & De Grave, S. Ecological biogeography of southern polar encrusting faunas. *Journal of Biogeography* 28, 359-365 (2002).

Barnes, D. K. A. & Griffiths, H. J. Biodiversity and biogeography of southern temperate and polar bryozoans. *Global Ecology and Biogeography* 17, 84-99 (2007).

Barnes, D. K. A. & Kuklinski, P. Bryozoans of the Weddell Sea continental shelf, slope and abyss: did marine life colonize the Antarctic shelf from deep water, outlying islands or in situ refugia following glaciations? *Journal of Biogeography* 37, 1648-1656 (2010).

Barnes, D. K. A. & Sands, C. J. Functional group diversity is key to Southern Ocean benthic carbon pathways. *PLOS ONE* 12, e0179735 (2017).

Barnes, D. K. A., Webb, K. E. & Linse, K. Growth rate and its variability in erect Antarctic bryozoans. *Polar Biology* 30, 1069-1081 (2007).

Barnes, D. K. A. Marine biology: new light on growth in the cold. *Current biology* 23, R609-R611 (2013).

Barnes, D. K. A. Do life patterns differ between two Scotia Arc localities? A preliminary investigation of three erect

Antarctic bryozoan species. *Antarctic Science* 11, 275-282 (1999).

Barnes, D. K. A. Sublittoral epifaunal communities at Signy Island, Antarctica. I. The ice-foot zone. *Marine Biology* 121, 555-563 (1995).

Barnes, D. K. A. Sublittoral epifaunal communities at Signy Island, Antarctica. II. Below the ice-foot zone. *Marine Biology* 121, 565-572 (1995).

Barnes, D. K. A. & Arnold, R. J. Possible latitudinal clines in Antarctic intertidal and subtidal zone communities encrusting ephemeral hard substrata. *Journal of Biogeography* 26, 207-213 (1999).

Barnes, D. K. A. & Clarke, A. Antarctic marine biology. *Current biology* 21, R609-R611 (2011).

Barnes, D. K. A. & Conlan, K. E. Disturbance, colonization and development of Antarctic benthic communities. *Philosophical Transactions of the Royal Society B: Biological Sciences* 362, 11-38 (2007).

Barnes, D. K. A., Fuentes, V., Clarke, A., Schloss, I. R. & Wallace, M. I. Spatial and temporal variation in shallow seawater temperatures around Antarctica. *Deep Sea Research Part II: Topical Studies in Oceanography* 53, 853-865 (2006).

Barnich, R., Fiege, D., Micaletto, G. & Gambi, M. C. Redescription of *Harmothoe spinosa* Kinberg, 1856 (Polychaeta: Polynoidae) and related species from Subantarctic and Antarctic waters, with the erection of a new genus. *Journal of Natural History* 40, 33-75 (2006).

Barrera-Oro, E., Moreira, E., Seefeldt, M. A., Valli Francione, M. & Quartino, M. L. The importance of macroalgae and associated amphipods in the selective benthic feeding of sister rockcod species *Notothenia rossii* and *N. coriiceps* (Nototheniidae) in West Antarctica. *Polar Biology* (2018).doi:10.1007/s00300-018-2424-0

Barthel, D. & Gutt, J. Sponge associations in the eastern Weddell Sea. *Antarctic Science* 4, 137-150 (1992).

Barthel, D., Gutt, J. & Tendal, O. S. New information on the biology of Antarctic deep-water sponges derived from underwater photography. *Marine Ecology Progress Series* 69, 303-307 (1991).

Bastian, M., Heymann, S. & Jacomy, M. Gephi : An Open Source Software for Exploring and Manipulating Networks. (2009).at <<http://www.aiai.org/ocs/index.php/ICWSM/09/paper/view/154>>

Bayer, F. M. The Antarctic Genus *Callozostron* And Its Relationship To *Primnoella*. *Proceedings of The Biological Society of Washington* 109, 150-203 (1995).

- Bazin, A. Intérêt de l'étude des signatures isotopiques ^{13}C et ^{15}N pour la caractérisation de la sensibilité d'espèces confrontées aux changements environnementaux. (2016).at
<http://www.proteker.net/IMG/pdf/2016_bazin_master_2__interet_de_l_etude_des_signatures_isotopiques_13c_et_15n_pour_la_caracterisation_de_la_sensibilite_d_especes_confrontees_aux_changements_environnementaux.pdf>
- Bazin, A. Contrôle des biotopes sur l'écologie des oursins des Iles Kerguelen. Analyse d'habitats contrastés à l'aide de traceurs isotopiques (^{13}C et ^{15}N) et de marqueurs géochimiques. (2015).at
<http://www.proteker.net/IMG/pdf/2015_bazin_master_1_controle_des_biotopes_sur_l_ecologie_des_oursins_des_iles_kerguelen_analyse_d_habitats_contrastes_a_l_aide_de_traceurs_isotopiques_13c_et_15n_et_de_marqueurs_g_eochimiques.pdf>
- Bé, A. W. H., et al. Antarctic Map Folio Series (Bushnell, V. C. & Hedgpeth, J. W.) 1-44, 29 plates (American Geographical Society, 1969).at <<http://share.biodiversity.aq/Atlas/Resources/AntarticMapFolio11.pdf>>
- Beaman, R. J. & O'Brien, P. E. Kerguelen Plateau Bathymetric Grid, November 2010. 1-20 (2011).
- Bearhop, S., et al. Stable isotopes indicate sex-specific and long-term individual foraging specialisation in diving seabirds. Marine Ecology Progress Series 311, 157-164 (2006).
- Becker, S., et al. The biology of an Antarctic rhodophyte, *Palmaria decipiens*: recent advances. Antarctic Science 23, 419-430 (2011).
- Beckley, L. E. & Branch, G. M. A quantitative scuba-diving survey of the sublittoral macrobenthos at subantarctic Marion Island. Polar Biology 11, 553-563 (1992).
- Bell, F. J. 'Discovery' National Antarctic Expedition (1901-1904). Vol. IV 1-16, 5 plates (1908).
- Bellan, G. Polychètes des Terres Australes et Antarctiques Françaises. Téthys 6, 779-798 (1974).
- Bellan-Santini, D. & Ledoyer, L. Gammariens (Crustacea, Amphipoda) des îles Kerguelen et Crozet. Téthys 5, 635-708 (1974).
- Bellchambers, L. M. The effect of western rock lobster fishing on the deepwater ecosystems of the west coast of Western Australia: final FRDC report - project no. 2004/049. (Fisheries Dept. of W.A., 2010).
- Belscher, T. & Mouchot, M. - C. Evaluation par télédétection satellitaire des stocks de *Macrocystis pyrifera* dans le Golfe du Marbihan (archipel des Kerguelen). Oceanologica Acta 15, 297-307 (1992).
- Bennett, J. R., et al. Polar lessons learned: long-term management based on shared threats in Arctic and Antarctic environments. Frontiers in Ecology and the Environment 13, 316-324 (2015).

Berthier, E. Recul des glaciers de montagne : que nous apprennent les satellites ? *La Météorologie* 8, 32 (2008).

Berthier, E., Le Bris, R., Mabileau, L., Testut, L. & Rémy, F. Ice wastage on the Kerguelen Islands (49°S, 69°E) between 1963 and 2006. *Journal of Geophysical Research* 114, (2009).

Bestley, S., et al. Ocean circulation and frontal structure near the southern Kerguelen Plateau: The physical context for the Kerguelen Axis ecosystem study. *Deep Sea Research Part II: Topical Studies in Oceanography* (2018).doi:10.1016/j.dsr2.2018.07.013

Betti, F., et al. Benthic biodiversity and ecological gradients in the Seno Magdalena (Puyuhuapi Fjord, Chile). *Estuarine, Coastal and Shelf Science* 198, 269-278 (2017).

Beurois, J. Invertébrés et algues benthiques exploités ou exploitables. Actes du colloque sur la recherche dans les Terres Australes (Kerguelen, Crozet, Saint-Paul et Amsterdam) et à partir des navires qui les desservent 221-228 (CNFRA, 1989).

Beurois, J. Etude écologique et halieutique des fonds de pêche et des espèces d'intérêt commercial (langoustes et poisson) des îles Saint-Paul et Amsterdam (Océan Indien). CNFRA (Comité National Français des Recherches Antarctiques) 37, (1975).

Billard, A. Expédition Antarctique Française (1903-1905) commandée par le Dr Jean Charcot 1-20 (Masson et Cie, 1906).

Billard, E., Reyes, J., Mansilla, A., Faugeron, S. & Guillemin, M. - L. Deep genetic divergence between austral populations of the red alga *Gigartina skottsbergii* reveals a cryptic species endemic to the Antarctic continent. *Polar Biology* 38, 2021-2034 (2015).

Bittner, L., et al. Evolutionary history of the Corallinales (Corallinophycidae, Rhodophyta) inferred from nuclear, plastidial and mitochondrial genomes. *Molecular Phylogenetics and Evolution* 61, 697-713 (2011).

Blamey, L. K., de Lecea, A. M., Jones, L. D. S. & Branch, G. M. Diet of the spiny lobster *Jasus paulensis* from the Tristan da Cunha archipelago: Comparisons between islands, depths and lobster sizes. *Estuarine, Coastal and Shelf Science* 219, 262-272 (2019).

Blanc, M. Les Poissons des Terres Australes et Antarctiques Françaises. *Memoires de l'Institut Scientifique de Madagascar* 4, 109-159 (1961).

Blot, M., Soyer, J. & Thiriou-Quievreux, C. Preliminary data on the genetic differentiation of *Mytilus desolationis* Lamy 1936 and *Aulacomya ater regis* Powell 1957 (Bivalvia, mytilidae) in the Kerguelen Islands (Terres Australes et Antarctiques Françaises). *Polar Biology* 7, 1-9 (1987).

Blot, M. Les populations de Mytilidae de Kerguelen (océan Austral) : génétique et adaptation à l'environnement de *Mytilus desolationis*. (1989).

Bocquet-Vedrine, J. Présence du Cirripèdes thoracique pédonculé *Lepas australis* dans le Golfe du Morbihan. CNFRA (Comité National Français des Recherches Antarctiques) 32, 29-30 (1973).

Boedeker, C., Ramírez, M. E. & Nelson, W. A. *Cladophoropsis brachyartra* from southern South America is a synonym of *Wittrockiella lyallii* (Cladophorophyceae, Chlorophyta), previously regarded as endemic to New Zealand. *Phycologia* 49, 525-536 (2010).

Bolton, J., Anderson, R., Smit, A. & Rothman, M. South African kelp moving eastwards: the discovery of *Ecklonia maxima* (Osbeck) Papenfuss at De Hoop Nature Reserve on the south coast of South Africa. *African Journal of Marine Science* 34, 147-151 (2012).

Booth, J. D. & Ovenden, J. R. Distribution of *Jasus* spp. (Decapoda:Palinuridae) phyllosomas in southern waters: implications for larval recruitment. *Marine Ecology Progress Series* 200, 241-255 (2000).

Boraso, A. *World Seaweed Resources* 26 pages (2006).

Boraso, A., Rico, A. E., Perales, S., Pérez, L. & Zalazar, H. *Algas marinas de la Patagonia. Una guía ilustrada.* (2003).

Boraso de Zaixso, A. & Quartino, M. L. Estudios sobre algas marinas bentónicas en Argentina. *Naturalia Patagonica, Ciencias Biológicas* 1, 35-57 (1993).

Boraso de Zaixso, A. & Zaixso, J. M. Elementos para el estudio de las macroalgas de Argentina. (2013).at <<https://macroalgasmarinasdeargentina.blogspot.com/2017/08/un-libro-introductorio-sobre-algas.html>>

Borja, A., Garmendia, J. M., Menchaca, I., Uriarte, A. & Sagarmínaga, Y. Yes, We Can! Large-Scale Integrative Assessment of European Regional Seas, Using Open Access Databases. *Frontiers in Marine Science* 6, (2019).

Borojevic, R. Eponges calcaires. CNFRA (Comité National Français des Recherches Antarctiques) 30, 113-127 (1971).

Borojevic, R. & Grua, P. Eponges calcaires de Kerguelen - Systématique et Ecologie. *Archives de Zoologie Expérimentale et Générale* 105, 1-29 (1965).

Boschen, R. E., Tyler, P. A. & Copley, J. T. Distribution, population structure, reproduction and diet of *Ophiolimna antarctica* (Lyman, 1879) from Kemp Caldera in the Southern Ocean. *Deep Sea Research Part II: Topical Studies in Oceanography* 92, 27-35 (2013).

Bossard, D. C. Linked index to the H.M.S. Challenger Reports. (2004).at
<<http://www.19thcenturyscience.org/HMSC/HMSC-INDEX/index-linked.htm>>

Boury-Esnault, N. & Van Beveren, M. Les Démosponges du plateau continental de Kerguelen-Heard. CNFRA (Comité National Français des Recherches Antarctiques) 52, 1-174 (1982).

Bouvier, E. - L. Deuxième expédition antarctique française (1908-1910) commandée par le Dr Jean Charcot 1-69, 3 planches (Masson et Cie, 1913).at <<http://archimer.ifremer.fr/doc/1908/publication-6959.pdf>>

Bouvier, E. - L., Daday de Déès, E., Quidor, A. & Keilin, Deuxième expédition antarctique française (1908-1910) 6-260 (1913).

Bouvier, M. E. - L. Quinze mois aux îles Kerguelen 38-39, planche II (1911).

Bowden, D., Clarke, A., Peck, L. & Barnes, D. Antarctic sessile marine benthos: colonisation and growth on artificial substrata over three years. Marine Ecology Progress Series 316, 1-16 (2006).

Brady, G. S. An account of the petrological, botanical and zoological collections made in Kerguelen's Island and Rodriguez during Philosophical Transactions of the Royal Society of London the Transit of Venus Expedition, 1874-1875 215-218 (Philosophical Transactions of the Royal Society of London. Vol. 168, 1879).

Braeckman, U., et al. Degradation of macroalgal detritus in shallow coastal Antarctic sediments. Limnology and Oceanography (2019).doi:10.1002/lno.11125

Branch, G. M., Attwood, C. G., Gianakouras, D. & Branch, M. L. Patterns in the benthic communities on the shelf of the sub-Antarctic Prince Edward Islands. Polar Biology 13, (1993).

Branch, M. L., Griffiths, C. L., Kensley, B. & Sieg, J. The Benthic Crustacea of Subantarctic Marion and Prince Edward Islands: Illustrated Keys to the Species and Results of the 1982-1989 University of Cape Town Surveys. South African Journal of Antarctic Research 21, 3-44 (1991).

Branch, M. L., Jangoux, M., Alva, V., Massin, C. & Stampanato, S. The Echinodermata of subantarctic Marion and Prince Edward Islands. South African Journal of Antarctic Research 23, 37-70 (1993).

Brandt, A. Hypotheses on Southern Ocean peracarid evolution and radiation (Crustacea, Malacostraca). Antarctic Science 12, 269-275 (2000).

Brandt, A. Evolution of Antarctic biodiversity in the context of the past: the importance of the Southern Ocean deep sea. Antarctic Science 17, 509-521 (2005).

Brandt, A., et al. The biodiversity of the deep Southern Ocean benthos. *Philosophical Transactions of the Royal Society B: Biological Sciences* 362, 39-66 (2007).

Brandt, A. & Ebbe, B. Southern Ocean deep-sea biodiversity From patterns to processes. *Deep Sea Research Part II: Topical Studies in Oceanography* 56, 1732-1738 (2009).

Brandt, A., Linse, K. & Schüller, M. Bathymetric distribution patterns of Southern Ocean macrofaunal taxa: Bivalvia, Gastropoda, Isopoda and Polychaeta. *Deep Sea Research Part I: Oceanographic Research Papers* 56, 2013-2025 (2009).

Brandt, A., Mühlenhardt-Siegel, U. & Siegel, V. An account of the Mysidacea (Crustacea, Malacostraca) of the Southern Ocean. *Antarctic Science* 10, 3-11 (1998).

Brasier, M. J., et al. Distributional Patterns of Polychaetes Across the West Antarctic Based on DNA Barcoding and Particle Tracking Analyses. *Frontiers in Marine Science* 4, (2017).

Breen, P. A. A review of ghost fishing by traps and gillnets. *Proceedings of the Second International Conference on Marine Debris*, 2-7 April 1989. 571-599 (Shomura R.S. & Godfrey M.L., 1990).

Brey, T., et al. Do Antarctic benthic invertebrates show an extended level of eurybathy? *Antarctic Science* 8, 3-6 (2004).

Brey, T. & Clarke, A. Population dynamics of marine benthic invertebrates in Antarctic and subantarctic environments: are there unique adaptations? *Antarctic Science* 5, 253-266 (1993).

Brey, T., Voigt, M., Jenkins, K. & Ahn, I. - Y. The bivalve *Laternula elliptica* at King George Island A biological recorder of climate forcing in the West Antarctic Peninsula region. *Journal of Marine Systems* 88, 542-552 (2011).

Briceño, F., Linnane, A. J., Quiroz, J. C., Gardner, C. & Pecl, G. T. Predation Risk within Fishing Gear and Implications for South Australian Rock Lobster Fisheries. *PLOS ONE* 10, e0139816 (2015).

Briggs, J. C. Oceanic Islands, Endemism, and Marine Paleotemperatures. *Systematic Biology* 15, 153-163 (1966).

Briggs, J. C. & Bowen, B. W. A realignment of marine biogeographic provinces with particular reference to fish distributions: Marine biogeographic provinces. *Journal of Biogeography* 39, 12-30 (2012).

Broch, H. *Discovery Reports*, Vol. XXVI 33-46, plates II-IV (1951).

Rousseau, F., Draisma, S. & de Reviers, B. Unravelling the algae, the past, present, and future of algal systematics

(Brodie, J. & Lewis, J.) 20072976, 267-284 (CRC Press, 2007).

Brown, A. & Thatje, S. Explaining bathymetric diversity patterns in marine benthic invertebrates and demersal fishes: physiological contributions to adaptation of life at depth. *Biological reviews of the Cambridge Philosophical Society* (2013).doi:10.1111/brv.12061

Brown, J., Macfadyen, G., Huntington, T., Magnus, J. & Tumilty, J. Ghost Fishing by Lost Fishing Gear. Final Report to DG Fisheries and Maritime Affairs of the European Commission. Fish/2004/20. Institute for European Environmental Policy / Poseidon Aquatic Resource Management Ltd joint report. 132 (Institute for European Environmental Policy, 2005).

Browne, E. T. 'Discovery' National Antarctic Expedition (1901-1904). Vol. V 1-62, 7 plates (1910).

Buchanan, J. & Zuccarello, G. C. Decoupling of short- and long-distance dispersal pathways in the endemic New Zealand seaweed *Carpophyllum maschalocarpum* (Phaeophyceae, Fucales). *Journal of Phycology* 48, 518-529 (2012).

Burton, M. Las esponjas marinas del Museo Argentino de Ciencias Naturales. *Anales del Museo Argentino de Ciencias Naturales "Bernardino Rivadavia"* 40, 95-121 (1940).

Burton, M. *Discovery Reports*, Vol. VI 239-392, plates XLVII-LVII (1932).

Busk, G. An account of the petrological, botanical and zoological collections made in Kerguelen's Island and Rodriguez during Philosophical Transactions of the Royal Society of London the Transit of Venus Expedition, 1874-1875 193-199 (*Philosophical Transactions of the Royal Society of London*. Vol. 168, 1879).

Bussolini, L. T. & Waters, J. M. Genetic analyses of rafted macroalgae reveal regional oceanographic connectivity patterns. *Journal of Biogeography* 42, 1319-1326 (2015).

Butler, C. B., Gutzler, B. C. & Matthews, T. R. Sublethal and lethal effects of confinement of Caribbean spiny lobsters, *Panulirus argus*, in ghost traps. *Bulletin of Marine Science* 94, 1153-1169 (2018).

Butler, C. B. & Matthews, T. R. Effects of ghost fishing lobster traps in the Florida Keys. *ICES Journal of Marine Science: Journal du Conseil* 72, i185-i198 (2015).

Byrne, M., Gall, M., Wolfe, K. & Agüera, A. From pole to pole: the potential for the Arctic seastar *Asterias amurensis* to invade a warming Southern Ocean. *Global Change Biology* n/a-n/a (2016).doi:10.1111/gcb.13304

Cabessut, M. Etude des réseaux trophiques dans les environnements côtiers des Iles Kerguelen : analyse des régimes alimentaires d'espèces d'oursins et de leur plasticité trophique à l'aide de traceurs isotopiques (^{13}C , ^{15}N ,

'34S). (2017).at

<http://www.proteker.net/IMG/pdf/2017_cabessut_master_1__etude_des_reseaux_trophiques_dans_les_environs_cotiers_des_iles_kerguelen_analyse_des_regimes_alimentaires_d_especes_d_oursins_et_de_leur_plasticite_trophique_a_l_aide_de_traceurs_isotop.pdf>

Cairns, S. D. A New Species Of Chrysogorgia (Anthozoa : Octocorallia) From The Antarctic. Proceedings of The Biological Society of Washington 115, 217-222 (2001).

Calado, R. & Leal, M. C. Advances in Marine Biology 71, 1-70 (Elsevier, 2015).

Calman, W. T. British Antarctic ("Terra Nova") Expedition, 1910. Natural History Reports. Zoology 3, 1-74 (BioStor, 1914).

Campana, G. L., et al. Succession of Antarctic benthic algae (Potter Cove, South Shetland Islands): structural patterns and glacial impact over a four-year period. Polar Biology 41, 377-396 (2018).

Camus, C., Faugeton, S. & Buschmann, A. H. Assessment of genetic and phenotypic diversity of the giant kelp, *Macrocystis pyrifera*, to support breeding programs. Algal Research 30, 101-112 (2018).

Cantera, J. R. & Arnaud, P. M. Les Gastéropodes prosobranches des Iles Kerguelen et Crozet (de l'Océan Indien) comparaison écologique et particularités biologiques. CNFRA (Comité National Français des Recherches Antarctiques) 56, 1-169 (1984).

Caragnano, A., et al. Revision of Corallinaceae (Corallinales, Rhodophyta): recognizing Dawsoniolithon gen. nov., Parvicellularium gen. nov. and Chamberlainoideae subfam. nov. containing Chamberlainium gen. nov. and Pneophyllum. Journal of Phycology 54, 391-409 (2018).

Carcelles, A. Catalogo de la malacofauna antarctica Argentina. Anales del Museo Nahuel Huapi 3, 150-250 (1953).

Cárdenas, C. A., González-Aravena, M. & Santibañez, P. A. The importance of local settings: within-year variability in seawater temperature at South Bay, Western Antarctic Peninsula. PeerJ 6, e4289 (2018).

Carriol, R. P. & Féral, J. - P. Réexamen de quelques Psolidae (Holothurioidea, Echinodermata) antarctiques et subantarctiques. Description de deux nouvelles espèces du genre Psolus. Bulletin du Muséum National d'Histoire Naturelle, Paris, 4e série 7, 49-60 (1985).

Carter, A. (A.), Muller, R. (R.) & Thompson, A. (A. A.) The rate of decompression sickness in scientific diving at the Australian Institute of Marine Science (Townsville) 1996 to 2001. (2005).at
<<http://epubs.aims.gov.au/handle/11068/7104>>

- Carter, H. J. An account of the petrological, botanical and zoological collections made in Kerguelen's Island and Rodriguez during Philosophical Transactions of the Royal Society of London the Transit of Venus Expedition, 1874-1875 286-287 (Philosophical Transactions of the Royal Society of London. Vol. 168, 1879).
- Caselle, J. E., et al. First quantification of subtidal community structure at Tristan da Cunha Islands in the remote South Atlantic: from kelp forests to the deep sea. *PLOS ONE* 13, e0195167 (2018).
- Chenuil, A., Cahill, A. E., Délémontey, N., Du Salliant du Luc, E. & Fanton, H. From Assessing to Conserving Biodiversity (Casetta, E., Marques da Silva, J. & Vecchi, D.) 24, 77-106 (Springer International Publishing, 2019).
- Causse, R., et al. Demersal ichthyofaunal shelf communities from the Dumont d'Urville Sea (East Antarctica). *Polar Science* 5, 272-285 (2011).
- Cazenave, A., et al. Le niveau de la mer- variations passées, présentes et futures. *La Météorologie* 88, 69-82 (2015).
- Cecchetto, M., et al. Distributional records of Antarctic and sub-Antarctic Ophiuroidea from samples curated at the Italian National Antarctic Museum (MNA): check-list update of the group in the Terra Nova Bay area (Ross Sea) and launch of the MNA 3D model 'virtual gallery'. *ZooKeys* 705, 61-79 (2017).
- Center for History and New Media, Zotero - Guide rapide pour débuter. (no date).at
<http://zotero.org/support/quick_start_guide>
- Chardy, P., Desbruyères, D. & Laurec, A. Analyse multivariable des taxocénoses annéliennes du Golfe du Morbihan. *CNFRA (Comité National Français des Recherches Antarctiques)* 39, 121-129 (1976).
- Charpentier, A. Etude du Réseau trophique benthique de la baie de Port-aux-Français aux Iles Kerguelen. (2017).at
<http://www.proteker.net/IMG/pdf/2018_charpentier_master_2_etude_du_reseau_trophique_benthique_de_la_baie_de_port-aux-francais_aux_iles_kerguelen.pdf>
- Cheney, D. P. R & C/P - A new and improved ration for comparative seaweed floras (abstract). *Journal of Phycology* 13, 12 (1977).
- Chenuil, A., Egea, E., Rocher, C. & Féral, J. - P. Comparing substitution rates in spatangoid sea urchins with putatively different effective sizes, and other echinoderm datasets. *Echinoderms: Durham. Proc. IEC, (Al., H. et)* 159-161 (Taylor & Francis Group, 2010).
- Chenuil, A., Egea, E., Rocher, C., Touzet, H. & Féral, J. - P. Does hybridization increase evolutionary rate? Data from the 28S-rDNA D8 domain in echinoderms. *Journal of molecular evolution* 67, 539-50 (2008).
- Chenuil, A., Gault, A. & Féral, J. - P. Paternity analysis in the Antarctic brooding sea urchin *Abatus nimrodi* . A pilot

study. *Polar Biology* 27, 177-182 (2004).

Chenuil, A., et al. Understanding processes at the origin of species flocks with a focus on the marine Antarctic fauna: Understanding the origins of species flocks. *Biological Reviews* 93, 481-504 (2018).

Cherbonnier, G. Holothurides et échinides. *CNFRA (Comité National Français des Recherches Antarctiques)* 35, 27-31 (1974).

Cherbonnier, G. Les holothuries de Quoy et Gaimard. *Mémoires de l'Institut Royal de Sciences Naturelles de Belgique 2e série*, 1-62 (1952).

Cherbonnier, G. & Guille, A. Echinodermes récoltés aux îles Kerguelen par P. Grua. *CNFRA (Comité National Français des Recherches Antarctiques)* 35, 25-44 (1974).

Chérel, Y., Gasco, N. & Duhamel, G. The Kerguelen Plateau: marine ecosystem and fisheries 99-108 (2011).at <http://www.cebc.cnrs.fr/publipdf/2011/CSFI_2011.pdf>

Chevreaux, E. Deuxième expédition antarctique française (1908-1910) commandée par le Dr Jean Charcot 79-186 (Masson et Cie, 1913).

Child, A. Antarctic and Subantarctic Pycnogonida III. The family Nymphonidae. *Biology of the Antarctic Seas XXIV* 69, 1-68 (1995).

Child, C. A. Antarctic and Subantarctic Pycnogonida: Nymphonidae, Colossendeidae, Rhynchothoraxidae, Pycnogonidae, Endeididae, and Callipallenidae 69-111 (American Geophysical Union, 2013).at <<http://onlinelibrary.wiley.com/doi/10.1002/9781118668252.ch2/summary>>

Child, C. A. *Biology of the Antarctic Seas XXIV* 49-99 (1995).

Child, C. A. 1-48 (1995).at <<http://onlinelibrary.wiley.com/book/10.1029/AR063>>

Child, C. A. Antarctic and Subantarctic Pycnogonida: Nymphonidae, Colossendeidae, Rhynchothoraxidae, Pycnogonidae, Endeididae, and Callipallenidae (Child, C. A.) 113-160 (American Geophysical Union, 2013).at <<http://onlinelibrary.wiley.com/doi/10.1002/9781118668252.ch3/summary>>

Chiswell, S. Colonisation and connectivity by intertidal limpets among New Zealand, Chatham and Sub-Antarctic Islands. II. Oceanographic connections. *Marine Ecology Progress Series* 388, 121-135 (2009).

Christiansen, H., et al. Corrigendum: Diversity of Mesopelagic Fishes in the Southern Ocean - A Phylogeographic

Perspective Using DNA Barcoding. *Frontiers in Ecology and Evolution* 6, (2018).

Christiansen, H., et al. Diversity of Mesopelagic Fishes in the Southern Ocean - A Phylogeographic Perspective Using DNA Barcoding. *Frontiers in Ecology and Evolution* 6, (2018).

Chun, C. Scientific results of the German Deepsea Expedition on Board the Steamship Valdivia 1898-1899. 1-435 (Gustav Fischer, 1910).at
<<http://www.worldcat.org/title/scientific-results-of-the-german-deepsea-expedition-on-board-the-steamship-valdivia-1898-1899/oclc/310779033>>

Chung, H., et al. Species composition and biomass distribution of benthic macroalgae in Maxwell Bay, King George Island, Antarctica. *Korean Journal of Polar Research* 11, 1-12 (2000).

Chung, H., Oh, Y. S., Lee, I. K. & Kim, D. - Y. Macroalgal vegetation of Maxwell Bay in King George Island, Antarctica. *J. Phycology* 9, 47-58 (1994).

Cinelli, F., Mendoza, M. L. & Cabioch, J. Note sur quelques espèces de Corallinacées (Rhodophyta) récoltées dans l'Antarctique. *Phycologia* 28, 136-139 (1989).

Cipriano, F., Hevia, M. & Iñíguez, M. Genetic divergence over small geographic scales and conservation implications for Commerson's dolphins (*Cephalorhynchus commersonii*) in southern Argentina. *Marine Mammal Science* 27, 701-718 (2011).

Clark, A. S., Jury, S. H., Goldstein, J. S., Langley, T. G. & Watson III, W. H. Underwater video surveillance of American lobsters (*Homarus americanus*) to understand saturation levels in lobster traps. *Fishery Bulletin* 116, 161-170 (2018).

Clark, A. M. Asterozoa from Amsterdam and St. Paul Islands, southern Indian Ocean. *Bulletin Br Mus Nat Hist (Zool)* 30, 247-261 (1976).

Clark, G. F., Raymond, B., Riddle, M. J., Stark, J. S. & Johnston, E. L. Vulnerability of Antarctic shallow invertebrate-dominated ecosystems: Vulnerability of Antarctic Benthos. *Austral Ecology* 40, 482-491 (2015).

Clark, H. L. The apodous holothurians, a monograph of the Synaptidae and Molpadidae. XXXV, (1907).

Clark, M. S., et al. Biodiversity in marine invertebrate responses to acute warming revealed by a comparative multi-omics approach. *Global Change Biology* 23, 318-330 (2017).

Clarke, A. Antarctic marine benthic diversity: patterns and processes. *Journal of Experimental Marine Biology and Ecology* 366, 48-55 (2008).

Clarke, A., Aronson, R. B., Crame, J. A., Gili, J. -maria & Blake, D. B. Evolution and diversity of the benthic fauna of the Southern Ocean continental shelf. *Antarctic Science* 16, 559-568 (2004).

Clarke, A., Barnes, D. K. A. & Hodgson, D. A. How isolated is Antarctica? *Trends in ecology & evolution* 20, 1-3 (2005).

Clarke, A., Griffiths, H. J., Linse, K., Barnes, D. K. A. & Crame, J. A. How well do we know the Antarctic marine fauna? A preliminary study of macroecological and biogeographical patterns in Southern Ocean gastropod and bivalve molluscs. *Diversity and Distributions* 13, 620-632 (2007).

Clarke, A., et al. Climate change and the marine ecosystem of the western Antarctic Peninsula. *Philosophical Transactions of the Royal Society B: Biological Sciences* 362, 149-166 (2007).

Clarke, A. Foundations for Ecological Research West of the Antarctic Peninsula - Antarctic Research Series, vol. 70 (Ross, R. M. Hofmann, E. E. & Quetin, L. B.) 70, 373-388 (American Geophysical Union, 1996).

Clarke, K. R., Somerfield, P. J. & Gorley, R. N. Testing of null hypotheses in exploratory community analyses: similarity profiles and biota-environment linkage. *Journal of Experimental Marine Biology and Ecology* 366, 56-69 (2008).

Clayton, M. N., Wiencke, C. & Klöser, H. New records of temperate and sub-Antarctic marine benthic macroalgae from Antarctica. *Polar Biology* 17, 141-149 (1997).

Clayton, M. N. Evolution of the Antarctic marine benthic algal flora. *Journal of Phycology* 30, 897-904 (1994).

Cleret, J. C. Isopodes et Tanadiacés. CNFRA (Comité National Français des Recherches Antarctiques) 32, 31-36 (1973).

Clubb, J. A. 'Discovery' National Antarctic Expedition (1901-1904). Vol. IV 1-12, 3 plates (1908).

Collin, A., Long, B. & Archambault, P. Seafloor Geomorphology as Benthic Habitat 201-211 (Elsevier, 2012).at <<https://linkinghub.elsevier.com/retrieve/pii/B9780123851406000104>>

Collins, C. J., Fraser, C. I., Ashcroft, A. & Waters, J. M. Asymmetric dispersal of southern bull-kelp (*Durvillaea antarctica*) adults in coastal New Zealand: testing an oceanographic hypothesis: PHYLOGEOGRAPHIC ORIGINS OF BEACH-CAST MACROALGAE. *Molecular Ecology* 19, 4572-4580 (2010).

Collins, M. A., Allcock, A. L. & Belchier, M. Cephalopods of the South Georgia slope. *Journal of the Marine Biological Association of the United Kingdom* 84, 415-419 (2004).

Conde, F. & Gallardo, T. Macrofitobentos de la Expedición "Antártida 8611". Actas del IV Simposio Español de Estudios Antárticos 155-157 (Comisión Interministerial de Ciencia y Tecnología (CICYT), 1991).

Convey, P., et al. Antarctic climate change and the environment. *Antarctic Science* 21, 541-563 (2009).

Convey, P., et al. *Antarctic Ecosystems: An Extreme Environment in a Changing World* (Rogers, A. D. Johnston, N. M. Murphy, E. J. & Clarke, A.) 469-491 (John Wiley & Sons, Ltd, 2012).at <<http://doi.wiley.com/10.1002/9781444347241>>

Convey, P., et al. Exploring biological constraints on the glacial history of Antarctica. *Quaternary Science Reviews* 28 , 3035-3048 (2009).

Cordone, G., et al. Effects of macroalgae loss in an Antarctic marine food web: applying extinction thresholds to food web studies. *PeerJ* 6, e5531 (2018).

Cormaci, M. The macrophytobenthos of Terra Nova Bay (Ross Sea, Antarctica): results of three Italian scientific expeditions. *Giornale botanico italiano* 129, 1233-1243 (1995).

Cormaci, M., Furnari, G. & Scammacca, B. The Benthic Algal Flora of Terra Nova Bay (Ross Sea, Antarctica). *Botanica Marina* 35, (1992).

Cotton, A. D. Cryptogams from the Falkland Islands collected by Mrs. Vallentin, and described by A. D. Cotton, F.L.S. *Journal of the Linnean Society of London, Botany* 43, 137-231 (1915).

Coutière, H., Richardson, H. & Chevreux, E. *Expédition Antarctique Française (1903-1905) commandée par le Dr Jean Charcot* 1-10, 2 planches, 1-23, 1 planche, 1-100 (Masson et Cie, 1908).

Cox, G. M., Griffin, J., Miller, V. & Garthwaite, M. Tsunamigenic potential of the Kerguelen Plateau. (*Geoscience Australia*, 2016).at <http://www.ga.gov.au/metadata-gateway/metadata/record/gcat_83911>

Crame, J. A. An evolutionary framework for the polar regions. *Journal of Biogeography* 24, 1-9 (1997).

Crame, J. A. Key stages in the evolution of the Antarctic marine fauna. *Journal of Biogeography* 45, 986-994 (2018).

Craw, D. & Waters, J. Long distance kelp-rafting of rocks around southern New Zealand. *New Zealand Journal of Geology and Geophysics* 61, 428-443 (2018).

Craw, R. C. Panbiogeography and Vicariance Cladistics: Are They Truly Different? *Systematic Zoology* 32, 431-438 (1983).

Creed, J. C., Vieira, V. M. N. C. S., Norton, T. A. & Caetano, D. A meta-analysis shows that seaweeds surpass plants, setting life-on-Earth's limit for biomass packing. *BMC Ecology* 19, (2019).

Cremades, J., Barreiro, R., Maneiro, I. & Saunders, G. W. A new taxonomic interpretation of the type of *Plocamium cartilagineum* (Plocamiales, Florideophyceae) and its consequences. *European Journal of Phycology* 46, 125-142 (2011).

Cumming, R. A., Nikula, R., Spencer, H. G. & Waters, J. M. Transoceanic genetic similarities of kelp-associated sea slug populations: long-distance dispersal via rafting? *Journal of Biogeography* 41, 2357-2370 (2014).

Cummings, V. J., et al. Linking Ross Sea Coastal Benthic Communities to Environmental Conditions: Documenting Baselines in a Spatially Variable and Changing World. *Frontiers in Marine Science* 5, (2018).

Dahm, C. Ophiuroids (Echinodermata) of southern Chile and the Antarctic: taxonomy, biomass, diet and growth of dominant species. 63 (Suppl. 1), 427-432 (1999).

Danis, B. A field guide to Antarctic sponges. a Field Guide to Antarctic Sponges (2013).at
<<http://afg.biodiversity.aq/guides/144164-a-field-guide-to-antarctic-sponges>>

Danis, B., Jangoux, M. & Wilmes, J. Antarctic Starfish (Echinodermata, Asteroidea) from the ANDEEP3 expedition. *ZooKeys* 185, 73-8 (2012).

Davaine, P. & Beall, E. Introduction de salmonidés en milieu vierge (Îles Kerguelen, Subantarctique) : enjeux, résultats, perspectives. *Bulletin Français de la Pêche et de la Pisciculture* 93-110 (1997).doi:10.1051/kmae:1997013

David, B., Choné, T., Festeau, A., Mooi, R. & De Ridder, C. Biodiversity of Antarctic echinoids: a comprehensive and interactive database. *Scientia Marina* 69, 201-203 (2005).

Dawson, E. W. Oceanography and marine zoology of the New Zealand subantarctic. *New Zealand Journal of Ecology* 12, 44-57 (1965).

Dayton, P. K. Polar Oceanography. (Elsevier, 1990).at
<<http://www.sciencedirect.com/science/article/pii/B9780080925950500106>>

Dayton, P. K. Ecology of Kelp Communities. *Annual Review of Ecology and Systematics* 16, 215-245 (1985).

Dayton, P. K. Kelp communities of southern South America. *Antarctic Journal of the United States* 9, 22-23 (1974).

Dayton, P. K., et al. Benthic responses to an Antarctic regime shift: food particle size and recruitment biology.

Ecological Applications 29, e01823 (2019).

Dayton, P. K., Mordida, B. J. & Bacon, F. Polar Marine Communities. *American Zoologist* 34, 90-99 (1994).

Dayton, P. K., Robilliard, G. A., Paine, R. T. & Dayton, L. B. Biological Accommodation in the Benthic Community at McMurdo Sound, Antarctica. *Ecological Monographs* 44, 105-128 (1974).

De Broyer, C., et al. Structural and ecofunctional biodiversity of the amphipod crustacean benthic taxocoenoses in the Southern Ocean. 1-55 (2003).

De Broyer, C. & Danis, B. How many species in the Southern Ocean? Towards a dynamic inventory of the Antarctic marine species. *Deep Sea Research Part II: Topical Studies in Oceanography* 58, 5-17 (2011).

De Clerck, O., Guiry, M. D., Leliaert, F., Samyn, Y. & Verbruggen, H. Algal taxonomy: a road to nowhere? *Journal of Phycology* 49, 215-225 (2013).

de Queiroz, A. The resurrection of oceanic dispersal in historical biogeography. *Trends in Ecology & Evolution* 20, 68-73 (2005).

de Reviere, B. Hommage à René Delépine à l'occasion de son départ à la retraite. *Cryptogamie Algologie* 22, 159-172 (2001).

De Villiers, A. F. Littoral ecology of Marion and Prince Edward Islands (Southern Ocean). *South African journal of antarctic research Suppl.* 1, 1-40 (1976).

Deacon, G. E. R. Kerguelen, Antarctic, subantarctic. *Deep Sea Research Part II: Topical Studies in Oceanography* 30, 77-81 (1983).

Deacon, G. E. R. Physical and biological zonation in the Southern Ocean. *Deep Sea Research Part A. Oceanographic Research Papers* 29, 1-15 (1982).

Dearborn, J. H. Foods and feeding characteristics of Antarctic Asteroids and Ophiuroids. Adaptations within Antarctic Ecosystems, *Proceedings of the Third SCAR Symposium on Antarctic Biology*. 293-328 (1977).

Dearborn, J. H., Edwards, K. C. & Fratt, D. B. Diet, feeding behavior, and surface morphology of the multi-armed Antarctic sea star *Labidiaster annulatus* (Echinodermata: Asteroidea). *Marine Ecology Progress Series* 77, 65-84 (1991).

Deiner, K., et al. Environmental DNA metabarcoding: Transforming how we survey animal and plant communities.

Molecular Ecology 26, 5872-5895 (2017).

Delépine, R. Rôle des algues marines dans l'économie régionale de l'Océan Indien occidental. Biologie marine et exploitation des ressources de l'Océan Indien occidental 285-292 (ORSTOM, 1976).at
<http://horizon.documentation.ird.fr/exl-doc/pleins_textes/pleins_textes_5/pt5/travaux_d/29316.pdf>

Delépine, R. Note préliminaire sur la répartition des algues marines aux îles Kerguelen. CNFRA (Comité National Français des Recherches Antarctiques) 39, 153-159, + carte (1976).

Delépine, R. Le genre *Durvillea* dans les îles australes françaises, données préliminaires. CNFRA (Comité National Français des Recherches Antarctiques) 1, 141-147 (1964).

Delépine, R. La biologie depuis 1945 dans les îles australes françaises - bibliographie. CNFRA (Comité National Français des Recherches Antarctiques) 1, 173-203 (1964).

Delépine, R. La végétation marine dans l'Antarctique de l'Ouest comparée à celle des îles Australes Françaises. Conséquences biogéographiques. Comptes Rendus de la Société de Biogéographie 374, 52-68 (1966).

Delépine, R. Observations sur la végétation marine des îles australes françaises. Bulletin de la Société Phycologique de France 8, 9-10 (1962).

Delépine, R. Les grandes algues aux îles Kerguelen [1. Les ressources]. Biomasse Actualités 12, 16-17 (1983).

Delépine, R. & Asensi, A. *Asteronema* nov. gen. nouveau genre de Phéophycée australe. Bulletin de la Société Botanique de France 122, 295-304 (1975).

Delépine, R. & Asensi, A. O. Réactions écophysiologicals et variations morphogénétiques chez *Adenocystis* et *Utriculidium* (Phéophycées). Revue Algologique, Nouvelle Série 13, 43-85 (1978).

Delépine, R., Asensi, A. & Etcheverry, H. FAO species identification sheets for fishery purposes, Southern Ocean (CCAMLR convention area fishing areas 48, 58 and 88) 1, 1-69 (FAO, 1985).

Delépine, R., Delesalle, B. & Lambert, C. Sur l'existence d'un tétrasporophyte dans le cycle de la Rhodophycée *Chaetangirun fastigiatum* (Bory) J. Ag. aux îles Kerguelen. Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences. Série D: Sciences Naturelles 289, 595-598 (1979).

Delépine, R., Gubern, M. & Hubert, M. Premières données sur la teneur en acide alginique des *Durvillea* dans les îles australes françaises (Océan Indien). Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences. Série D: Sciences Naturelles 270, 59-62 (1970).

Delépine, R. & Grua, P. La végétation infra-littorale de la Baie du Morbihan (Kerguelen). Bulletin de la Société Phycologique de France 10, 14 (1964).

Delépine, R. & Hureau, J. - C. La végétation marine dans l'archipel de Pointe Géologie (Terre Adélie), aperçu préliminaire. Bulletin du Muséum National d'Histoire Naturelle, Paris, 2e série 35, 108-115 (1963).

Delépine, R. & Hureau, J. - C. Comparative study of the vertical distribution of the marine vegetation at Archipel de Kerguelen and Iles Crozet. Symposium on Antarctic Oceanography, SCAR/ SCOR/IAPO/IUBS, Santiago, 13-16 September 1966, Chile. 164-165 (Cambridge :W. Heffer & Sons Ltd, 1968).

Delépine, R. & Hureau, J. - C. Remarques sur l'étagement comparé de la végétation marine aux îles Kerguelen et Crozet (Océan Indien). section 4(b), 1-3, 2 fig. (CNFRA, 1966).

Delépine, R., Lamb, I. M. & Zimmerman, M. H. Preliminary report on the marine vegetation of the Antarctic Peninsula. Proceedings of the Fifth International Seaweed Symposium, Halifax, August 25-28, 1965 (Gordon Young, E. & McLachlan, J. L.) 107-116 (Pergamon Press, 1966).doi:<https://doi.org/10.1016/B978-0-08-011841-3.50016-1>

Delépine, R., Lamb, I. M. & Zimmermann, M. H. Sur les algues marines antarctiques rapportées au genre *Monostroma* Thuret. Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences. Série D: Sciences Naturelles 270, 1973-1976 (1970).

Delépine, R. & Lambert, C. L'appareil femelle de la Rhodophycée *Chaetangium fastigiatum* et l'existence d'un gonopore chez cette espèce. Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences. Série D: Sciences Naturelles 292, 127-130 (1981).

Delépine, R. & Legeley-Padovani, A. Premiers stades de recolonisation par *Durvillea* (Phaeophyceae) de substrats naturels aux îles Kerguelen. Revue Algologique, Nouvelle Série 14, 359-364 (1979).

Delille, D., Gadel, F. & Cahet, G. La matière organique dans les dépôts de l'archipel de Kerguelen. Distribution spatiale et saisonnière. Oceanologica Acta 2, 181-193 (1979).

Dell, R. K. *Advances in Marine Biology* 10, (Elsevier, 1972).

Deregibus, D., Quartino, M. L., Zacher, K., Campana, G. L. & Barnes, D. K. A. Understanding the link between sea ice, ice scour and Antarctic benthic biodiversity-the need for cross-station and international collaboration. *Polar Record* 53, 143-152 (2017).

Desbruyères, D. Cycle biologique de quelques annélides polychètes en milieu sub-antarctique. (1976).

Desbruyères, D. Diversité des peuplements annéliens benthiques dans un système fjordique adjacent au Golfe du

Morbihan 'Archipel de Kerguelen). Adaptations within Antarctic Ecosystems, Proceedings of the Third SCAR Symposium on Antarctic Biology. 227-238 (1977).

Desbruyères, D. & Guille, A. La faune benthique de l'archipel des Kerguelen. Premières données quantitatives. Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences. Série D: Sciences Naturelles 276, 633-636 (1973).

Desbruyères, D. & Guille, A. Bionomie benthique du plateau continental des Iles Kerguelen. 8. Variations spatiales et temporelles dans le peuplement des vases à spicules. 11th European Marine Biology Symposium, Galway, IRL, 5-11/10/1976 185-196 (1976).at

<<https://books.google.fr/books?id=EK3YBAAAQBAJ&pg=PA185&lpg=PA185&dq=subantarctic+benthos&source=bl&ots=yc2f305nG6&sig=b4AhlwjKXs8poqTUY8W7RignL7k&hl=fr&sa=X&ved=2ahUKEwifp7HWwLXeAhUMyRoKHbKF Afk4FBDoATAlegQIARAB#v=onepage&q=subantarctic%20benthos&f=false>>

Detrich, H. W. I. I., Buckley, B. A., Doolittle, D. F., Jones, C. D. & Lockhart, S. J. Sub-Antarctic and high Antarctic notothenioid fishes: Ecology and adaptational biology revealed by the ICEFISH 2004 cruise of RVIB Nathaniel B. Palmer. *Oceanography* 25, 184-187 (2012).

Dettai, A., et al. DNA barcoding and molecular systematics of the benthic and demersal organisms of the CEAMARC survey. *Polar Science* 5, 298-312 (2011).

Dettai, A., et al. The actinopterygian diversity of the CEAMARC cruises: Barcoding and molecular taxonomy as a multi-level tool for new findings. *Deep Sea Research Part II: Topical Studies in Oceanography* 58, 250-263 (2011).

DeWitt, H. H. Antarctic Map Folio Series 1-10, 5 plates (1971).at
<<http://share.biodiversity.aq/Atlas/Resources/AntarticMapFolio15.pdf>>

DGALN_24_TAAF, Plan d'action biodiversité des Terres Australes et Antarctiques Françaises. 1-148 (2008).at
<http://www.developpement-durable.gouv.fr/IMG/pdf/DGALN_24_TAAF.pdf>

Dhargalkar, V. K. & Verlecar, X. N. Southern Ocean seaweeds: A resource for exploration in food and drugs. *Aquaculture* 287, 229-242 (2009).

Díaz, A., Féral, J. - P., David, B., Saucède, T. & Poulin, E. Evolutionary pathways among shallow and deep-sea echinoids of the genus *Sterechinus* in the Southern Ocean. *Deep Sea Research Part II: Topical Studies in Oceanography* 58, 205-211 (2011).

Díaz, A., et al. Genetic structure and demographic inference of the regular sea urchin *Sterechinus neumayeri* (Meissner, 1900) in the Southern Ocean: The role of the last glaciation. *PLOS ONE* 13, e0197611 (2018).

Díaz, A., et al. Restricted geographic distribution and low genetic diversity of the brooding sea urchin *Abatus*

agassizii (Spatangoidea: Schizasteridae) in the South Shetland Islands: A bridgehead population before the spread to the northern Antarctic Peninsula? *Revista chilena de historia natural* 85, 457-468 (2012).

Díaz-Tapia, P., Maggs, C. A., Macaya, E. C. & Verbruggen, H. Widely distributed red algae often represent hidden introductions, complexes of cryptic species or species with strong phylogeographic structure. *Journal of Phycology* 54, 829-839 (2018).

Dice, L. R. Measures of the amount of ecologic association between species. *Ecology* 26, 297-302 (1945).

Dickie, G. Notes on algae found at Kerguelen Land by the Rev. A.E. Eaton. *Journal of the Linnean Society of London, Botany* 15, 198-204 (1876).

Dickie, G. Marine algae (exclusive of the Diatomaceae)[of Kerguelen]. *Philosophical Transactions of the Royal Society of London* 168, 53-64 (1879).

Dickie, G. Algae collected by H.N. Moseley, Esq., M.A., at Simon's Bey, C.G.H., Seal Island, Marion Island, Kerguelen's Island, and Heard Islands in 15 to 20 fathoms. *Journal of the Linnean Society of London, Botany* 15, 40-41 (1876).

Dilwyn, J. *Discovery Reports*, Vol. XVIII 121-222, plates III-VI (1938).

Dong, S., Sprintall, J. & Gille, S. T. Location of the Antarctic Polar Front from AMSR-E Satellite Sea Surface Temperature Measurements. *Journal of Physical Oceanography* 36, 2075-2089 (2006).

Donguy, P. & Harang, L. Les sentinelles de l'espace - Un petit tour dans l'océan Indien - Mai 2002. *La Météorologie* 8, 8 (2002).

Donguy, P. & Hernandez, J. - B. Avril 2014 : Ondes de relief derrière les îles Crozet; Nappe de stratus autour des Baléares. *La Météorologie* 8, 83 (2014).

Donguy, P. & Le Moal, S. Mars 2014 : Soleil sur l'archipel des Crozet; Débâcle du Saint-Laurent. *La Météorologie* 8, 81 (2014).

Dornburg, A., Federman, S., Eytan, R. I. & Near, T. J. Cryptic species diversity in sub-Antarctic islands: A case study of *Lepidonotothen*. *Molecular Phylogenetics and Evolution* 104, 32-43 (2016).

Draisma, S. G. A., Prud'homme Van Reine, W. F. & Kawai, H. A revised classification of the Sphacelariales (Phaeophyceae) inferred from a psb C and rbc L based phylogeny. *European Journal of Phycology* 45, 308-326 (2010).

Dubrasquet, H., Reyes, J., Sanchez, R. P., Valdivia, N. & Guillemain, M. - L. Molecular-Assisted Revision of Red Macroalgal Diversity and Distribution along the Western Antarctic Peninsula and South Shetland Islands. *Cryptogamie, Algologie* 39, 409-429 (2018).

Duchêne, J. - C. Etudes comparées de la biologie d'Annélides Polychètes considérées en différentes zones climatiques. (1982).

Duchêne, J. - C. Adelphophagie et biologie larvaire chez *Boccardia polybranchia* (Carazzi) (Annélides polychète Spionidae) en province subantarctique. *Vie et milieu* 39, 143-152 (1989).

Duchêne, J. - C. Reproductive biology of *Boccardia polybranchia* (Carazzi) in Kerguelen (Subantarctic Province). *Polar Biology* 2, 251-257 (1984).

Duchêne, J. - C. Effects of poecilogony and delayed larval emission on recruitment of subantarctic population of *Boccardia polybranchia* (Polychaeta- Spionidae). *Bulletin of Marine Science* 67, 311-319 (2000).

Duchêne, J. - C. Kerguelen - Recherches au bout du monde. (Territoire TAAF. Mission de Recherche, 1989).

Duchêne, J. - C. Données descriptives sur le macrobenthos annélidien dans le golfe du Morbihan, Kerguelen. *CNFRA (Comité National Français des Recherches Antarctiques)* 55, 75-94 (1984).

Ducklow, H. W., et al. Marine pelagic ecosystems: the West Antarctic Peninsula. *Philosophical Transactions of the Royal Society B: Biological Sciences* 362, 67-94 (2007).

Duggleby, R. G. & Kaplan, H. A competitive labeling method for the determination of the chemical properties of solitary functional groups in proteins. *Biochemistry* 14, 5168-5175 (1975).

Duhamel, G. Dynamique des populations marines exploitées, gestion et aménagement des zones économiques exclusives. Actes du colloque sur la recherche dans les Terres Australes (Kerguelen, Crozet, Saint-Paul et Amsterdam) et à partir des navires qui les desservent 229-244 (CNFRA, 1989).

Duhamel, G., Gasco, P. & Davaine, P. Poissons des îles Kerguelen et Crozet: Guide régional de l'océan. (Austral. Muséum national d'Histoire naturelle, 2005).

Duhamel, G. New data on spawning, hatching and growth of *Champscephalus gunnari* on the shelf of the Kerguelen Islands. *CCAMLR Science* 2, 21-34 (1995).

Duhamel, G. Ichtyofaune des secteurs Indien occidental et Atlantique oriental de l'Océan Austral : biogéographie, cycles biologiques et dynamique des populations. (1987).at
<<http://www.worldcat.org/title/ichtyofaune-des-secteurs-indien-occidental-et-atlantique-oriental-de-locean-austral-biog>

[eographie-cycles-biologiques-et-dynamique-des-populations/oclc/30086627?referer=di&ht=edition](https://www.eographie-cycles-biologiques-et-dynamique-des-populations/oclc/30086627?referer=di&ht=edition)

Duhamel, G. Biology and population dynamics of *Notothenia rossii rossii* from the Kerguelen Islands (Indian sector of Southern Ocean). *Polar Biology* 1, 141-151 (1982).

Duhamel, G. Caractéristiques biologiques des principales espèces de poissons du plateau continental des îles Kerguelen. *Cybium* 5, 19-32 (1981).

Duhamel, G. L'ichtyofaune des îles australes françaises de l'Océan Indien. *Cybium* 21, 147-168 (1997).

Duhamel, G. Ichtyofaune des îles Saint Paul et Amsterdam (Océan Indien Sud). *Mésogée* 49, 21-47 (1989).

Duhamel, G., Gasco, N. & Davaine, P. Poissons des Îles Kerguelen et Crozet. Guide régional de l'Océan Austral. (Publications scientifiques du Muséum. Patrimoines naturels, 2005).

Duhamel, G. & Hauteceur, M. Biomass, abundance and distribution of fish in the Kerguelen Islands EEZ (CCAMLR Statistical Division 58.5.1). *CCAMLR Science* 16, 1-32 (2009).

Duhamel, G. & Hureau, J. - C. Données complémentaires sur l'ichtyofaune des îles australes françaises. *Cybium* 6, 65-80 (1982).

Duhamel, G. & Ozouf-Costaz, C. Age, growth and reproductive biology of *Notothenia squamifrons gunther*, 1880 from the Indian sector of the Southern Ocean. *Polar Biology* 4, 143-153 (1985).

Duhamel, G., Pruvost, P., Bertignac, M., Gasco, N. & Hauteceur, M. The Kerguelen Plateau, Marine Ecosystem and Fisheries 275-286 (Société Française d'Ichtyologie, 2011).

Dunlop, J. A., Friederichs, A., Krapp, F. & Ring, C. An annotated catalogue of the sea spiders (Pycnogonida, Pantopoda) held in the Museum für Naturkunde der Humboldt-Universität zu Berlin. *Mitteilungen aus dem Museum für Naturkunde in Berlin - Zoologische Reihe* 83, 43-74 (2007).

Eastman, J. T. Antarctic notothenioid fishes as subjects for research in evolutionary biology. *Antarctic Science* 12, 276-287 (2000).

Eaton, M. A. III. First report of the naturalist accompanying the transit-of-Venus expedition to Kerguelen's Island in 1874. (Conclusion.). *Proceedings of the Royal Society of London* 23, 501-504 (1875).

Ebert, T. A., Hernández, J. C. & Clemente, S. Estimating survival in echinoid populations. *Zoosymposia* 15, 23-32 (2019).

Edgar, G. J. Dispersal of faunal and floral propagules associated with drifting *Macrocystis pyrifera* plants. *Marine Biology* 95, 599-610 (1987).

Edyvane, K. S. & Womersley, H. B. S. Morphology and taxonomy of *Rhodoglossum gigartinoides* (Sonder) comb. nov. (Gigartinaceae, Rhodophyta) from Australia and New Zealand. *Phycologia* 32, 237-250 (1993).

Ehlers, E. 'Discovery' National Antarctic Expedition (1901-1904). Vol. VI 1-32, 3 plates (1912).

Eléaume, M., et al. Near-bottom current direction inferred from comatulid crinoid feeding postures on the Terre Adélie and George V shelf, East Antarctica. *Deep Sea Research Part II: Topical Studies in Oceanography* 58, 163-169 (2011).

Eléaume, M., Hemery, L. G., Bowden, D. A. & Roux, M. A large new species of the genus *Ptilocrinus* (Echinodermata, Crinoidea, Hyocrinidae) from Antarctic seamounts. *Polar Biology* 34, 1385-1397 (2011).

Eliot, C. 'Discovery' National Antarctic Expedition (1901-1904). Vol. III 1-15, 2 plates (1907).

Elith, J. & Leathwick, J. R. Species Distribution Models: Ecological Explanation and Prediction Across Space and Time. *Annual Review of Ecology, Evolution, and Systematics* 40, 677-697 (2009).

Emig, C. Brachiopoda World Database - Search taxa. (2013).at
<<http://www.marinespecies.org/brachiopoda/aphia.php?p=taxdetails&id=104018>>

Eno, N. C., et al. Effects of crustacean traps on benthic fauna. *ICES Journal of Marine Science* 58, 11-20 (2001).

Ericson, J. A., et al. Combined effects of two ocean change stressors, warming and acidification, on fertilization and early development of the Antarctic echinoid *Sterechinus neumayeri*. *Polar Biology* 35, 1027-1034 (2012).

Escarguel, G., Fara, E., Brayard, A. & Legendre, S. Biodiversity is not (and never has been) a bed of roses!. *Comptes rendus biologies* 334, 351-9 (2011).

Fabri-Ruiz, S., Danis, B., David, B. & Saucède, T. Can we generate robust species distribution models at the scale of the Southern Ocean? *Diversity and Distributions* 1-17 (2018).doi:10.1111/ddi.12835

Fabri-Ruiz, S., Saucède, T., Danis, B. & David, B. Southern Ocean Echinoids database - An updated version of Antarctic, Sub-Antarctic and cold temperate echinoid database. *ZooKeys* 697, 1-20 (2017).

Cormaci, M., Furnari, G. & Scammacca, B. Ross Sea Ecology (Faranda, F. M. Guglielmo, L. & Ianora, A.) 493-502 (Springer Berlin Heidelberg, 2000).at <http://link.springer.com/10.1007/978-3-642-59607-0_35>

Cormaci, M., Furnari, G. & Scammacca, B. Ross Sea Ecology (Faranda, F. M. Guglielmo, L. & Ianora, A.) 493-502 (Springer Berlin Heidelberg, 2000).at <http://link.springer.com/10.1007/978-3-642-59607-0_35>

Farlow, W. G. Algae. Bulletin of the United States National Museum 13, 30-31 (1876).

Fauchald, K. World Polychaeta Database. (2014).at <<http://www.marinespecies.org/polychaeta/index.php>>

Faugeron, S., Valero, M., Destombe, C., Martinez, E. A. & Correa, J. A. Hierarchical spatial structure and discriminant analysis of genetic diversity in the red alga *Mazzaella laminarioides* (Gigartinales, Rhodophyta). Journal of Phycology 37, 705-716 (2001).

Fautin, D. , G. Electronic atlas of sea anemones: an OBIS pilot project. Oceanography 13, 66-69 (2000).

Favaro, B., Duff, S. D. & Côté, I. M. A trap with a twist: evaluating a bycatch reduction device to prevent rockfish capture in crustacean traps. ICES Journal of Marine Science 70, 114-122 (2013).

Favier, V., et al. Atmospheric drying as the main driver of dramatic glacier wastage in the southern Indian Ocean. Scientific Reports 6, (2016).

Fell, H. B. West-Wind-Drift Dispersal of Echinoderms in the Southern Hemisphere. Nature 193, 759-761 (1962).

Feral, J. - P., Poulin, E., De Ridder, C. & Saucedo, T. A field guide to coastal echinoderms of the Kerguelen Islands. Zoosymposia 15, 33-43 (2019).

Féral, J. - P. How useful are the genetic markers in attempts to understand and manage marine biodiversity? Journal of Experimental Marine Biology and Ecology 268, 121-145 (2002).

Féral, J. - P. Changes in analyzed organic matter and energetic content of two thin-skinned holothuroids *Leptosynapta galliennei* and *Eumolpadia violacea*, at critical stages of their life. Echinodermata, Proc. 5th Intn. Echinoderm Conf. 421-429 (B.F. Keegan & B.D.S. O'Connor, 1985).

Féral, J. - P. Nutrition chez un invertébré marin détritivore: *Leptosynapta galliennei* (Holothurioidea-Echinodermata) [*Molpadia violacea*]. (1985).at <<https://hal.archives-ouvertes.fr/tel-01552418v1>>

Féral, J. - P. How useful are the genetic markers in attempts to understand and manage marine biodiversity? Journal of Experimental Marine Biology and Ecology 268, 121-145 (2002).

Féral, J. - P. Ecophysiologie- Adaptations au niveau des fonctions de reproduction et de nutrition. Actes du colloque sur la recherche dans les Terres Australes (Kerguelen, Crozet, Saint-Paul et Amsterdam) et à partir des navires qui

les desservent 139-143 (CNFRA, 1989).

Féral, J. - P., et al. A new submarine observatory of the Sub-Antarctic coastal benthos facing climate change in Kerguelen Islands. Book of abstracts: XIIIth SCAR Biology Symposium. Leuven, Belgium, 10-14 July 2017 457 (SCAR, 2017).doi:10.5281/zenodo.3241855

Féral, J. - P., et al. Kerguelen, un archipel sous haute surveillance. *Espèces*, Revue d'histoire naturelle 21, 33-39 (2016).

Féral, J. - P., Derelle, E. & Philippe, H. Inferred phylogenetic trees of Antarctic brood-protecting Schizasterid echinoids from partial 28S ribosomal RNA sequences. *Genetics and Evolution of Aquatic Organisms*, Bangor (Beaumont, A. R.) 199-207 (Chapman & Hall, 1994).

Féral, J. - P. & Magniez, P. Relationship between rates of oxygen consumption and somatic and gonadal size in the subantarctic echinoid *Abatus cordatus* from Kerguelen. *Echinoderm Biology*, Proc. 6th Intn. Echinoderm Conf. 581-587 (R.D. Burke, M.V. Mladenov, P. Lambert & R.L. Parsley, 1988).

Féral, J. - P. & Magniez, P. Level, content and energetic equivalent of the main biochemical constituents of the subantarctic molpadid holothurian *Eumolpadia violacea* (echinodermata) at two seasons of the year. *Comparative Biochemistry and Physiology Part A: Physiology* 81, 415-422 (1985).

Féral, J. - P. & Poulin, E. Biodiversité: Pourquoi y-a-t-il tant d'espèces d'oursins incubants dans l'Océan Austral?. 40-43 (1996).

Féral, J. - P. & Poulin, E. The Kerguelen Plateau: marine ecosystem and fisheries (Duhamel, G. & Welsford, D.) 151-156 (Société Française d'Ichtyologie, 2011).

Féral, J. - P., et al. Long-term monitoring of coastal benthic habitats in the Kerguelen Islands: a legacy of decades of marine biology research. *The Kerguelen Plateau: marine ecosystem and fisheries. Proceedings of the Second Symposium* 383-402 (Welsford, D., J. Dell and G. Duhamel, 2019).doi:10.5281/zenodo.3249143

Féral, J. - P., Saucède, T. & Amézière, N. PROTEKER phase 1: l'installation. Un observatoire sous-marin des effets du changement global sur les communautés benthiques côtières de l'Archipel des Kerguelen. 28-35 (IPEV - French Polar Institute, 2016).at <<https://doi.org/10.13140/RG.2.2.32380.13448>>

Féral, J. - P., et al. PROTEKER: implementation of a submarine observatory at the Kerguelen Islands (Southern Ocean). *Underwater Technology* 34, 1-8 (2016).

Ferrari, R., et al. Quantifying Multiscale Habitat Structural Complexity: A Cost-Effective Framework for Underwater 3D Modelling. *Remote Sensing* 8, 113-113 (2016).

Figueira, W., et al. Accuracy and Precision of Habitat Structural Complexity Metrics Derived from Underwater Photogrammetry. *Remote Sensing* 7, 16883-16900 (2015).

Figuerola, B., Gordon, D. P., Polonio, V., Cristobo, J. & Avila, C. Cheilostome bryozoan diversity from the southwest Atlantic region: Is Antarctica really isolated? *Journal of Sea Research* 85, 1-17 (2014).

Fillinger, L., Janussen, D., Lundälv, T. & Richter, C. Rapid glass sponge expansion after climate-induced Antarctic ice shelf collapse. *Current biology : CB* 23, 1330-4 (2013).

Fischer, W. & Hureau, J. - C. Southern Ocean (Fishing areas, 48, 58 and 88) (CCAMLR Convention Area). Prepared and published with the support of the Commission for the Conservation of Antarctic Marine Living Resources (CCAMLR). Vol. 2. (1985).at <<http://www.fao.org/docrep/010/ah842e/ah842e00.htm>>

Fischer, W. & Hureau, J. - C. Southern Ocean (Fishing areas, 48, 58 and 88) (CCAMLR Convention Area). Prepared and published with the support of the Commission for the Conservation of Antarctic Marine Living Resources (CCAMLR). vol.1. (1985).at <<http://www.fao.org/docrep/010/ah842e/ah842e00.htm>>

Fisher, W. K. *Discovery Reports*, Vol. XX 69-306, plates I-XXIII (1940).

Foltran, A., et al. *Iridaea cordata* from Antarctica: An Ultrastructural, Cytochemical and Pigment Study. *Botanica Marina* 39, (1996).

Foo, S. A. & Byrne, M. *Advances in Marine Biology* 74, 69-116 (Elsevier, 2016).

Foo, S. A., et al. Contributions of genetic and environmental variance in early development of the Antarctic sea urchin *Sterechinus neumayeri* in response to increased ocean temperature and acidification. *Marine Biology* 163, (2016).

Forest, J. *Décapodes*. CNFRA (Comité National Français des Recherches Antarctiques) 32, 37-38 (1973).

Foslie, M. 'Discovery' National Antarctic Expedition (1901-1904). Vol. III 1-2 (1907).

Foslie, M. Antarctic and subantarctic Corallinaceae. Zur Kenntnis der subantarktischen und antarktischen Meeresalgen, (Lithographisches Institut des Generalstabs, 1907).

Foslie, M. Some new or critical lithothamnia. 1898(6): 1-19. *Det Kongelige Norske Videnskabers Selskabs Skrifter* 6, 1-19 (1899).

Foslie, M. Den botaniske samling. *Det Kongelige Norske Videnskabers Selskabs Aarsberetning för 1905*, 17-24 (1905).

Fowler, G. H. 'Discovery' National Antarctic Expedition (1901-1904). Vol. 1-6, 1chart (1907).

Fraser, C. The impacts of past climate change on sub-Antarctic nearshore ecosystems. *Papers and Proceedings of the Royal Society of Tasmania* 89-93 (2012).doi:10.26749/rstpp.146.89

Fraser, C. I., Davies, I. D., Bryant, D. & Waters, J. M. How disturbance and dispersal influence intraspecific structure. *Journal of Ecology* 106, 1298-1306 (2018).

Fraser, C. I., Hay, C. H., Spencer, H. G. & Waters, J. M. Genetic and morphological analyses of the southern bull kelp *Durvillaea antarctica* (Phaeophyceae: Durvillaeales) in New Zealand reveal cryptic species. *Journal of Phycology* 45, 436-443 (2009).

Fraser, C. I., Kay, G. M., Plessis, M. du & Ryan, P. G. Breaking down the barrier: dispersal across the Antarctic Polar Front. *Ecography* 40, 235-237 (2017).

Fraser, C. I., et al. Antarctica's ecological isolation will be broken by storm-driven dispersal and warming. *Nature Climate Change* 8, 704-708 (2018).

Fraser, C. I., Nikula, R., Ruzzante, D. E. & Waters, J. M. Poleward bound: biological impacts of Southern Hemisphere glaciation. *Trends in Ecology & Evolution* 27, 462-471 (2012).

Fraser, C. I., Nikula, R. & Waters, J. M. Oceanic rafting by a coastal community. *Proceedings of the Royal Society B: Biological Sciences* 278, 649-655 (2011).

Fraser, C. I., Winter, D. J., Spencer, H. G. & Waters, J. M. Multigene phylogeny of the southern bull-kelp genus *Durvillaea* (Phaeophyceae: Fucales). *Molecular phylogenetics and evolution* 57, 1301-11 (2010).

Fraser, C. I., et al. Genetic Affinities between Trans-Oceanic Populations of Non-Buoyant Macroalgae in the High Latitudes of the Southern Hemisphere. *PLoS ONE* 8, e69138 (2013).

Fredericq, S. & Ramírez, M. E. Systematic studies of the antarctic species of the phylloporaceae (Gigartinales, Rhodophyta) based on *rbcl* sequence analysis. *Hydrobiologia* 326-327, 137-143 (1996).

Fredericq, S., Hommersand, M. H. & Leister, G. L. Morphology and systematics of *Acanthococcus antarcticus* (Cystocloniaceae, Rhodophyta). *Phycologia* 31, 101-108 (1992).

Fredersdorf, J., Müller, R., Becker, S., Wiencke, C. & Bischof, K. Interactive effects of radiation, temperature and salinity on different life history stages of the Arctic kelp *Alaria esculenta* (Phaeophyceae). *Oecologia* 160, 483-492 (2009).

- Freeman, N. M. & Lovenduski, N. S. Mapping the Antarctic Polar Front: weekly realizations from 2002 to 2014. *Earth System Science Data* 8, 191-198 (2016).
- Friedlander, A. M., et al. Marine biodiversity at the end of the world: Cape Horn and Diego Ramírez islands. *PLOS ONE* 13, e0189930 (2018).
- Friedlander, A. M., et al. Marine Biodiversity in Juan Fernández and Desventuradas Islands, Chile: Global Endemism Hotspots. *PLOS ONE* 11, e0145059 (2016).
- Froese, R. & Pauly, D. FishBase. (2014).at <<http://www.fishbase.org/>>
- Fruchterman, T. M. J. & Reingold, E. M. Graph drawing by force-directed placement. *Software: Practice and Experience* 21, 1129-1164 (1991).
- Fructus, M. Conquêtes antarctiques - par Guy Jacques et Paul Tréguer. *La Météorologie* 50 (2018).doi:10.4267/2042/68787
- Fukamachi, Y., et al. Strong export of Antarctic Bottom Water east of the Kerguelen plateau. *Nature Geoscience* 3, 327-331 (2010).
- Furmanczyk, K. & Zielinski, K. Distribution of macroalgae groupings in shallow waters of Admiralty Bay (King George Island, South Shetland Islands, Antarctic), plotted with the help of air photographs analysis. *Polish Polar Research* 3, 41-47 (1982).
- Gaillard, J. M. Mollusques, Deuxième partie, Bivalves. *CNFRA (Comité National Français des Recherches Antarctiques)* 35, 5-18 (1974).
- Gaillard, J. M. Mollusques, Première Partie, Amphineures et Gastéropdes Prosobranches. *Invertébrés de l'infralittoral rocheux dans l'archipel de Kerguelen. CNFRA (Comité National Français des Recherches Antarctiques)* 30, 89-111 (1971).
- Gain, L. Deuxième expédition antarctique française (1908-1910) comm 1-218, 8 planches (Masson et Cie, 1912).
- Gain, L. Une nouvelle espèce de *Monostroma* provenant de la région antarctique sud-américaine. *Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences.* 152, 724-726 (1911).
- Galea, H., Kohlberg, G., Sanamyan, K., Sanamyan, N. & Schories, D. *Marine Wildlife, King George Island, Antarctica.* 78-113 (2016).

Galeotti, S., et al. Antarctic Ice Sheet variability across the Eocene-Oligocene boundary climate transition. *Science* 352, 76-80 (2016).

Gallardo, T., Pérez-Ruzafa, I. M., Flores-Moya, A. & Conde, F. New Collections of Benthic Marine Algae from Livingston and Deception Islands (South Shetland Islands) and Trinity Island (Bransfield Strait) Antarctica. *Botanica Marina* 42, (1999).

Gambi, M. C., Lorenti, M., Russo, G. F. & Scipione, M. B. Benthic associations of the shallow hard bottoms off Terra Nova Bay, Ross Sea: zonation, biomass and population structure. *Antarctic Science* 6, 449-462 (1994).

Gambi, M. C. & Patti, F. P. Reproductive biology of *Perkinsiana antarctica* (Kinberg) (Polychaeta, Sabellidae) in the Straits of Magellan (South America): Systematic and ecological implications. *Scientia Marina* 63, 253-259 (1999).

Gambi, M. C., Patti, F. P., Micaletto, G. & Giangrande, A. Diversity of reproductive features in some Antarctic polynoid and sabellid polychaetes, with a description of *Demonax polarsterni* sp. n. (Polychaeta, Sabellidae). *Polar Biology* 24, 883-891 (2001).

Stellato, A., et al. The Semantic Web. Latest Advances and New Domains, Proceedings of the ESWC 2015, Portoroz, Slovenia, May 31 -- June 4, 2015. (Gandon, F. et al.) 9088, 38-53 (Springer International Publishing, 2015).

Garbary, D. A critique of traditional approaches to seaweed distribution in light of the development of vicariance biogeography. *Helgoländer Meeresuntersuchungen* 41, 235-244 (1987).

Garcia, F. J., Troncoso, J. S., Garcia-Gomez, J. C. & Cervera, J. L. Anatomical and taxonomical studies of the Antarctic nudibranchs *Austroboris kerguelenensis* (Bergh, 1884) and *A. georgiensis* n. sp. from the Scotia Sea. *Polar Biology* 13, 417-421 (1993).

García Molinos, J., et al. Climate velocity and the future global redistribution of marine biodiversity. *Nature Climate Change* 6, 83-88 (2015).

Garden, C., Currie, K., Fraser, C. & Waters, J. Rafting dispersal constrained by an oceanographic boundary. *Marine Ecology Progress Series* 501, 297-302 (2014).

Gaspar, R., Pereira, L. & Neto, J. M. Intertidal zonation and latitudinal gradients on macroalgal assemblages: Species, functional groups and thallus morphology approaches. *Ecological Indicators* 81, 90-103 (2017).

Gaspard, D., et al. Analysis of growth and form in *Aerothyris kerguelenensis* (rhynchonelliform brachiopod) - Shell spiral deviations, microstructure, trace element contents and stable isotope ratios. *Chemical Geology* 483, 474-490 (2018).

- Gendron-Badou, A., Pichon, J. - J. & Fröhlich, F. Enregistrements sédimentologiques des changements climatiques et océanographiques au nord-ouest de Kerguelen (océan Indien sud) pendant les dernières 620 000 années. Comptes Rendus de l'Académie des Sciences - Series IIA - Earth and Planetary Science 325, 343-349 (1997).
- Gepp, A. & Gepp, E. S. Zoology and Botany (Invertebrata: Marine Algae, Musci) III, 1-15, 4 plates (British Museum, 1907).
- Gepp, A. & Gepp, E. S. Report of the Scientific Results of the voyage of S.Y. 'Scottia' during the years 1902, 1903 and 1904. III, Botany, 73-83 + 2 plates (The Scottish Oceanographical Laboratory, 1912).
- Gepp, A. & Gepp, E. S. Antarctic algae. Journal of Botany, British and foreign 43, 105-109 (1905).
- Gepp, A. & Gepp, E. S. More Antarctic algae. Journal of Botany, British and foreign 43, 193-196 (1905).
- Gepp, A. & Gepp, E. S. Natural History Report, Botany Part II, 17-22 (1917).
- Gérard, K. Phylogéographie et génétique des populations de Mytilidae de l'archipel des Kerguelen: Influence de l'environnement austral sur les capacités de dispersion. (2008).at
<<http://theses.univ-amu.fr/lama.univ-amu.fr/2008AIX22061.pdf>>
- Gérard, K., Bierne, N., Borsa, P., Chenuil, A. & Féral, J. - P. Pleistocene separation of mitochondrial lineages of Mytilus spp. mussels from Northern and Southern Hemispheres and strong genetic differentiation among southern populations. Molecular phylogenetics and evolution 49, 84-91 (2008).
- Gérard, K., et al. Does natural selection explain the fine scale genetic structure at the nuclear exon Glu-52 in blue mussels from Kerguelen? Ecology and Evolution 5, 1456-1473 (2015).
- Giangrande, A. & Gambi, M. C. The genus Perkinsiana (Polychaeta, Sabellidae) from Antarctica, with descriptions of the new species P. milae and P. borsibrunoi. Zoologica Scripta 26, 267-278 (1997).
- Thiel, M. & Gutow, L. Oceanography and Marine Biology (Gibson, R. Gordon, J. & Atkinson, R.) 43, 279-418 (CRC Press, 2005).
- Thiel, M. & Haye, P. A. Oceanography and Marine Biology (Gibson, R. Gordon, J. & Atkinson, R.) 44, 323-429 (CRC Press, 2006).
- Giglio, D. & Johnson, G. C. Subantarctic and Polar Fronts of the Antarctic Circumpolar Current and Southern Ocean Heat and Freshwater Content Variability: A View from Argo* ,+. Journal of Physical Oceanography 46, 749-768 (2016).

Gil, D. G., Zaixso, H. E. & Tolosano, J. A. Brooding of the sub-Antarctic heart urchin, *Abatus cavernosus* (Spatangoida: Schizasteridae), in southern Patagonia. *Marine Biology* 156, 1647-1657 (2009).

Gille, S. T. Decadal-Scale Temperature Trends in the Southern Hemisphere Ocean. *Journal of Climate* 21, 4749-4765 (2008).

Gillespie, R. G., et al. Long-distance dispersal: a framework for hypothesis testing. *Trends in Ecology & Evolution* 27, 47-56 (2012).

Gillet, P. Biogeography and polychaete assemblages from Subantarctic Islands (Indian Ocean): Marion Dufresne MD/08 benthos expedition to Marion, Prince Edward and Crozet Islands. *Bulletin of Marine Science* 48, 358-368 (1991).

Giret, A., et al. L'Archipel de Kerguelen : les plus vieilles îles dans le plus jeune océan. *Géologues* 137, 12-23 (2003).

Giribet, G. & Edgecombe, G. D. The Phylogeny and Evolutionary History of Arthropods. *Current Biology* 29, R592-R602 (2019).

Giron-Nava, A., et al. Quantitative argument for long-term ecological monitoring. *Marine Ecology Progress Series* 572, 269-274 (2017).

Glasby, C. J. & Alvarez, B. Distribution patterns and biogeographic analysis of Austral Polychaeta (Annelida). *Journal of Biogeography* 26, 507-533 (1999).

Goetschy, H. Rapport d'information - Terres Australes et Antarctiques Françaises. (1993).at
<<http://www.senat.fr/rap/r92-279/r92-2791.pdf>>

Goldstien, S., Gemmell, N. & Schiel, D. Colonisation and connectivity by intertidal limpets among New Zealand, Chatham and Sub-Antarctic Islands. I. Genetic connections. *Marine Ecology Progress Series* 388, 111-119 (2009).

Gomez, I., Huovinen, P. & Valdivia, N. Antarctic Macroalgae under Climate Change: From Cells to Ecosystems. (2016).

Gómez, I., Navarro, N. P. & Huovinen, P. Bio-optical and physiological patterns in Antarctic seaweeds: A functional trait based approach to characterize vertical zonation. *Progress in Oceanography* (2018).doi:10.1016/j.pocean.2018.03.013

González, A., et al. Identification of cryptic species in the *Lessonia nigrescens* complex (Phaeophyceae, Laminariales) : taxonomy of *Lessonia nigrescens*. *Journal of Phycology* 48, 1153-1165 (2012).

- González, K., Gaitán-Espitia, J., Font, A., Cárdenas, C. A. & González-Aravena, M. Expression pattern of heat shock proteins during acute thermal stress in the Antarctic sea urchin, *Sterechinus neumayeri*. *Revista Chilena de Historia Natural* 89, (2016).
- González-Wevar, C. A., Saucède, T., Morley, S. A., Chown, S. L. & Poulin, E. Extinction and recolonization of maritime Antarctica in the limpet *Nacella concinna* (Strebel, 1908) during the last glacial cycle: toward a model of Quaternary biogeography in shallow Antarctic invertebrates. *Molecular ecology* 22, 5221-36 (2013).
- González-Wevar, C. A., David, B. & Poulin, E. Phylogeography and demographic inference in *Nacella* (*Patinigera*) *concinna* (Strebel, 1908) in the western Antarctic Peninsula. *Deep Sea Research Part II: Topical Studies in Oceanography* 58, 220-229 (2011).
- González-Wevar, C. A., et al. Cryptic speciation in Southern Ocean *Aequiyoldia eightsii* (Jay, 1839): Mio-Pliocene trans-Drake Passage separation and diversification. *Progress in Oceanography* 174, 44-54 (2019).
- González-Wevar, C. A., et al. Patterns of genetic diversity and structure in Antarctic and sub-Antarctic *Nacella* (Patellogastropoda: Nacellidae) species. *Biodiversity* 17, 46-55 (2016).
- González-Wevar, C. A., et al. Following the Antarctic Circumpolar Current: patterns and processes in the biogeography of the limpet *Nacella* (Mollusca: Patellogastropoda) across the Southern Ocean. *Journal of Biogeography* 44, 861-874 (2017).
- González-Wevar, C. A., Nakano, T., Cañete, J. I. & Poulin, E. Molecular phylogeny and historical biogeography of *Nacella* (Patellogastropoda: Nacellidae) in the Southern Ocean. *Molecular phylogenetics and evolution* 56, 115-24 (2010).
- González-Wevar, C. A., et al. Unexpected absence of island endemics: Long-distance dispersal in higher latitude sub-Antarctic *Siphonaria* (Gastropoda: Euthyneura) species. *Journal of Biogeography* 45, 874-884 (2018).
- Gordon, I. *Discovery Reports*, Vol. VI 3-136 (1932).
- Govin, A., et al. Evidence for northward expansion of Antarctic Bottom Water mass in the Southern Ocean during the last glacial inception: GLACIAL NORTHWARD EXPANSION OF AABW. *Paleoceanography* 24, n/a-n/a (2009).
- Grange, L. J. & Smith, C. R. Megafaunal Communities in Rapidly Warming Fjords along the West Antarctic Peninsula: Hotspots of Abundance and Beta Diversity. *PLoS ONE* 8, e77917 (2013).
- Grant, R. A., Griffiths, H. J., Steinke, D., Wadley, V. & Linse, K. Antarctic DNA barcoding; a drop in the ocean? *Polar Biology* (2011).doi:10.1007/s00300-010-0932-7

Gravier, C. Deuxième expédition antarctique française (1908-1910) commandée par le Dr Jean Charcot 1-165 (1911).

Gravier, C., Hallez, P., Railliet, A. & Henry, A. Expédition Antarctique Française (1903-1905) commandée par le Dr Jean Charcot 1-75, 5 planches, 1-26, 7 planches (Masson et Cie, 1907).

Gregory, J. W., et al. Further Antarctic Reports of the Expedition of 1901-1904. *The Geographical Journal* 34, 290 (1909).

Greville, R. K. *Algae britannicae, or descriptions of the marine and other inarticulated plants of the British islands, belonging to the order Algae; with plates illustrative of the genera.* pp. [i*-iii*], [i]-lxxxviii. (1830).

Griffiths, H. J., Arango, C. P., Munilla, T. & McInnes, S. J. Biodiversity and biogeography of Southern Ocean pycnogonids. *Ecography* 34, 616-627 (2011).

Griffiths, H. J., Barnes, D. K. A. & Linse, K. Towards a generalized biogeography of the Southern Ocean benthos. *Journal of Biogeography* 36, 162-177 (2009).

Griffiths, H. J., Danis, B. & Clarke, A. Quantifying Antarctic marine biodiversity: The SCAR-MarBIN data portal. *Deep Sea Research Part II: Topical Studies in Oceanography* 58, 18-29 (2011).

Griffiths, H. J., Linse, K. & Barnes, D. K. A. Distribution of macrobenthic taxa across the Scotia Arc, Southern Ocean. *Antarctic Science* 20, 213-226 (2008).

Griffiths, H. J., Linse, K. & Crame, J. A. Southern Ocean Mollusc Database (SOMBASE). (2013).at
<http://www.antarctica.ac.uk/bas_research/data/access/sombase/>

Griffiths, H. J., Linse, K. & Crame, J. A. SOMBASE - Southern Ocean Mollusc Database. Reference list. *Organisms, Diversity & Evolution* 3, 1-7 (2003).

Griffiths, H. J., Meijers, A. J. S. & Bracegirdle, T. J. More losers than winners in a century of future Southern Ocean seafloor warming. *Nature Climate Change* 7, 749-754 (2017).

Griffiths, H. J. & Waller, C. L. The first comprehensive description of the biodiversity and biogeography of Antarctic and Sub-Antarctic intertidal communities. *Journal of Biogeography* 43, 1143-1155 (2016).

Grua, P. Aspects of the infralittoral benthos at Archipel de Kerguelen. *Symposium on Antarctic Oceanography, SCAR/ SCOR/IAPO/IUBS, Santiago, 13-16 September 1966, Chile.* 164 (Cambridge :W. Heffer & Sons Ltd, 1968).

Grua, P. Plongées aux îles Saint-Paul et Nouvelle Amsterdam. *Biologie antarctique* 279-282 (Hermann: Paris, 1964).

Grua, P. Sur la structure des peuplements de *Macrocystis pyrifera* (L.) C. Ag. observés en plongée à Kerguelen et Crozet. Comptes Rendus de l'Académie des Sciences Paris, 259, 1541-1543 (1964).

Grua, P. Premières données sur les biomasses de l'herbier à *Macrocystis pyrifera* de la Baie du Morbihan (Archipel Kerguelen). La Terre et la Vie 2, 215-220 (1964).

Grua, P. Introduction écologique. CNFRA (Comité National Français des Recherches Antarctiques) 30, 1-66 (1971).

Grua, P. Plongées biologiques sous-marines aux îles Saint Paul et de la Nouvelle Amsterdam. CNFRA (Comité National Français des Recherches Antarctiques) 4, 37-49 (1963).

Grua, P. Le cycle sexuel et l'évolution des soies ovigères des femelles de *Jasus paulensis* (Palinuridae). Biologie antarctique 471-480 (Hermann: Paris, 1964).

Gruvel, A. 'Discovery' National Antarctic Expedition (1901-1904). Vol. III 1-4, 1 plate (1907).

Guerra, A., et al. Morphological and genetic evidence that *Octopus vulgaris* Cuvier, 1797 inhabits Amsterdam and Saint Paul Islands (southern Indian Ocean). ICES Journal of Marine Science 67, 1401-1407 (2010).

Guillaume, A. Diminution rapide et accélérée des glaces aux îles Kerguelen. La Météorologie 8, 5-6 (2009).

Guillaumot, C., Martin, A., Eléaume, M. & Saucède, T. Methods for improving species distribution models in data-poor areas: example of sub-Antarctic benthic species on the Kerguelen Plateau. Marine Ecology Progress Series 594, 149-164 (2018).

Guillaumot, C. Hétérogénéités spatiales, temporelles et efforts d'échantillonnage : influence sur la modélisation de distribution d'espèces. Le cas d'étude des échinides du plateau des Kerguelen. (2017).at
<http://www.proteker.net/IMG/pdf/2017_guillaumot_master_2_heterogeneites_spatiales_temporelles_et_efforts_d_echantillonnage_influence_sur_la_modelisation_de_distribution_d_especes_le_cas_d_etude_des_echinides_du_plateau_des_kerguelen.comp.pdf>

Guillaumot, C., et al. Benthic species of the Kerguelen Plateau show contrasting distribution shifts in response to environmental changes. Ecology and Evolution 8, 6210-6225 (2018).

Guille, A. A new genus and species of ophiacanthid brittlestar (Echinodermata: Ophiuroidea) from the Kerguelen Islands, with new taxonomic, biogeographic and quantitative data on the echinoderm fauna. Australian Museum Memoir 16, 67-87 (1982).

Guille, A. La Campagne MD04/Benthos du "Marion Dufresne" (14 Février - 23 Mars 1975), Bionomie du plateau continental des Iles Kerguelen, Stations Prospectées et Résultats Préliminaires. CNFRA (Comité National Français

des Recherches Antarctiques) 72, 3-40 (1977).

Guille, A. Astérides et Ophiuroides. CNFRA (Comité National Français des Recherches Antarctiques) 35, 32-44 (1974).

Guille, A. Les campagnes du "Marion-Dufresne" et biogéographie de l'Océan Indien. Actes du colloque sur la recherche dans les Terres Australes (Kerguelen, Crozet, Saint-Paul et Amsterdam) et à partir des navires qui les desservent 125-127 (CNFRA, 1989).

Guille, A. & Lasserre, P. Consommation d'oxygène de l'oursin *Abatus cordatus* (Verrill) et activité oxydative de son biotope. Mémoires du Muséum national d'histoire naturelle, Paris (C) 43, 211-219 (1979).

Guille, A. Benthic bionomy of the continental shelf of the Kerguelen Islands: Quantitative data of the echinoderms of the Morbihan Gulf. Adaptations within Antarctic Ecosystems, Proceedings of the Third SCAR Symposium on Antarctic Biology. (Llano, G. A.) 253-262 (Smithsonian Institution printed and distributed by Gulf Publishing Company, Book Division, 1977).

Guille, A. & Soyer, J. Prospections bionomiques du plateau continental des Îles Kerguelen, Golfe du Morbihan et Golfe des Baleiniers. CNFRA (Comité National Français des Recherches Antarctiques) 39, 49-82 (1976).

Guillemin, M. - L., Dubrasquet, H., Reyes, J. & Valero, M. Comparative phylogeography of six red algae along the Antarctic Peninsula: extreme genetic depletion linked to historical bottlenecks and recent expansion. *Polar Biology* 41, 827-837 (2018).

Guiry, M. D. & Guiry, G. M. Algaebase. (2014).at <<http://www.algaebase.org/>>

Guisan, A., et al. Making better biogeographical predictions of species' distributions. *Journal of Applied Ecology* 43, 386-392 (2006).

Guisan, A. & Thuiller, W. Predicting species distribution: offering more than simple habitat models. *Ecology Letters* 8, 993-1009 (2005).

Günther, A. An account of the petrological, botanical and zoological collections made in Kerguelen's Island and Rodriguez during Philosophical Transactions of the Royal Society of London the Transit of Venus Expedition, 1874-1875 166-166 (Philosophical Transactions of the Royal Society of London. Vol. 168, 1879).

Gutiérrez-Heredia, L., D'Helft, C. & Reynaud, E. G. Simple methods for interactive 3D modeling, measurements, and digital databases of coral skeletons. *Limnology and Oceanography: Methods* 13, e10017-e10017 (2015).

Gutt, J., et al. Cross-disciplinarity in the advance of Antarctic ecosystem research. *Marine Genomics* 37, 1-17 (2018).

- Gutt, J. Some "driving forces" structuring communities of the sublittoral Antarctic macrobenthos. *Antarctic Science* 12, 297-313 (2004).
- Gutt, J. New Antarctic holothurians (Echinodermata) - II. Four species of the orders Aspidochirotida, Elaspodida and Apodida. *Zoologica Scripta* 19, 119-127 (1990).
- Gutt, J. Antarctic macro-zoobenthic communities: a review and an ecological classification. *Antarctic Science* 19, 165-165 (2007).
- Gutt, J. On the distribution and ecology of holothurians in the Weddell Sea (Antarctica). *Polar Biology* 11, (1991).
- Gutt, J. New Antarctic holothurians (Echinodermata) - I. Five new species with four new genera of the order Dendrochirotida. *Zoologica Scripta* 19, 101-117 (1990).
- Gutt, J., et al. Biodiversity change after climate-induced ice-shelf collapse in the Antarctic. *Deep Sea Research Part II: Topical Studies in Oceanography* 58, 74-83 (2011).
- Gutt, J., et al. Shifts in Antarctic megabenthic structure after ice-shelf disintegration in the Larsen area east of the Antarctic Peninsula. *Polar Biology* 36, 895-906 (2013).
- Gutt, J., Gorny, M. & Arntz, W. Spatial distribution of Antarctic shrimps (Crustacea: Decapoda) by underwater photography. *Antarctic Science* 3, 363-369 (1991).
- Gutt, J., Koubbi, P. & Eléaume, M. Mega-epibenthic diversity off Terre Adélie (Antarctica) in relation to disturbance. *Polar Biology* 30, 1323-1329 (2007).
- Gutt, J., Piepenburg, D. & Voß, J. Asteroids, ophiuroids and holothurians from the southeastern Weddell Sea (Southern Ocean). *ZooKeys* 434, 1-15 (2014).
- Ha, S. - Y., Ahn, I. - Y., Moon, H. - W., Choi, B. & Shin, K. - H. Tight trophic association between benthic diatom blooms and shallow-water megabenthic communities in a rapidly deglaciated Antarctic fjord. *Estuarine, Coastal and Shelf Science* 218, 258-267 (2019).
- Halanych, K. M. & Mahon, A. R. Challenging Dogma Concerning Biogeographic Patterns of Antarctica and the Southern Ocean. *Annual Review of Ecology, Evolution, and Systematics* 49, 355-378 (2018).
- Hall, K. Evidence in favour of an extensive ice cover on sub-Antarctic Kerguelen Island during the last glacial. *Palaeogeography, Palaeoclimatology, Palaeoecology* 47, 225-232 (1984).

Hall, K. Developments in Quaternary Sciences 2, 339-345 (Elsevier, 2004).

Hamel, G. Hamel, G. (1928). Notes d'algologie exotique. I. Sur quelques Porphyra des mers australes. Annales de Cryptogamie Exotique, Muséum d'Histoire Naturelle, Paris 1, 51-57 (1928).

Hamel, J. - F., et al. Active buoyancy adjustment increases dispersal potential in benthic marine animals. Journal of Animal Ecology (2019).doi:10.1111/1365-2656.12943

Hannach, G. & Waaland, J. R. Environment, distribution and production of Iridaea. Aquatic Botany 26, 51-78 (1986).

Harasewych, M. G. & Kantor, Y. I. A Revision Of The Antarctic Genus Chlanidota (Gastropoda : Neogastropoda : Buccinulidae). Proceedings of The Biological Society of Washington 112, 253-302 (1998).

Hariot, J. Expédition antarctique française (1903-1905) commandée par le Dr. Jean Charcot 1-9 (Masson et Cie, 1907).

Hariot, P. Algues Magellaniques nouvelles. Journal de Botanique. Journal de Botanique 1, 55-59, 72-74 (1887).

Harris, P. T. Seafloor Geomorphology as Benthic Habitat 109-155 (Elsevier, 2012).at
<<https://linkinghub.elsevier.com/retrieve/pii/B9780123851406000062>>

Harris, P. T. Seafloor Geomorphology as Benthic Habitat 61-91 (Elsevier, 2012).at
<<https://linkinghub.elsevier.com/retrieve/pii/B9780123851406000049>>

Seafloor Geomorphology as Benthic Habitat. (Elsevier, 2012).at
<<https://linkinghub.elsevier.com/retrieve/pii/C20100670106>>

Harris, P. T. & Baker, E. K. Seafloor Geomorphology as Benthic Habitat 871-890 (Elsevier, 2012).at
<<https://linkinghub.elsevier.com/retrieve/pii/B9780123851406000645>>

Harris, P. T., Macmillan-Lawler, M., Rupp, J. & Baker, E. K. Geomorphology of the oceans. Marine Geology 352, 4-24 (2014).

Harrison, S. Lobster Trap Debris in a Marine Sanctuary More Than You Could Imagine. Fisheries 40, 145-145 (2015).

Harvey, W. H. A manual of the British algae: containing generic and specific descriptions of the known British species of sea-weeds and of Confervae both marine and fresh-water. (1841).at
<<img.algaebase.org/pdf/562E37790eb973138DTXh1B065B8/15863.pdf>>

Harvey, W. H. *Nereis australis*, or algae of the southern ocean: being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions; deposited in the Herbarium of the Dublin University. [Part 2]. (1849).at
<<https://www.biodiversitylibrary.org/item/174330>>

Harvey, W. H. *Nereis australis*, or Algae of the southern ocean : being figures and descriptions of marine plants, collected on the shores of the Cape of Good Hope, the extra-tropical Australian colonies, Tasmania, New Zealand, and the Antarctic regions; deposited in the Herbarium of the Dublin University, Part 1. (1847).at
<<https://www.biodiversitylibrary.org/item/174330>>

Hastings, A. B. *Discovery Reports*, Vol. XXII 303-510, plates V-XIII (1943).

Havermans, C., Nagy, Z. T., Sonet, G., De Broyer, C. & Martin, P. DNA barcoding reveals new insights into the diversity of Antarctic species of *Orchomene sensu lato* (Crustacea: Amphipoda: Lysianassoidea). *Deep Sea Research Part II: Topical Studies in Oceanography* 58, 230-241 (2011).

Haye, P. A., et al. Phylogeographic Structure in Benthic Marine Invertebrates of the Southeast Pacific Coast of Chile with Differing Dispersal Potential. *PLoS ONE* 9, e88613-e88613 (2014).

Hayward, B. W. & Morley, M. S. Zonation and biogeography of the intertidal biota of Subantarctic Campbell and Auckland Islands, New Zealand. *Records of the Auckland Museum* 42, 7-33 (2005).

Heads, M. Towards a panbiogeography of the seas. *Biological Journal of the Linnean Society* 84, 675-723 (2005).

Heberle, H., Meirelles, G. V., da Silva, F. R., Telles, G. P. & Minghim, R. InteractiVenn: a web-based tool for the analysis of sets through Venn diagrams. *BMC Bioinformatics* 16, (2015).

Heimeier, D., Lavery, S. & Sewell, M. A. Using DNA barcoding and phylogenetics to identify Antarctic invertebrate larvae: Lessons from a large scale study. *Marine genomics* 3, 165-177 (2010).

Helmuth, B., Veit, R. R. & Holberton, R. Long-distance dispersal of a subantarctic brooding bivalve (*Gaimardia trapesina*) by kelp-rafting. *Marine Biology* 120, 421-426 (1994).

Hemery, L. G., et al. Comprehensive sampling reveals circumpolarity and sympatry in seven mitochondrial lineages of the Southern Ocean crinoid species *Promachocrinus kerguelensis* (Echinodermata). *Molecular ecology* 21, 2502-2518 (2012).

Hemery, L. G., Améziane, N. & Eléaume, M. Circumpolar dataset of sequenced specimens of *Promachocrinus kerguelensis* (Echinodermata, Crinoidea). *ZooKeys* 315, 55-64 (2013).

- Hemery, L. G., Roux, M., Améziane, N. & Eléaume, M. High-resolution crinoid phyletic inter-relationships derived from molecular data. *Cahiers de Biologie Marine* 54, 511-523 (2013).
- Hemphill, A. H. Conservation on the High Seas - drift algae habitat as an open ocean cornerstone. *Parks, IUCN* 15, 48-56 (2005).
- Hemsley, W. B. Report on the scientific results of the voyage of H.M.S. "Challenger" during..1873-76..Botany. (Eds) 1 (2), 211-254 (1884).
- Hense, I., Timmermann, R., Beckmann, A. & Bathmann, U. V. Regional and interannual variability of ecosystem dynamics in the Southern Ocean. *Ocean Dynamics* 53, 1-10 (2003).
- Hentschel, E. Deutsche Südpolar-Expedition, 1901-1903 1-136, 4 plates (1914).
- Herdman, W. A. 'Discovery' National Antarctic Expedition (1901-1904). Vol. V 1-26, 7 plates (1910).
- Hérouard, E. Recherches sur les holothuries des côtes de France. (1890).
- Hibberd, T. & Moore, K. Field identification guide to Heard Island and McDonald Islands benthic invertebrates - a guide for scientific observers aboard of fishing vessels. (2009).at <http://www.ccamlr.org/fr/system/files/HIMI_benthic_invertebrate_field_guide.pdf>
- Hickson, S. J. 'Discovery' National Antarctic Expedition (1901-1904). Vol. III 1-15, 2 plates (1907).
- Hickson, S. J. & Gravely, F. H. 'Discovery' National Antarctic Expedition (1901-1904). Vol. III 1-34, 4 plates (1907).
- Highsmith, R. Floating and algal rafting as potential dispersal mechanisms in brooding invertebrates. *Marine Ecology Progress Series* 25, 169-179 (1985).
- Hinojosa, I. A., Gardner, C., Green, B. S. & Jeffs, A. Coastal chemical cues for settlement of the southern rock lobster, *Jasus edwardsii*. *Bulletin of Marine Science* 94, 619-633 (2018).
- Hodgson, D. A., et al. Glacial history of sub-Antarctic South Georgia based on the submarine geomorphology of its fjords. *Quaternary Science Reviews* 89, 129-147 (2014).
- Hodgson, D. A., et al. Terrestrial and submarine evidence for the extent and timing of the Last Glacial Maximum and the onset of deglaciation on the maritime-Antarctic and sub-Antarctic islands. *Quaternary Science Reviews* 100, 137-158 (2014).

Hodgson, T. V. 'Discovery' National Antarctic Expedition (1901-1904). Vol. III 1-72, 10 plates (1907).

Hodgson, T. V. 'Discovery' National Antarctic Expedition (1901-1904). Vol. V 1-77, 10 plates (1910).

Hoffmann, R., et al. Spatial variability of biogeochemistry in shallow coastal benthic communities of Potter Cove (Antarctica) and the impact of a melting glacier. PLOS ONE 13, e0207917 (2018).

Hogg, O. T., Huvenne, V. A. I., Griffiths, H. J., Dorschel, B. & Linse, K. Landscape mapping at sub-Antarctic South Georgia provides a protocol for underpinning large-scale marine protected areas. Scientific Reports 6, (2016).

Hogg, O. T., Huvenne, V. A. I., Griffiths, H. J. & Linse, K. On the ecological relevance of landscape mapping and its application in the spatial planning of very large marine protected areas. Science of The Total Environment 626, 384-398 (2018).

Holan, J. R., King, C. K. & Davis, A. R. Sensitivity of six subantarctic marine invertebrates to common metal contaminants: Sensitivity of marine invertebrates to common metal contaminants. Environmental Toxicology and Chemistry 35, 2245-2251 (2016).

Holthuis, L. B. Marine lobsters of the world. 13, (1991).

Hommersand, M. H. & Fredericq, S. Characterization of *Schizoseris condensata*, Schizoserideae trib. nov. (Delesseriaceae, Rhodophyta). Journal of Phycology 33, 475-490 (1997).

Hommersand, M. H. & Fredericq, S. Biogeography of the red seaweeds of the South African west coast: a molecular approach. Proceedim:s XVIIIth International Seaweed Symposium 325-336 (Oxford University Press, 2003).at <https://www.researchgate.net/publication/262731611_Biogeography_of_the_red_seaweeds_of_the_South_African_west_coast_a_molecular_approach/download>

Hommersand, M. H., Guiry, M. D., Fredericq, S. & Leister, G. L. New perspectives in the taxonomy of the Gigartinaeae (Gigartinales, Rhodophyta). Hydrobiologia 260-261, 105-120 (1993).

Hommersand, M. H., Moe, R. L., Amsler, C. D. & Fredericq, S. Notes on the systematics and biogeographical relationships of Antarctic and sub-Antarctic Rhodophyta with descriptions of four new genera and five new species. Botanica Marina 52, (2009).

Hondt d', J. - L. Nouvelle contribution à la connaissance des bryozoaires marins des Terres Australes Françaises. CNFRA (Comité National Français des Recherches Antarctiques) 55, 95-116 (1984).

Hondt d', J. - L. & Rédier, L. Bryozoaires récoltés lors des campagnes d'été 1972 et 1974 aux îles Kerguelen (Cténostomes, Cheilostomes sauf Cribimorphes, Entoproctes). CNFRA (Comité National Français des Recherches

Antarctiques) 42, 215-236 (1977).

Hooker, J. D. & Harvey, W. H. Algae antarcticae, being characters and descriptions of the hitherto unpublished species of algae, discovered in Lord Auckland's Group, Campbell's Island, Kerguelen's Land, Falkland Islands, Cape Horn and other southern circumpolar regions, during the voyage of H.M. discovery ships "Erebus" and "Terror". London Journal of Botany 4, 249-276, 293-298 (1845).

Hooker, J. D. LV. Algae. In: The botany of the Antarctic voyage of H.M. discovery ships Erebus and Terror, in the years 1839-1843, under the command of Captain Sir James Clark Ross..I. Part II. Botany of Fuegia, the Falklands, Kerguelen's Land, etc. (1847).

Hooker, J. D. & Harvey, W. H. Handbook of the New Zealand flora : a systematic description of the native plants of New Zealand and the Chatham, Kermadec's, Lord Auckland's, and Macquarrie's islands, Part. II. Order IX. Algae. (1867).at <<https://www.biodiversitylibrary.org/item/228754>>

Hosie, G. W., et al. CEAMARC, the Collaborative East Antarctic Marine Census for the Census of Antarctic Marine Life (IPY # 53): An overview. Polar Science 5, 75-87 (2011).

Houart, R. Description of Trophon eversoni n. sp. (Gastropoda, Muricidae), a large Trophonine from the Kerguelen Islands. Venus (Japanese Journal of Malacology) 56, 9-13 (1997).

Houart, R. & Engl, W. Description of a new Trophon (Gastropoda, Muricidae) from Antarctica. Novapex 8, 17-21 (2007).

Fraser, C. I. Seaweed Phylogeography (Hu, Z. - M. & Fraser, C.) 131-143 (Springer Netherlands, 2016).at <http://link.springer.com/10.1007/978-94-017-7534-2_5>

Guillemin, M. - L., et al. Seaweed Phylogeography: Adaptation and Evolution of Seaweeds under Environmental Change (Hu, Z. - M. & Fraser, C.) 251-277 (Springer Netherlands, 2016).at <http://link.springer.com/10.1007/978-94-017-7534-2_10>

Hu, Z. - M., Duan, D. - L. & Lopez-Bautista, J. Seaweed Phylogeography (Hu, Z. - M. & Fraser, C.) 3-22 (Springer Netherlands, 2016).at <http://link.springer.com/10.1007/978-94-017-7534-2_1>

Macaya, E. C., López, B., Tala, F., Tellier, F. & Thiel, M. Seaweed Phylogeography (Hu, Z. - M. & Fraser, C.) 97-130 (Springer Netherlands, 2016).at <http://link.springer.com/10.1007/978-94-017-7534-2_4>

Huovinen, P. & Gómez, I. Photosynthetic characteristics and UV stress tolerance of Antarctic seaweeds along the depth gradient. Polar Biology 36, 1319-1332 (2013).

Huovinen, P., Ramírez, J. & Gómez, I. Underwater Optics in Sub-Antarctic and Antarctic Coastal Ecosystems. PLOS ONE 11, e0154887 (2016).

Hureau, J. - C. La faune ichtyologique du secteur indien de l'océan antarctique et estimation du stock de poissons autour des îles Kerguelen. Mémoires du Muséum National d'Histoire Naturelle, Paris n.s. Série C 43, 235-247 (1979).

Hureau, J. - C. Remarques sur les poissons des îles St Paul et Amsterdam. Bulletin du Muséum National d'Histoire Naturelle, Paris, série 2 40, 1150-1161 (1969).

Hylmö, D. E. Zur Kenntnis der subantarktischen und antarktischen Meeresalgen. III. Chlorophyceen. (Nordenskjöld, O., 1919).at <<http://img.algaebase.org/pdf/5964B937056c533798VqHH9F6C0B/43099.pdf>>

Ingels, J., et al. Possible effects of global environmental changes on Antarctic benthos: a synthesis across five major taxa: Possible Effects of Global Environmental Changes on Antarctic Benthos. Ecology and Evolution 2, 453-485 (2012).

IPCC, Global warming of 1.5°C. (2018).at <<http://www.ipcc.ch/report/sr15/>>

Jackson, J. A., Linse, K., Whittle, R. & Griffiths, H. J. The Evolutionary Origins of the Southern Ocean Philobryid Bivalves: Hidden Biodiversity, Ancient Persistence. PLOS ONE 10, (2015).

Jacomy, M., Venturini, T., Heymann, S. & Bastian, M. ForceAtlas2, a Continuous Graph Layout Algorithm for Handy Network Visualization Designed for the Gephi Software. PLoS ONE 9, e98679 (2014).

Janosik, A. M., Mahon, A. R., Scheltema, R. S. & Halanych, K. M. Short Note: Life history of the Antarctic sea star *Labidiaster annulatus* (Asteroidea: Labidiasteridae) revealed by DNA barcoding. Antarctic Science 20, 563-563 (2008).

Jeandel, C., et al. KERFIX, a time-series station in the Southern Ocean: a presentation. Journal of Marine Systems 17, 555-569 (1998).

Jenkin, C. F. 'Discovery' National Antarctic Expedition (1901-1904). Vol. IV 1-50, 12 plates (1908).

John, D. M., Pugh, P. J. A. & Tittley, I. Observations on the benthic marine algal flora of South Georgia: a floristic and ecological analysis. Bulletin of the natural History Museum, London (botany) 24, 101-114 (1994).

John, D. M., Tittley, I., Lawson, G. W. & Pugh, P. J. A. Distribution of seaweed floras in the Southern Ocean. Botanica Marina 37, 235-239 (1994).

- Jordano, P. What is long-distance dispersal? And a taxonomy of dispersal events. *Journal of Ecology* 105, 75-84 (2017).
- Jouandet, M. P., Blain, S., Metz, N. & Mongin, M. Interannual variability of net community production and air-sea CO₂ flux in a naturally iron fertilized region of the Southern Ocean (Kerguelen Plateau). *Antarctic Science* 23, 589-596 (2011).
- Joubin, J., Billard, A., Gravier, C. & Gain, L. Deuxième expédition antarctique française (1908-1910) comm 387 pp, 27 planches-387 pp, 27 planches (Masson et Cie, 1914).
- Joubin, L. 'Discovery' National Antarctic Expedition (1901-1904). Vol. V 1-15, 1 plate (1910).
- Joubin, L., Herubel, M. - A., Oehlert, D. - P., Gravier, C. & Hallez, P. Expédition Antarctique Française (1903-1905) commandée par le Dr Jean Charcot 1-16, 1-8, 1-4, 1 planche, 1-75, 12 planches, (Masson et Cie, 1908).
- Jury, S. H., Howell, H., O'Grady, D. F. & Watson III, W. H. Lobster trap video: in situ video surveillance of the behaviour of *Homarus americanus* in and around traps. *Marine and Freshwater Research* 52, 1125 (2001).
- Kaiser, S., Barnes, D. K. A., Linse, K. & Brandt, A. Epibenthic macrofauna associated with the shelf and slope of a young and isolated Southern Ocean island. *Antarctic Science* 20, 281-290 (2008).
- Kaiser, S., et al. Patterns, processes and vulnerability of Southern Ocean benthos: a decadal leap in knowledge and understanding. *Marine Biology* 160, 2295-2317 (2013).
- Kaiser, S., et al. Is there a distinct continental slope fauna in the Antarctic? *Deep Sea Research Part II: Topical Studies in Oceanography* 58, 91-104 (2011).
- Kennicutt, M. C., et al. Delivering 21st century Antarctic and Southern Ocean science. *Antarctic Science* 28, 407-423 (2016).
- Kidder, J. H. Contributions to the natural history of Kerguelen Island, made in connection with the United States Transit-of-Venus Expedition, 1874-75, vol. II, Botany. *Bulletin of the United States National Museum* 13, 21-31 (1876).
- Kilpatrick, R., Ewing, G., Lamb, T., Welsford, D. & Constable, A. Autonomous video camera system for monitoring impacts to benthic habitats from demersal fishing gear, including longlines. *Deep Sea Research Part I: Oceanographic Research Papers* 58, 486-491 (2011).
- Kim, J. H., Chung, H., Oh, Y. S. & Lee, I. K. Macroalgal Flora of Maxwell Bay, King George Island, Antarctica: II. Rhodophyta. *Ocean and Polar Research* 23, 347-360 (2001).

Kim, J. H., Chung, H., Oh, Y. S. & Lee, I. K. Macroalgal Flora of Maxwell Bay, King George Island, Antarctica: I. Chlorophyta, Chrysophyta and Phaeophyta. *Ocean and Polar Research* 23, 209-221 (2001).

Kinlan, B. P., Gaines, S. D. & Lester, S. E. Propagule dispersal and the scales of marine community process: Marine dispersal scales. *Diversity and Distributions* 11, 139-148 (2005).

Kirckpatrick, R.'Discovery' National Antarctic Expedition (1901-1904). Vol. III 1-25, 7 plates (1907).

Kirkpatrick, R.'Discovery' National Antarctic Expedition (1901-1904). Vol. IV 1-56, 19 plates, VIII-XXVI (1908).

Klein, B. & Riaux-Gobin, C. Algal pigment diversity in coastal sediments from Kerguelen (sub-Antarctic Islands) reflecting local dominance of green algae, euglenoids and diatoms. *Polar Biology* 11, (1991).

Klöser, H., Quartino, M. L. & Wiencke, C. Distribution of macroalgae and macroalgal communities in gradients of physical conditions in Potter Cove, King George Island, Antarctica. *Hydrobiologia* 333, 1-17 (1996).

Knox, G. A. The Subantarctic Islands: Past, Present and Future. *New Zealand Journal of Ecology* 12, 69-72 (1965).

Koehler, R. Echinodermes (astéries, ophiures et échinides) : recueillis par M. Rallier du Baty, aux îles de Kerguelen, en 1913-1914. *Annales de l'Institut Océanographique, Paris* 7, 1-87 (1913).

Koehler, R. Echinodermes des îles Kerguelen. *Bulletin du Muséum national d'histoire naturelle* 16, 213-216 (1910).

Koehler, R. Australian Antarctic Expedition (1911-1914). Scientific reports. Series C Zoology and Botany 1-308, 75 plates (1920).

Koehler, R. Deuxième expédition antarctique française (1908-1910) commandée par le Dr Jean Charcot 1-270, 16 planches (Masson et Cie, 1912).

Koehler, R. Quinze mois aux îles Kerguelen 26-30, planche I (1911).

Koehler, R. British Antarctic expedition 1907-9 under the command of Sir E.H. Shackleton, Vol. 2, Biology (Murray, J.) 1-66, 5 planches (W. Heinemann, 1911). at <<http://www.biodiversitylibrary.org/bibliography/12579>>

Koehler, R. & Vaney, C. Expédition Antarctique Française (1903-1905) commandée par le Dr Jean Charcot 1-43, 4 planches, 1-30, 2 plnaches (Masson et Cie, 1907).

Kohlmeyer, J., Hawksworth, D. L. & Volkmann-Kohlmeyer, B. Observations on two marine and maritime "borderline"

lichens: *Mastodia tessellata* and *Collembosidium pelvetiae*. *Mycological Progress* 3, 51-56 (2004).

Komárek, J., Genuário, D. B., Fiore, M. F. & Elster, J. Heterocytous cyanobacteria of the Ulu Peninsula, James Ross Island, Antarctica. *Polar Biology* 38, 475-492 (2015).

Koubbi P., et al. Ecoregionalisation of the Kerguelen and Crozet islands oceanic zone. Part I: Introduction and Kerguelen oceanic zone. (2016).at <<http://rgdoi.net/10.13140/RG.2.2.17278.18246>>

Koubbi, P., et al. Ichthyoplankton in the neritic and coastal zone of Antarctica and Subantarctic islands: A review. *Journal of Marine Systems* 78, 547-556 (2009).

Koubbi, P., et al. Estimating the biodiversity of the East Antarctic shelf and oceanic zone for ecoregionalisation: Example of the ichthyofauna of the CEAMARC (Collaborative East Antarctic Marine Census) CAML surveys. *Polar Science* 4, 115-133 (2010).

Kroh, A. & Mooi, R. World Echinoidea Database. (2011).at <<http://www.marinespecies.org/echinoidea/>>

Kroh, A., Jangoux, M., Mirantsev, G. V. & Ziegler, A. The Echinoderm Files. (2013).at <<http://www.marinespecies.org/echinodermfiles/>>

Kruskal, W. H. & Wallis, W. A. Use of Ranks in One-Criterion Variance Analysis. *Journal of the American Statistical Association* 47, 583-621 (1952).

Küpper, F. C., et al. Juvenile morphology of the large Antarctic canopy-forming brown alga, *Desmarestia menziesii* J. Agardh. *Polar Biology* (2019).doi:10.1007/s00300-019-02584-3

Kützing, F. T. *Phycologia generalis oder Anatomie, Physiologie und Systemkunde der Tange*. (1843).at <http://www.algaebase.org/search/species/detail/?species_id=ef291298d757b98a2>

Kützing, F. T. *Speciea algarum*. (1849).at <http://www.algaebase.org/search/bibliography/detail/?biblio_id=13527>

Kützing, F. T. *Tabulae phycologicae oder Abbildungen der Tange*. (gedruckt auf Kosten des Verfassers / à compte d'auteur / self-published, 1849).at <<http://img.algaebase.org/pdf/5964B9370ed292FBC1TLo110C4EE/1.pdf>>

Kützing, F. T. *Tabulae phycologicae oder Abbildungen der Tange, Vol.V*. (gedruckt auf Kosten des Verfassers / à compte d'auteur / self-published, 1855).at <<https://img.algaebase.org/pdf/5964B9370ed292F0D4tiK10C80F1/5.pdf>>

Kützing, F. T. *Tabulae phycologicae oder Abbildungen der Tange, Vol. VI*. (gedruckt auf Kosten des Verfassers / à compte d'auteur / self-published, 1856).at

<<https://img.algaebase.org/pdf/5964B9370ed292F122mYV10C9A31/6.pdf>>

Kützing, F. T. *Tabulae phycologicae oder Abbildungen der Tange*. Vol. XIX. (gedruckt auf Kosten des Verfassers / à compte d'auteur / self-published, 1869).at

<<https://img.algaebase.org/pdf/5964B9370ed292F4B2sko10E0158/19.pdf>>

Kützing, F. T. *Tabulae phycologicae oder Abbildungen der Tange*. Vol. XVI. (gedruckt auf Kosten des Verfassers / à compte d'auteur / self-published, 1866).at

<<https://img.algaebase.org/pdf/5964B9370ed292EFADPjP10C0F2C/16.pdf>>

Kützing, F. T. *Tabulae phycologicae oder Abbildungen der Tange*. Vol. XV. (gedruckt auf Kosten des Verfassers / à compte d'auteur / self-published, 1865).at

<<https://img.algaebase.org/pdf/5964B9370ed292F3AELkL10DA64F/15.pdf>>

Kützing, F. T. *Tabulae phycologicae oder Abbildungen der Tange*. Vol. XI. (gedruckt auf Kosten des Verfassers / à compte d'auteur / self-published, 1861).at <<https://img.algaebase.org/pdf/5964B9370ed292F2B5rIH10D37E1/11.pdf>>

Kützing, F. T. *Tabulae phycologicae oder Abbildungen der Tange*. Vol. IX. (gedruckt auf Kosten des Verfassers / à compte d'auteur / self-published, 1859).at

<<https://img.algaebase.org/pdf/5964B9370ed292F209qOn10CFC6D/9.pdf>>

Kützing, F. T. *Tabulae phycologicae oder Abbildungen der Tange*. Vol. VIII. (gedruckt auf Kosten des Verfassers / à compte d'auteur / self-published, 1858).at

<<https://img.algaebase.org/pdf/5964B9370ed292F122mYV10C9A31/6.pdf>>

Kyling, H. & Skottsberg, C. Zur Kenntnis der Subantarktischen und Antarktischen Meeresalgen, Biogeographic Atlas of the Southern Ocean 73 II. Rhodophyceen. Wissenschaftliche Ergebnisse der schwedischen Südpolarexpedition 1901-1903. Band IV, Lieferung 15, (Nordenskjöld, O., 1919).

La Rivière, M., et al. Evaluation de la sensibilité des habitats élémentaires (DHFF) d'Atlantique, de Manche et de Mer du Nord aux pressions physiques. 1-94 (Service du Patrimoine Naturel, Museum national d'Histoire naturelle, 2017).at <<http://rgdoi.net/10.13140/RG.2.2.13808.66563>>

La Rivière, M., Roumagnac, M., Garrabou, J. & Bally, M. Transient Shifts in Bacterial Communities Associated with the Temperate Gorgonian *Paramuricea clavata* in the Northwestern Mediterranean Sea. PLoS ONE 8, e57385 (2013).

Laffoley, D., Baxter, J. M., Wenzel, L., Bueno, P. & Zischka, K. World Seas: An Environmental Evaluation. 2nd edition 3 (Ecological Issues and Environmental Impacts), 549-569 (Elsevier, 2019).

Lagger, C., et al. Climate change, glacier retreat and a new ice-free island offer new insights on Antarctic benthic

responses. *Ecography* 41, 579-591 (2018).

Lagger, C., Servetto, N., Torre, L. & Sahade, R. Benthic colonization in newly ice-free soft-bottom areas in an Antarctic fjord. *PLOS ONE* 12, e0186756 (2017).

Lamare, M., Burritt, D. & Lister, K. *Advances in Marine Biology* 59, 145-187 (Elsevier, 2011).

Lambert, C., Le Romancer, M., Trégarot, E. & Delépine, R. Les grandes phéophycées d'intérêt économique aux Iles Kerguelen. *Valorisation des algues et autres végétaux aquatiques* 169-172 (IFREMER, CNRS, 1988).

Lamouroux, J. V. F. Essai sur les genres de la famille des thalassiophytes non articulées. *Annales du Muséum d'Histoire Naturelle Paris* 20, 21-47, 115-139, 267-293 (1813).

Lamy, E. Mollusques recueillis aux îles Kerguelen par M. Loranchet (Mission Rallier Du Baty, 1913-1914). *Bulletin du Muséum d'Histoire Naturelle, ser.1* 21, 68-76 (1915).

Lamy, E. *Quinze mois aux îles Kerguelen* 40-45, planche II (1911).

Lamy, E. & Thiele, J. *Deuxième expédition antarctique française (1908-1910) commandée par le Dr Jean Charcot* 1-34, 1 planche (Masson et Cie, 1911).

Lanchester, W. F. *'Discovery' National Antarctic Expedition (1901-1904). Vol. IV* 1-6 (1908).

Lang, J. Contribution à l'étude sédimentologique du Golfe du Morbihan (Îles Kerguelen). *CNFRA (Comité National Français des Recherches Antarctiques)* 29, 1-44 (1971).

Lang, J. Contribution à l'étude sédimentologique du golfe du Morbihan (Iles Kerguelen, Terres Australes et Antarctiques françaises.). (1967).

Larrain, A. P. *Brachysternaster*, new genus, and *Brachysternaster chesheri*, new species of Antarctic echinoid (Spatangoida, Schizasteridae). *Polar Biology* 4, 121-124 (1985).

Lautredou, A. - C., et al. Molecular taxonomy and identification within the Antarctic genus *Trematomus* (Notothenoidei, Teleostei): How valuable is barcoding with COI? *Polar Science* 4, 333-352 (2010).

Lavy, A., et al. A quick, easy and non-intrusive method for underwater volume and surface area evaluation of benthic organisms by 3D computer modelling. *Methods in Ecology and Evolution* 6, 521-531 (2015).

Lawrence, J. M. Proximate composition and standing crop of *Durvillaea antarctica* (Phaeophyta) in the Bay of Morbihan, Kerguelen (South Indian Ocean). *Marine Ecology Progress Series* 33, 1-5 (1986).

Lawrence, J. M. & McClintock, J. B. Intertidal Invertebrate and Algal Communities on the Rocky Shores of the Bay of Morbihan, Kerguelen (South Indian Ocean). *Marine Ecology* 8, 207-220 (1987).

Lawrence, J. M., McClintock, J. B. & Guille, A. Organic level and caloric content of eggs of brooding asteroids and an echinoid (Echinodermata) from Kerguelen (South Indian Ocean). *International Journal of Invertebrate Reproduction and Development* 7, 249-257 (1984).

Lawson, G. W. Seaweed distribution patterns as revealed by ordination with reference to the Atlantic and southern Oceans. *Helgoländer Meeresuntersuchungen* 42, 187-197 (1988).

Le Moal, S. Juin 2016 : L'archipel de Crozet; Kerguelen, c'est foehn !. *La Météorologie* (2016).doi:10.4267/2042/61622

Le Roux, P. C. & McGeoch, M. A. Changes in climate extremes, variability and signature on sub-Antarctic Marion Island. *Climatic Change* 86, 309-329 (2008).

Lear, C. H. & Lunt, D. J. How Antarctica got its ice. *Science* 352, 34-35 (2016).

Leclair, L. Note de présentation de l'esquisse géomorphologique du Golfe du Morbihan [Iles Kerguelen]. *CNFRA (Comité National Français des Recherches Antarctiques)* 20, 3-7 (1967).

Lecomte, F., Beall, E., Chat, J., Davaine, P. & Gaudin, P. The complete history of salmonid introductions in the Kerguelen Islands, Southern Ocean. *Polar Biology* 36, 457-475 (2013).

Ledoux, J. - B., et al. Fine-scale spatial genetic structure in the brooding sea urchin *Abatus cordatus* suggests vulnerability of the Southern Ocean marine invertebrates facing global change. *Polar Biology* 35, 611-623 (2012).

Ledoyer, M. Caridea (Crustacea, Decapoda) des îles Kerguelen, Crozet, Marion et Prince Edward, et du sud de Madagascar (banc Walkers), des campagnes MD.03, MD.04, et MD.08 du M/S "Marion-Dufresne". *CNFRA (Comité National Français des Recherches Antarctiques)* 44, 137-153 (1979).

Ledoyer, M. Sur une petite collection de Cumacés recueillis aux îles Kerguelen. *Téthys* 5, 709-714 (1974).

Lee, K. M., Mansilla, A., Nelson, W. A. & Boo, S. M. *Colpomenia durvillei* (Scytosiphonaceae, Phaeophyceae): its distribution and relationships with other elongate species of the genus. *Botanica Marina* 55, (2012).

Leese, F., Agrawal, S. & Held, C. Long-distance island hopping without dispersal stages: transportation across major zoogeographic barriers in a Southern Ocean isopod. *Naturwissenschaften* 97, 583-594 (2010).

Leihy, R. I., Duffy, G. A., Nortje, E. & Chown, S. L. High resolution temperature data for ecological research and management on the Southern Ocean Islands. *Scientific Data* 5, 180177 (2018).

Lemaitre, R., Harasewych, M. G. & Hammock, J. Antarctic Invertebrates. (2009).at <<http://invertebrates.si.edu/antiz/about.cfm>>

Lemoine, P. Mélobésiées. Révision des Mélobésiées antarctiques. In: Deuxième Expédition Antarctique Française (1908-1910) commandée par le Dr. Jean Charcot, Sciences Naturelles: Documents Scientifiques, Botanique. (Anon. Eds) Vol. 1. (1913).at <<https://archive.org/details/deuximeexpdi1913cfran/page/n6>>

Lenz, H. & Strunck, K. Die Dekapoden der Deutschen Südpolar-Expedition 1901-1903. I. Brachyuren und Macruren mit Ausschluss der Sergestiden. *Deutsche Südpolar-Expedition 1901-1903, Zoology* 15, 257-345 (1913).

Leray, M. & Knowlton, N. DNA barcoding and metabarcoding of standardized samples reveal patterns of marine benthic diversity. *Proceedings of the National Academy of Sciences* 112, 2076-2081 (2015).

Lévi, C. Éponges de la Baie du Morbihan (Iles de Kerguelen). *CNFRA (Comité National Français des Recherches Antarctiques)* 18, 149-155 (1964).

Lévi, C. Eponges littorales des îles Kerguelen récoltées par M. Angot. *Mémoires de l'Institut scientifique de Madagascar, ser A* 10, 25-34 (1956).

Levring, T. Marine algae from some Antarctic and sub-Antarctic islands. *Lunds Universitets Årsskrift, N.F. Avd. 2* 41, 1-36, 14 fig., 1 plate (1945).

Levring, T. Meeresalgen von den Crozet-Inseln und Kerguelen. *Arkiv für Botanik* 31a, 1-31 (1944).

Lewis, C. F., Slade, S. L., Maxwell, K. E. & Matthews, T. R. Lobster trap impact on coral reefs: Effects of wind driven trap movement. *New Zealand Journal of Marine and Freshwater Research* 43, 271-282 (2009).

Lewis, P. N., Riddle, M. J. & Hewitt, C. L. Management of exogenous threats to Antarctica and the sub-Antarctic Islands: balancing risks from TBT and non-indigenous marine organisms. *Marine Pollution Bulletin* 49, 999-1005 (2004).

Lin, S. - M. & Hommersand, M. H. Developmental morphology and phylogeny of *Paraglossum amsleri* sp. nov. (Delesseriaceae, Rhodophyta), a species from Antarctica previously known as *Delesseria lancifolia*. *Phycologia* 55, 21-32 (2016).

Lin, S. - M., Fredericq, S. & Hommersand, M. H. Molecular phylogeny and developmental studies of Apoglossum and Paraglossum (Delesseriaceae, Rhodophyta) with a description of Apoglosseae trib. nov. *European Journal of Phycology* 47, 366-383 (2012).

Lin, S. - M., Hommersand, M. H. & Nelson, W. A. An assessment of Haraldiphyllum (Delesseriaceae, Rhodophyta), including *H. crispatum* (J.D. Hooker et Harvey) comb. nov. from New Zealand based on rbc L and LSU sequence analysis and morphological evidence. *European Journal of Phycology* 42, 391-408 (2007).

Linchangco, G. V., et al. The phylogeny of extant starfish (Asteroidea: Echinodermata) including *Xyloplax*, based on comparative transcriptomics. *Molecular Phylogenetics and Evolution* 115, 161-170 (2017).

Lindstrom, S. C., Gabrielson, P. W., Hughey, J. R., Macaya, E. C. & Nelson, W. A. Sequencing of historic and modern specimens reveals cryptic diversity in *Nothogenia* (Scinaiaceae, Rhodophyta). *Phycologia* 54, 97-108 (2015).

Linnane, A., Pere, A., Gardner, C. & Thellier, T. Abnormal reproductive morphology in two species of spiny lobster: *Jasus edwardsii* and *Jasus paulensis*. *The lobster newsletter* 30, 7-8 (2017).

Linnane, A., Pere, A., Gardner, C. & Thellier, T. Abnormal reproductive morphology in two species of spiny lobster: *Jasus edwardsii* and *Jasus paulensis*. *Marine Biodiversity Records* 8, 1-4 (2015).

Linnane, A., et al. Trends in productivity of Southern Rock Lobster *Jasus edwardsii*, across south-eastern Australia: Evidence of a regime shift? *Fisheries Research* 219, 105308 (2019).

Linse, K., et al. The macro- and megabenthic fauna on the continental shelf of the eastern Amundsen Sea, Antarctica. *Continental Shelf Research* 68, 80-90 (2013).

Linse, K., Griffiths, H. J., Barnes, D. K. A. & Clarke, A. Biodiversity and biogeography of Antarctic and sub-Antarctic mollusca. *Deep Sea Research Part II: Topical Studies in Oceanography* 53, 985-1008 (2006).

Linse, K., Jackson, J. A., Fitzcharles, E., Sands, C. J. & Buckeridge, J. S. Phylogenetic position of Antarctic Scalpelliformes (Crustacea: Cirripedia: Thoracica). *Deep Sea Research Part I: Oceanographic Research Papers* 73, 99-116 (2013).

Linse, K., Walker, L. J. & Barnes, D. K. A. Biodiversity of echinoids and their epibionts around the Scotia Arc, Antarctica. *Antarctic Science* 20, 227-244 (2008).

Liouville, J. Deuxième expédition antarctique française (1908-1910) 6-331 (1913).

Litzow, M. A., Hobday, A. J., Frusher, S. D., Dann, P. & Tuck, G. N. Detecting regime shifts in marine systems with limited biological data: An example from southeast Australia. *Progress in Oceanography* 141, 96-108 (2016).

Liu, J. & Curry, J. A. Accelerated warming of the Southern Ocean and its impacts on the hydrological cycle and sea ice. *Proceedings of the National Academy of Sciences* 107, 14987-14992 (2010).

Llano, G. A. Adaptation Within Antarctic Ecosystems. *Proceedings of the Third SCAR Symposium on Antarctic Biology* 64, 1-1252 (Smithsonian Institution printed and distributed by Gulf Publishing Company, Book Division, 1979).

Lockhart, S. J. Molecular evolution, phylogenetics and parasitism in Antarctic Cidaroid Echinoids. (2006).

Lockhart, S. J. & Jones, C. D. Biogeographic patterns of benthic invertebrate megafauna on shelf areas within the Southern Ocean Atlantic sector. *CCAMLR Science* 15, 167-192 (2008).

Long, M. H., Rheuban, J. E., Berg, P. & Zieman, J. C. A comparison and correction of light intensity loggers to photosynthetically active radiation sensors: Comparison of light loggers and PAR sensors. *Limnology and Oceanography: Methods* 10, 416-424 (2012).

Longhurst, A. R. *Ecological geography of the sea*. Second edition. (Academic Press, 2007).

López, B. A., et al. Epibiont communities on stranded kelp rafts of *Durvillaea antarctica* (Fucales, Phaeophyceae)-Do positive interactions facilitate range extensions? *Journal of Biogeography* 45, 1833-1845 (2018).

López, B. A., Macaya, E. C., Tala, F., Tellier, F. & Thiel, M. The variable routes of rafting: stranding dynamics of floating bull kelp *Durvillaea antarctica* (Fucales, Phaeophyceae) on beaches in the SE Pacific. *Journal of Phycology* 53, 70-84 (2017).

López-González, P. J. A new gorgonian genus from deep-sea Antarctic waters (Octocorallia, Alcyonacea, Plexauridae). *Helgoland Marine Research* 60, 1-6 (2005).

López-González, P. J. & Gili, J. - M. Two new dimorphic soft-coral species (Anthozoa: Octocorallia) from Antarctica. *Hydrobiologia* 544, 143-153 (2005).

López-González, P. J., Gili, J. -maria & Orejas, C. A new primnoid genus (Anthozoa: Octocorallia) from the Southern Ocean. *Scientia Marina* 66, 383-397 (2002).

Lord, C., Duhamel, G. & Pruvost, P. The Patagonian toothfish (*Dissostichus eleginoides*) fishery in the Kerguelen Islands (Indian Ocean sector of the Southern Ocean). *CCAMLR Science* 13, 1-25 (2006).

Lourantou, A. & Metzl, N. Decadal evolution of carbon sink within a strong bloom area in the subantarctic zone: Reduced C summer sink in NE Kerguelen. *Geophysical Research Letters* 38, n/a-n/a (2011).

Love, R. A. An oceanic 'fast-lane' for climate change. *Nature* (2010).doi:10.1038/news.2010.201

Low, M. E. Y. & Evenhuis, N. L. Dates of publication of the Zoology parts of the Report of the Scientific Results of the Voyage of H.M.S. Challenger During the Years 1873-76. *Zootaxa* 3701, 401-420 (2013).

Lucas, A. H. S. Australian Antarctic Expedition (1911-1914). Scientific reports. Series C; Zoology and Botany 1-40, 9 plates (William Applegate Gullick, govt. printer, 1919).at <<http://www.biodiversitylibrary.org/item/130441>>

Luckens, P. Settlement and succession on rocky shores at Auckland, North Island, New Zealand. *New Zealand Oceanographic Institute Memoir* 70, 1-64 (1976).

Macaya, E. & Zuccarello, G. Genetic structure of the giant kelp *Macrocystis pyrifera* along the southeastern Pacific. *Marine Ecology Progress Series* 420, 103-112 (2010).

Macaya, E. C. & Zuccarello, G. C. DNA barcoding and genetic divergence in the giant kelp *Macrocystis* (Laminariales). *Journal of Phycology* 46, 736-742 (2010).

MacBride, E. W. 'Discovery' National Antarctic Expedition (1901-1904). Vol. VI 1-9, 2 plates (1912).

MacBride, E. W. & Simpson, J. C. 'Discovery' National Antarctic Expedition (1901-1904). Vol. IV 1-9, 1 plate (1908).

Machida, S. Surface temperature field in the Crozet and Kerguelen whaling grounds. *Scientific Report of the Whales Research Institute* 26, 271-287 (1974).

Madon-Senez, C. Disparité morphologique et architecturale des Schizasteridae incubants (Echinoidea, Spatangoida) des régions Australes. (1998).

Magniez, P. Le cycle sexuel d'*Abatus cordatus* (Echinoidea, Spatangoida) - Modalités d'incubation et évolution histologique et biochimique des gonades. (1980).

Magniez, P. Reproductive cycle of the brooding echinoid *Abatus cordatus* (Echinodermata) in Kerguelen (Antarctic Ocean): changes in the organ indices, biochemical composition and caloric content of the gonads. *Marine Biology* 74, 55-64 (1983).

Magniez, P. & Féral, J. - P. The effect of somatic and gonadal size on the rate of oxygen consumption in the subantarctic echinoid *Abatus cordatus* (Echinodermata) from kerguelen. *Comparative Biochemistry and Physiology Part A: Physiology* 90, 429-434 (1988).

Magniez, P. & Féral, J. - P. The effect of somatic and gonadal size on the rate of oxygen consumption in the

- subantarctic echinoid *Abatus cordatus* (Echinodermata) from kerguelen. *Comparative Biochemistry and Physiology Part A: Physiology* 90, 429-434 (1988).
- Mah, C. L. The World Asteroidea Database. (2014).at <<http://www.marinespecies.org/asteroidea/index.php>>
- Mangin, L. Deuxième expédition antarctique française (1908-1910) commandée par le Dr Jean Charcot 1-95, 3 planches (Masson et Cie, 1915).
- Mansilla, A., Ávila, M. & Yokoya, N. S. Current knowledge on biotechnological interesting seaweeds from the Magellan Region, Chile. *Revista Brasileira de Farmacognosia* 22, 760-767 (2012).
- Marambio, J., et al. Photosynthetic performance and pigment composition of *Macrocystis pyrifera* (Laminariales, Phaeophyceae) along a gradient of depth and seasonality in the ecoregion of Magellan, Chile. *Journal of Applied Phycology* 29, 2575-2585 (2017).
- Mariani, S., Baillie, C., Colosimo, G. & Riesgo, A. Sponges as natural environmental DNA samplers. *Current Biology* 29, R401-R402 (2019).
- Marina, T. I., et al. The Food Web of Potter Cove (Antarctica): complexity, structure and function. *Estuarine, Coastal and Shelf Science* 200, 141-151 (2018).
- Marshak, A. R., Hill, R. L., Sheridan, P., Schärer, M. T. & Appeldoorn, R. S. In-Situ Observations of Antillean Fish Trap Contents in Southwest Puerto Rico: Relating Catch to Habitat and Damage Potential. *Proceedings of the 60th Gulf and Caribbean Fisheries Institute* 447-453 (2008).
- Marshall, B. A. & Houart, R. The genus *Pagodula* (Mollusca: Gastropoda: Muricidae) in Australia, the New Zealand region and the Tasman Sea. *New Zealand Journal of Geology and Geophysics* 54, 89-114 (2011).
- Martín, A., et al. Intertidal benthic communities associated with the macroalgae *Iridaea cordata* and *Adenocystis utricularis* in King George Island, Antarctica. *Polar Biology* 39, 207-220 (2016).
- Martin, M. T. & Pocock, M. A. South African parasitic Florideae and their hosts. 2. Some South African parasitic Florideae. *Journal of the Linnean Society of London, Botany* 55, 48-64 (1953).
- Martin, P. Phylogeny, phylogeography and population connectivity of *Lessonia* (Phaeophyceae). (2011).
- Martín-Ledo, R. & López-González, P. J. Brittle stars from Southern Ocean (Echinodermata: Ophiuroidea). *Polar Biology* 37, 73-88 (2014).

Martín-Ledo, R., Sands, C. J. & López-González, P. J. A new brooding species of brittle star (Echinodermata: Ophiuroidea) from Antarctic waters. *Polar Biology* 36, 115-126 (2012).

Martinez, M. I. & Penchaszadeh, P. E. A new species of brooding Psolidae (Echinodermata: Holothuroidea) from deep-sea off Argentina, Southwestern Atlantic Ocean. *Deep Sea Research Part II: Topical Studies in Oceanography* 146, 13-17 (2017).

Martinez-Dios, A., Dominguez-Carrió, C., Zapata-Guardiola, R. & Gili, J. - M. New insights on Antarctic gorgonians' age, growth and their potential as paleorecords. *Deep Sea Research Part I: Oceanographic Research Papers* 112, 57-67 (2016).

Massin, C. Holothurians (Echinodermata) from Marion and Prince Edward Islands: new and little-known species. *Zoologica Scripta* 21, 311-324 (1992).

Massin, C. & Hétérier, V. On a new species of apodid, *Taeniogyrus magnibaculus* n. sp. (Echinodermata, Holothuroidea), from Antarctica, living on the spines of cidarid echinoids. *Polar Biology* 27, 441-444 (2004).

Maturana, C. S., et al. Mating system and evidence of multiple paternity in the Antarctic brooding sea urchin *Abatus agassizii*. *Polar Biology* 40, 787-797 (2017).

McAnena, A., et al. Atlantic cooling associated with a marine biotic crisis during the mid-Cretaceous period. *Nature Geoscience* 6, 558-561 (2013).

McClintock, J. B. & Pearse, J. S. Reproductive biology of the common antarctic crinoid *Promachocrinus kerguelensis* (Echinodermata: Crinoidea). *Marine Biology* 96, 375-383 (1987).

McClintock, J. B. Avoidance and escape responses of the sub-antarctic limpet *Nacella edgari* (Powell) (Mollusca: Gastropoda) to the sea star *Anasterias perrieri* (Smith) (Echinodermata: Asteroidea). *Polar Biology* 4, 95-98 (1985).

McClintock, J. B., Angus, R. A., Ho, C., Amsler, C. D. & Baker, B. J. A laboratory study of behavioral interactions of the Antarctic keystone sea star *Odontaster validus* with three sympatric predatory sea stars. *Marine Biology* 154, 1077-1084 (2008).

McClintock, J. B. & Lawrence, J. M. Movement patterns of the sub-Antarctic pulmonate limpet *Kerguelenella lateralis* (Gould) (Mollusca: Gastropoda). *Polar Biology* 5, 135-138 (1986).

McDowall, R. M. Oceanic Islands and Endemism. *Systematic Zoology* 17, 346-350 (1968).

McHugh, D. J. Worldwide distribution of commercial resources of seaweeds including *Gelidium*. *Hydrobiologia* 221, 19-29 (1991).

McIntosh, W. C. An account of the petrological, botanical and zoological collections made in Kerguelen's Island and Rodriguez during Philosophical Transactions of the Royal Society of London the Transit of Venus Expedition, 1874-1875 258-263 (Philosophical Transactions of the Royal Society of London. Vol. 168, 1879).

McIntosh, W. C. Descriptions of some new species of Annelida from Kerguelen's Island. Annals and Magazine of Natural History 17, 318-323 (1876).

McIntosh, W. C. The voyage of H.M.S. Challenger 1-554 (1885).at
<<http://www.19thcenturyscience.org/HMSC/HMSC-Reports/Zool-34/htm/doc.html>>

McLeod, D. J., Hosie, G. W., Kitchener, J. A., Takahashi, K. T. & Hunt, B. P. V. Zooplankton Atlas of the Southern Ocean: The SCAR SO-CPR Survey (1991-2008). Polar Science 4, 353-385 (2010).

McQuatters-Gollop, A., et al. From Science to Evidence - How Biodiversity Indicators Can Be Used for Effective Marine Conservation Policy and Management. Frontiers in Marine Science 6, (2019).

Mélice, J. - L., Lutjeharms, J. R. E., Rouault, M. & Ansorge, I. J. Sea-surface temperatures at the sub-Antarctic islands Marion and Gough during the past 50 years. South African Journal of Science 99, 363-366 (2003).

Mélice, J. - L., Lutjeharms, J. R. E., Rouault, M. & Ansorge, I. J. Sea-surface temperatures at the sub-Antarctic islands Marion and Gough during the past 50 years. 99, 363-366 (2003).

Mendoza, M. L. State of knowledge of the Corallinales (Rhodophyta) of Tierra del Fuego and the Antarctic Peninsula. Scientia Marina 63 (Suppl. 1), 139-144 (1999).

Mespoulhé, P. Morphologie d'un échinide irrégulier subantarctique de l'archipel des Kerguelen- Ontogénèse, dimorphisme sexuel et variabilité [*Abatus cordatus*]. (1992).

Metzl, N., Tilbrook, B. & Poisson, A. The annual CO₂ cycle and the air-sea CO₂ flux in the sub-Antarctic Ocean. Tellus B: Chemical and Physical Meteorology 51, 849-861 (1999).

Metzl, N. Decadal increase of oceanic carbon dioxide in Southern Indian Ocean surface waters (1991-2007). Deep Sea Research Part II: Topical Studies in Oceanography 56, 607-619 (2009).

Meyer, L., Constable, A. & Williams, R. Conservation of marine habitats in the region of Heard Island and McDonald Islands. 1-78 (2000).at
<http://www.heardisland.aq/__data/assets/pdf_file/0017/2177/HIMI_Conservation_Report1.pdf>

Micaletto, G. & Gambi, M. C. Observations on population structure and reproductive features of *Laetmonice producta* Grube (Polychaeta, Aphroditidae) in Antarctic waters. Polar Biology 26, 327-333 (2003).

- Miers, E. J. Descriptions of new species of crustacea collected at Kerguelen's Island by the Rev. A.E. Eaton. *Annals and Magazine of Natural History* 16, 73-76 (1875).
- Miers, E. J. An account of the petrological, botanical and zoological collections made in Kerguelen's Island and Rodriguez during Philosophical Transactions of the Royal Society of London the Transit of Venus Expedition, 1874-1875 168, 200-214 (*Philosophical Transactions of the Royal Society of London*. Vol. 168, 1879).
- Millar, R. H. *Discovery Reports*, Vol. XXX 3-160, plates I-VI (1962).
- Millard, N. A. H. Hydroids from the Kerguelen and Crozet shelves collected by the cruise MD.03 of the Marion-Dufresne. *Annals of The South African Museum* 73, 1-47 (1977).
- Miller, A. K., et al. Molecular phylogeny of extant Holothuroidea (Echinodermata). *Molecular Phylogenetics and Evolution* 111, 110-131 (2017).
- Moe, R. L. & Silva, P. C. Antarctic Marine Flora: Uniquely Devoid of Kelps. *Science* 196, 1206-1208 (1977).
- Moe, R. L. *Gainia* and *Gainiaceae*, a new genus and family of crustose marine Rhodophyceae from Antarctica. *Phycologia* 24, 419-428 (1985).
- Moe, R. L. & DeLaca, T. E. Occurrence of macroscopic algae along the Antarctic Peninsula. *Antarctic Journal of the United States* 11, 20-24 (1976).
- Moe, R. L. & Silva, P. C. Morphology and taxonomy of *Himantothallus* (including *Phaeoglossum* and *Phyllogigas*), an Antarctic member of the *Desmarestiales* (Phaeophyceae). *Journal of Phycology* 17, 15-29 (1981).
- Moe, R. L. & Silva, P. C. Morphological and taxonomic studies on Antarctic Ceramiaceae (Rhodophyceae). III. *Georgiella* and *Plumariopsis* (Tribe *Ptiloteae*). *British Phycological Journal* 18, 275-298 (1983).
- Moe, R. L. & Silva, P. C. Morphological and taxonomic studies on Antarctic Ceramiaceae (Rhodophyceae). II. *Pterothamnion antarcticum* (Kylin) comb. nov. (*Antithamnion antarcticum* Kylin). *British Phycological Journal* 15, 1-17 (1980).
- Moe, R. L. & Silva, P. C. Morphological and taxonomic studies on Antarctic Ceramiaceae (Rhodophyceae). I. *Antarcticothamnion polysporum* gen. et sp. nov. *British Phycological Journal* 14, 385-405 (1979).
- Moe, R. L. & Silva, P. C. Sporangia in the brown algal genus *Desmarestia* with special reference to Antarctic *D. ligulata*. *Bulletin of Japanese Society of Phycology* 25, 159-167 (1977).

Moles, J., et al. Distribution patterns in Antarctic and Subantarctic echinoderms. *Polar Biology* 38, 799-813 (2015).

Moles, J., et al. Giant embryos and hatchlings of Antarctic nudibranchs (Mollusca: Gastropoda: Heterobranchia). *Marine Biology* 164, 114 (1-13) (2017).

Mols-Mortensen, A., et al. New insights into the biodiversity and generic relationships of foliose Bangiales (Rhodophyta) in Iceland and the Faroe Islands. *European Journal of Phycology* 47, 146-159 (2012).

Monaco, C. J. & Helmuth, B. *Advances in Marine Biology* 60, 123-160 (Elsevier, 2011).

Monniot, C. Ascidies phlébobranches et stolidobranches des Iles Kerguelen récoltées par P. Grua. *CNFRA (Comité National Français des Recherches Antarctiques)* 32, 59-74 (1973).

Monniot, C. & Monniot, F. Ascidies des îles Kerguelen récoltées par J.C. Hureau. *Téthys* 5, 715-734 (1974).

Monniot, C. & Monniot, F. Ascidies Antarctiques et Subantarctiques: Morphologie et Biogéographie. *Mémoires du Muséum National d'Histoire Naturelle, Paris A (Zoologie)* 125, 1-168 (1983).

Monniot, F. Ascidies Aplousobranches des îles Kerguelen récoltées par P. Grua. *CNFRA (Comité National Français des Recherches Antarctiques)* 32, 39-58 (1973).

Monniot, F. Révision des Polycyclinidae (Asciadiacea) des 1^{re} et 2^e expéditions antarctiques françaises, décrites par C.Ph. Sluiter. *Bulletin du Muséum National d'Histoire Naturelle, Paris, 3^e ser., n°510, Zoologie* 351, 3-18 (1978).

Monniot, F., Dettai, A., Eléaume, M., Cruaud, C. & Ameziane, N. Antarctic Ascidiaceans (Tunicata) of the French-Australian survey CEAMARC in Terre Adélie. *Zootaxa* 2817, 1-54 (2011).

Monniot, F. & Gaill, F. Polyclinidae (Asciadiacea) du sud-ouest de l'Océan Indien. *Annales de l'Institut Océanographique, Paris* 54, 139-162 (1978).

Monod, T. & Dollfus, R. P. Sur quelques animaux rapportés par E. Aubert de la Rüe des îles australes (Kerguelen et St-Paul). *Bulletin de la Société Zoologique de France* 57, 56-76 (1932).

Monro, C. C. A. *Polychaete worms* . II. (1936).

Montagne, C. Voyage autour du monde exécuté pendant les années 1836 et 1837 sur la corvette La Bonite commandée par M. Vaillant, capitaine de vaisseau. *Botanique* 1-112 (Arthus Bertrand, 1844).

Montecinos, A., et al. Species replacement along a linear coastal habitat: phylogeography and speciation in the red alga *Mazzaella laminarioides* along the south east pacific. *BMC Evolutionary Biology* 12, 97 (2012).

Montgomery, E. M., Hamel, J. - F. & Mercier, A. *Advances in Marine Biology* 76, 41-104 (Elsevier, 2017).

Moon, K. L., Chown, S. L. & Fraser, C. I. Reconsidering connectivity in the sub-Antarctic: Reconsidering connectivity in the sub-Antarctic. *Biological Reviews* 92, 2164-2181 (2017).

Moore, J. K., Abbott, M. R. & Richman, J. G. Location and dynamics of the Antarctic Polar Front from satellite sea surface temperature data. *Journal of Geophysical Research: Oceans* 104, 3059-3073 (1999).

Moore, J. M., Carvajal, J. I., Rouse, G. W. & Wilson, N. G. The Antarctic Circumpolar Current isolates and connects: Structured circumpolarity in the sea star *Glabraster antarctica*. *Ecology and Evolution* 8, 10621-10633 (2018).

Moreau, C., et al. Antarctic and Sub-Antarctic Asteroidea database. *ZooKeys* 747, 141-156 (2018).

Moreau, C., et al. Reproductive strategy as a piece of the biogeographic puzzle: a case study using Antarctic sea stars (Echinodermata, Asteroidea). *Journal of Biogeography* 44, 848-860 (2017).

Moritz, C. Strategies to protect biological diversity and the evolutionary processes that sustain it. *Systematic biology* 51, 238-54 (2002).

Morley, S. A., et al. Rates of warming and the global sensitivity of shallow water marine invertebrates to elevated temperature. *Journal of the Marine Biological Association of the United Kingdom* 96, 159-165 (2016).

Morley, S., et al. Spatial and temporal variation in the heat tolerance limits of two abundant Southern Ocean invertebrates. *Marine Ecology Progress Series* 450, 81-92 (2012).

Morley, S. A., Lurman, G. J., Skepper, J. N., Pörtner, H. - O. & Peck, L. S. Thermal plasticity of mitochondria: a latitudinal comparison between Southern Ocean molluscs. *Comparative biochemistry and physiology. Part A, Molecular & integrative physiology* 152, 423-30 (2009).

Mortensen, T. *Deutsche Südpolar-Expedition 1901-1903, Zoology* 69-111, planches 7 à 17 (Reimer, G., 1913).at <<https://archive.org/details/dieechinodermenl00mort>>

Mortensen, T. *Discovery Reports, Vol. XII* 199-348, plates I-IX (1936).

Moyano, H. I. Magellan Bryozoa: a review of the diversity and of the Subantarctic and Antarctic zoogeographical links. *Scientia Marina* 63 (Suppl. 1), 219-226 (1999).

Müller, R., Laepple, T., Bartsch, I. & Wiencke, C. Impact of oceanic warming on the distribution of seaweeds in polar and cold-temperate waters. *Botanica Marina* 52, (2009).

Munilla, T. & Soler Membrives, A. Check-list of the pycnogonids from Antarctic and sub-Antarctic waters: zoogeographic implications. *Antarctic Science* 21, 99 (2009).

Munilla, T. & Soler-Membrives, A. Checklist of the pycnogonids from Antarctic and subAntarctic. *Antarctic Science* 21, 99-111 (2009).

Murphy, E. J., et al. Spatial and temporal operation of the Scotia Sea ecosystem: a review of large-scale links in a krill centred food web. *Philosophical Transactions of the Royal Society B: Biological Sciences* 362, 113-148 (2007).

Murphy, E. J., et al. Restricted regions of enhanced growth of Antarctic krill in the circumpolar Southern Ocean. *Scientific Reports* 7, (2017).

Murray, J. On the deep and shallow-water marine fauna of the Kerguelen region of the great southern ocean. *Transactions of the Royal Society of Edinburgh* 38, 343-500 (1896).

Mystikou, A., et al. New records and observations of macroalgae and associated pathogens from the Falkland Islands, Patagonia and Tierra del Fuego. *Botanica Marina* 59, 105-121 (2016).

Mystikou, A., et al. Seaweed biodiversity in the south-western Antarctic Peninsula: surveying macroalgal community composition in the Adelaide Island/Marguerite Bay region over a 35-year time span. *Polar Biology* 37, 1607-1619 (2014).

N/A, Die Forschungsreise S.M.S. "Gazelle" in den Jahren 1874 bis 1876 unter Kommando des Kapitän zur See Freiherrn von Schleinitz. III. Zoologie und Geologie. III. Zoologie und Geologie, (E.S. Mittler und Sohn, 1889).

N/A, Die Forschungsreise S.M.S. "Gazelle" in den Jahren 1874 bis 1876 unter Kommando des Kapitän zur See Freiherrn von Schleinitz. IV Botanik. IV. Botanik, (E.S. Mittler und Sohn, 1889).

Navarro, J. M., et al. The Antarctic fish *Harpagifer antarcticus* under current temperatures and salinities and future scenarios of climate change. *Progress in Oceanography* (2018).doi:10.1016/j.pocean.2018.09.001

Navarro, N. P., Huovinen, P. & Gómez, I. Photosynthetic characteristics of geographically disjunct seaweeds: A case study on the early life stages of Antarctic and Subantarctic species. *Progress in Oceanography* (2018).doi:10.1016/j.pocean.2018.11.001

Naw, M. W. D. & Hara, Y. Morphology and molecular phylogeny of *Prasiola* sp. (Prasiolales, Chlorophyta) from Myanmar. *Phycological Research* 50, 175-182 (2002).

- Neal, L., Linse, K., Brasier, M. J., Sherlock, E. & Glover, A. G. Comparative marine biodiversity and depth zonation in the Southern Ocean: evidence from a new large polychaete dataset from Scotia and Amundsen seas. *Marine Biodiversity* 48, 581-601 (2018).
- Neher, R. A. Genetic Draft, Selective Interference, and Population Genetics of Rapid Adaptation. *Annual Review of Ecology, Evolution, and Systematics* 44, 195-215 (2013).
- Neill, P. E., Alcalde, O., Faugeton, S., Navarrete, S. A. & Correa, J. A. Invasion of *Codium fragile* ssp. *tomentosoides* in northern Chile: A new threat for *Gracilaria* farming. *Aquaculture* 259, 202-210 (2006).
- Nelson, G. & Ladiges, P. Y. Gondwana, vicariance biogeography and the New York School revisited. *Australian Journal of Botany* 49, 389-409 (2001).
- Nelson, W. A. *New Zealand seaweeds: an illustrated guide.* (Te Papa Press, 2013).
- Neushul, M. Diving Observations of Sub-Tidal Antarctic Marine Vegetation. *Botanica Marina* 8, 234-243 (1965).
- Neushul, M. Diving in Antarctic waters. *Polar Record* 10, 353 (1961).
- Nicod, F., Delépine, R., Vaquette, J. & Chaumont, J. - P. Activités antibactériennes et antifongiques d'algues marines subantarctiques et méditerranéennes. Valorisation des algues et autres végétaux aquatiques 201-204 (IFREMER, CNRS, 1988).
- Nielsen, R., et al. Revision of the genus *Ulvelia* (Ulvellaceae, Ulvophyceae) based on morphology and *tufA* gene sequences of species in culture, with *Acrochaete* and *Pringsheimiella* placed in synonymy. *Phycologia* 52, 37-56 (2013).
- Nierstrasz, H. F. *Siboga Expeditie 1-56, 3 Tafeln* (1913).
- Nikula, R., Fraser, C., Spencer, H. & Waters, J. Circumpolar dispersal by rafting in two subantarctic kelp-dwelling crustaceans. *Marine Ecology Progress Series* 405, 221-230 (2010).
- Nikula, R., Spencer, H. G. & Waters, J. M. Passive rafting is a powerful driver of transoceanic gene flow. *Biology Letters* 9, 20120821-20120821 (2012).
- Nonato, E. F., Brito, T. A. S., De Paiva, P. C., Petti, M. A. V. & Corbisier, T. N. Benthic megafauna of the nearshore zone of Martel Inlet (King George Island, South Shetland Islands, Antarctica): depth zonation and underwater observations. *Polar Biology* 23, 580-588 (2000).

Norman, J. R. Discovery Reports, Vol. XVI 3-150, plates I-V (1937).

Norman, J. R. Discovery Reports, Vol. XVIII 1-105, plate I (1938).

Norman, J. R. Discovery Reports, Vol. XII 3-58 (1935).

O'Hara, T. Origin of Macquarie Island echinoderms. *Polar Biology* 20, 143-151 (1998).

O'Hara, T. Origin of Macquarie Island echinoderms. *Polar Biology* 20, 143-151 (1998).

O'Loughlin, M. P. Report on selected species of BANZARE and ANARE Holothuroidea, with reviews of *Meseres Ludwig* and *Heterocucumis Panning* (Echinodermata). *Memoirs of Museum Victoria* 59, 297-325 (2002).

O'Loughlin, M. P. BANZARE holothuroids (Echinodermata: Holothuroidea). *Zootaxa* 2196, 1-18 (2009).

O'Loughlin, M. P. & Ahearn, C. Antarctic and sub-Antarctic species of *Psolidium Ludwig* (Echinodermata, Holothuroidea, Psolidae). *Memoirs of Museum Victoria* 65, 23-42 (2008).

O'Loughlin, M. P., Bardsley, T. M. & O'Hara, T. D. A preliminary analysis of diversity and distribution of Holothuroidea from Prydz Bay and the MacRobertson Shelf, eastern Antarctica. *Echinoderms through Time. Proceedings of the Intern. Echinoderm Conf., Dijon* (David, B. Guille, A. & Féral, J. - P.) 549-555 (Balkema, 1994).

O'Loughlin, M. P., Mackenzie, M. & VandenSpiegel, D. New sea cucumber species from the seamounts on the Southwest Indian Ocean Ridge (Echinodermata: Holothuroidea: Aspidochirotida, Elasipodida, Dendrochirotida). *Memoirs of Museum Victoria* 70, 37-50 (2013).

O'Loughlin, M. P., Manjon-Cabeza, E. M. & Moya Ruiz, F. Antarctic holothuroids from the Bellingshausen Sea, with descriptions of new species (Echinodermata: Holothuroidea). *Zootaxa* 2016, 1-16 (2009).

O'Loughlin, M. P. & O'Hara, T. D. A review of the genus *Smilasterias* (Echinodermata, Asteroidea), with descriptions of two new species from south-eastern Australia, one a gastric brooder, and a new species from Macquarie Island. *Memoirs of Museum Victoria* 50, 307-323 (1990).

O'Loughlin, M. P. & VandenSpiegel, D. A revision of Antarctic and some Indo-Pacific apodid sea cucumbers (Echinodermata: Holothuroidea: Apodida). *Memoirs of Museum Victoria* 67, 61-95 (2010).

O'Loughlin, M. P. & Waters, J. M. A molecular and morphological revision of genera of Asterinidae (Echinodermata: Asteroidea). *Memoirs of Museum Victoria* 61(1), 1-40 (2004).

O'Loughlin, M. P. & Whitfield, E. New species of *Psolus* Oken from Antarctica (Echinodermata: Holothuroidea: Psolidae). *Zootaxa* 2528, 61-68 (2010).

OBIS, OBIS - Ocean Biogeographic information system. (2014).at <<http://www.iobis.org/>>

Ocaranza-Barrera, P., González-Wevar, C. A., Guillemín, M. - L., Rosenfeld, S. & Mansilla, A. Molecular divergence between *Iridaea cordata* (Turner) Bory de Saint-Vincent from the Antarctic Peninsula and the Magellan Region. *Journal of Applied Phycology* 31, 939-949 (2019).

Oliveira, E. C., Absher, T. M., Pellizzari, F. M. & Oliveira, M. C. The seaweed flora of Admiralty Bay, King George Island, Antarctic. *Polar Biology* 32, 1639-1647 (2009).

Oliveira, M. C., et al. High-throughput sequencing for algal systematics. *European Journal of Phycology* 53, 256-272 (2018).

Orejas, C., et al. Benthic suspension feeders, key players in Antarctic marine ecosystems? *Contribution to Science* 1, 299-311 (2000).

Ortiz, M., Berrios, F., González, J., Rodríguez-Zaragoza, F. & Gómez, I. Macroscopic network properties and short-term dynamic simulations in coastal ecological systems at Fildes Bay (King George Island, Antarctica). *Ecological Complexity* 28, 145-157 (2016).

Ortiz, M., et al. Quantifying keystone species complexes: Ecosystem-based conservation management in the King George Island (Antarctic Peninsula). *Ecological Indicators* 81, 453-460 (2017).

Ovenden, J. R., Booth, J. D. & Smolenski, A. J. Mitochondrial DNA phylogeny of red and green rock lobsters (genus *Jasus*). *Marine and Freshwater Research* 48, 1131 (1997).

Ozouf-Costaz, C. Apport de la caryologie aux études taxonomiques et phylogénétiques des poissons. Actes du colloque sur la recherche dans les Terres Australes (Kerguelen, Crozet, Saint-Paul et Amsterdam) et à partir des navires qui les desservent 155-163 (CNFRA, 1989).

O'Brien, P. E., Stark, J. S., Johnstone, G., Smith, J. & Riddle, M. J. Seafloor Geomorphology as Benthic Habitat 329-337 (Elsevier, 2012).at <<https://linkinghub.elsevier.com/retrieve/pii/B9780123851406000207>>

O'Loughlin, M. P., Paulay, G., Davey, N. & Michonneau, F. The Antarctic region as a marine biodiversity hotspot for echinoderms: Diversity and diversification of sea cucumbers. *Deep Sea Research Part II: Topical Studies in Oceanography* 58, 264-275 (2011).

O'Loughlin, M. P., St pieD, A., Kuzniak, M. & Van Den Spiegel, D. A new genus and four new species of sea

- cucumbers (Echinodermata) from Admiralty Bay, King George Island. *Polish Polar Research* 34, 67-88 (2013).
- O'Loughlin, P. M., Mackenzie, M., Vandenspiegel, D. & Griffiths, H. New taeniogyrid species of sea cucumber from the Weddell Sea (Echinodermata: Holothuroidea: Synaptida). *Zootaxa* 3995, 271 (2015).
- Palma, M., et al. SfM-Based Method to Assess Gorgonian Forests (*Paramuricea clavata* (Cnidaria, Octocorallia)). *Remote Sensing* 10, 1154 (2018).
- Papenfuss, G. F. Problems in the taxonomy and geographical distribution of Antarctic marine algae. *Biologie antarctique* (Carrick, R. Holdgate, M. & Prevost, J.) 155-160 (Hermann: Paris, 1964).
- Papenfuss, G. F. Antarctic Research Series. (Lee, M. O.) Volume 1. Bibliography of the Antarctic Seas, 1-76 (1964).
- Parada, G. M., Martínez, E. A., Aguilera, M. A., Oróstica, M. H. & Broitman, B. R. Interactions between kelp spores and encrusting and articulated corallines: recruitment challenges for *Lessonia spicata*. *Botanica Marina* 60, (2017).
- Parapar, J., Moreira, J., Gambi, M. C. & Caramelo, C. Morphology and biology of *Laetmonice producta producta* Grube (Polychaeta: Aphroditidae) in the Bellingshausen Sea and Antarctic Peninsula (Southern Ocean, Antarctica). *Italian Journal of Zoology* 80, 255-272 (2013).
- Pardo, D., Jenouvrier, S., Weimerskirch, H. & Barbraud, C. Effect of extreme sea surface temperature events on the demography of an age-structured albatross population. *Philosophical Transactions of the Royal Society B: Biological Sciences* 372, 20160143 (2017).
- Park, Y. - H. & Gamberoni, L. Cross-frontal exchange of Antarctic Intermediate Water and Antarctic Bottom Water in the Crozet Basin. *Deep Sea Research Part II: Topical Studies in Oceanography* 44, 963-986 (1997).
- Park, Y. - H., Roquet, F., Durand, I. & Fuda, J. - L. Large-scale circulation over and around the Northern Kerguelen Plateau. *Deep Sea Research Part II: Topical Studies in Oceanography* 55, 566-581 (2008).
- Parker, S. J. & Smith, M. H. Can toothfish catches be used to predict the presence of vulnerable benthic invertebrate taxa? *CCAMLR Science* 18, 87-96 (2011).
- Parsons, M. A., et al. A conceptual framework for managing very diverse data for complex, interdisciplinary science. *Journal of Information Science* 37, 555-569 (2011).
- Parsons, M. J. & Fenwick, G. D. Marine algae and a marine fungus from Open Bay Islands, Westland, New Zealand. *New Zealand Journal of Botany* 22, 425-432 (1984).

- Pawson, D. L. Some Holothurians from Macquarie Island. *Transactions of the Royal Society of New Zealand - Zoology* 10, 141-150 (1968).
- Pawson, D. L. The Echinozoan Fauna of the New Zealand Subantarctic Islands, - Macquarie Island, and the Chatham Rise. *Bulletin of the New Zealand Department of scientific and industrial research* 187, 1-35 (1968).
- Pawson, D. L. *Biology of the Antarctic Seas VI* 97-123 (American Geophysical Union, 1977).at
<<http://onlinelibrary.wiley.com/doi/10.1002/9781118664599.ch3/summary>>
- Pawson, D. L. The Holothuroidea Collected by the Royal Society Expedition to Southern Chile, 1958-1959. *Pacific Science* 18, 453-470 (1964).
- Pearman, P. B., Guisan, A., Broennimann, O. & Randin, C. F. Niche dynamics in space and time. *Trends in Ecology & Evolution* 23, 149-158 (2008).
- Pearse, J. S. & Lockhart, S. J. Reproduction in cold water: paradigm changes in the 20th century and a role for cidaroid sea urchins. *Deep Sea Research Part II: Topical Studies in Oceanography* 51, 1533-1549 (2004).
- Peck, L. S., Morley, S. A., Richard, J. & Clark, M. S. Acclimation and thermal tolerance in Antarctic marine ectotherms. *Journal of Experimental Biology* 217, 16-22 (2014).
- Peck, L. S., Convey, P. & Barnes, D. K. A. Environmental constraints on life histories in Antarctic ecosystems: tempos, timings and predictability. *Biological reviews of the Cambridge Philosophical Society* 81, 75-109 (2006).
- Peck, L. S. A Cold Limit to Adaptation in the Sea. *Trends in Ecology & Evolution* 31, 13-26 (2016).
- Peck, L. S. Prospects for survival in the Southern Ocean: vulnerability of benthic species to temperature change. *Antarctic Science* 17, 497-507 (2005).
- Peck, L. S. Antarctic marine biodiversity- Adaptations, environments and responses to change. *Oceanography and Marine Biology: An Annual Review*, 56, 105-236 (2018).
- Peck, L. S., Morley, S. A. & Clark, M. S. Poor acclimation capacities in Antarctic marine ectotherms. *Marine Biology* 157, 2051-2059 (2010).
- Pellizzari, F., et al. Diversity and spatial distribution of seaweeds in the South Shetland Islands, Antarctica: an updated database for environmental monitoring under climate change scenarios. *Polar Biology* 40, 1671-1685 (2017).

Pelseneer, P. & Joubin, L. Voyage du S.Y. Belgica 1897-1899 1-93 (Buschmann, J.E., 1903).at <<http://archimer.ifremer.fr/doc/1903/publication-6926.pdf>>

Pendlebury, S. F. & Barnes-Keoghan, L. P. Climate and climate change in the sub-Antarctic. Papers and Proceedings of the Royal Society of Tasmania 141, 67-82 (2007).

Perez, R., Couespel du Mesnil, J., Colin, Y., Le Fur, L. & Didou, H. Étude sur l'opportunité d'introduire l'algue *Macrocystis* sur le littoral français. Revue des travaux de l'Institut des Pêches maritimes 37, 307-361 (1973).

Pérez-Alvarez, M. J., et al. Historical dimensions of population structure in a continuously distributed marine species: The case of the endemic Chilean dolphin. Scientific Reports 6, (2016).

Pérez-Ortega, S., Ríos, A. de los, Crespo, A. & Sancho, L. G. Symbiotic lifestyle and phylogenetic relationships of the bionts of *Mastodia tessellata* (Ascomycota, incertae sedis). American Journal of Botany 97, 738-752 (2010).

Perrier, E. Les Stellérides de l'île Saint-Paul. Archives de Zoologie Expérimentale et Générale 8, 47-50, planche IV (1879).

Perrier, E. Etude sur la répartition géographique des Asterides. Nouvelles Archives du Muséum d'Histoire Naturelle, 2e série 2, 1-108 (1878).

Perrier, E. Révision de la collection de Stellérides du Muséum d'Histoire Naturelle de Paris. Archives de Zoologie Expérimentale et Générale 4, 265-450 (1875).

Peters, A. F. & Ramirez, M. E. Molecular phylogeny of small brown algae, with special reference to the systematic position of *Caepidium antarcticum* (adenocystaceae, ectocarpales). Cryptogamie Algologie 22, 187-200 (2001).

Peters, K. J., et al. A comparative analysis of the nutritional and elemental composition of macroalgae from the western Antarctic Peninsula. Phycologia 44, 453-463 (2005).

Petit, M., Cardot, J. & Hariot, J. Expédition Antarctique Française (1903-1905) commandée par le Dr Jean Charcot 1-46 (Masson et Cie, 1908).

Jeffs, A. G., Gardner, C. & Cockcroft, A. Lobsters: Biology, Management, Aquaculture and Fisheries (Phillips, B. F.) 259-288 (John Wiley & Sons, Ltd, 2013).at <<http://doi.wiley.com/10.1002/9781118517444.ch9>>

Piatkowski, U., Rodhouse, P. G. & Duhamel, G. Occurrence of the cephalopod *Martialia hyadesi* (Teuthoidea: Ommastrephidae) at the Kerguelen Islands in the Indian Ocean sector of the Southern Ocean. Polar Biology 11, (1991).

Piepenburg, D., Voß, J. & Gutt, J. Assemblages of sea stars (Echinodermata: Asteroidea) and brittle stars (Echinodermata: Ophiuroidea) in the Weddell Sea (Antarctica) and off Northeast Greenland (Arctic): a comparison of diversity and abundance. *Polar Biology* 17, 305-322 (1997).

Pierrat, B. Macroécologie des échinides de l'Océan Austral, Distribution, Biogéographie et Modélisation. (2011).at <<http://tel.archives-ouvertes.fr/tel-00717643>>

Pinturier-Geiss, L., Laureillard, J., Riaux-Gobin, C., Fillaux, J. & Saliot, A. Lipids and pigments in deep-sea surface sediments and interfacial particles from the Western Crozet Basin. *Marine Chemistry* 75, 249-266 (2001).

Pizarro, O., Friedman, A., Bryson, M., Williams, S. B. & Madin, J. A simple, fast, and repeatable survey method for underwater visual 3D benthic mapping and monitoring. *Ecology and Evolution* (2017).doi:10.1002/ece3.2701

Poirson, M. Étude des habitats côtiers rocheux des îles Kerguelen et bilan des connaissances dans le but de mettre en place un suivi à long terme des communautés benthiques. (2016).at <http://www.proteker.net/IMG/pdf/2016_poirson_master_1_etude_des_habitats_cotiers_rocheux_des_iles_kerguelen_et_bilan_des_connaissances_dans_le_but_de_mettre_en_place_un_suivi_a_long_terme_des_communautes_benthiques.pdf>

Post, A. L., Beaman, R. J., O'Brien, P. E., Eléaume, M. & Riddle, M. J. Community structure and benthic habitats across the George V Shelf, East Antarctica: Trends through space and time. *Deep Sea Research Part II: Topical Studies in Oceanography* 58, 105-118 (2011).

Poulin, E. Signification adaptative et conséquences évolutives de l'incubation chez un invertébré marin benthique subantarctique *Abatus cordatus* (Verrill, 1876) [Echinodermata, Spatangoida]. (1996).at <http://www.proteker.net/IMG/pdf/1996_poulin_these_signification_adaptative_et_consequences_evolutives_de_l_incubation_chez_un_invertebre_marin_benthique_subantarctique_abatus_cordatus_verrill_1876_echinodermata_spatangoida_compressed.pdf>

Poulin, É. Signification adaptative et conséquences évolutives de l'incubation chez un invertébré marin benthique subantarctique *Abatus cordatus* (Verrill, 1876) [Echinodermata, Spatangoida]. (1996).at <http://www.proteker.net/IMG/pdf/1996_poulin_these_signification_adaptative_et_consequences_evolutives_de_l_incubation_chez_un_invertebre_marin_benthique_subantarctique_abatus_cordatus_verrill_1876_echinodermata_spatangoida_compressed.pdf>

Poulin, É., Boletzky, S. v. & Féral, J. - P. Combined ecological factors permit classification of developmental patterns in benthic marine invertebrates: a discussion note. *Journal of Experimental Marine Biology and Ecology* 257, 109-115 (2001).

Poulin, É. & Féral, J. - P. The fiction and the facts of antarctic incubation - population genetics and phylogeny of schizasterid echinoids. *Echinoderms through time*, B. David, A. Guille, J.-P. Féral & M. Roux (Eds.) 837-843 (Balkema: Rotterdam, 1994).at <https://www.researchgate.net/publication/234006127_The_fiction_and_the_facts_of_antarctic_incubation_-_populat>

ion_genetics_and_phylogeny_of_schizasterid_echinoids>

Poulin, E. & Féral, J. - P. Why the difference in species numbers of coastal echinoids in two trophic groups at Terre Adelie (Antarctica) : Functional or historical diversity? Biodiversity in dispersive environment, J-P Féral & G. Boucher (Eds.) 47(4), 381-386 (Vie Milieu - Life and Environment, 1997).

Poulin, E. & Féral, J. - P. Genetic structure of the brooding sea urchin *Abatus cordatus*, an endemic of the subantarctic Kerguelen Island. Echinoderms: San Francisco: Proceedings of the Ninth International Echinoderm Conference, 5-9 August, 1996, R. Mooi & M. Telford (eds) 793-795 (Balkema: Rotterdam, 1998).

Poulin, E. & Féral, J. - P. Concepts and methods for studying marine biodiversity, from gene to ecosystem. European TMR / CNRS practical training course, 3-14 March 1998 24(4), 159-188 (Jean-Pierre Féral, 2001).

Poulin, E. & Féral, J. - P. Pattern of spatial distribution of a brood-protecting schizasterid echinoid, *Abatus cordatus*, endemic to the Kerguelen Islands. Marine Ecology Progress Series 118, 179-186 (1995).

Poulin, E. & Féral, J. - P. Why are There so Many Species of Brooding Antarctic Echinoids? Evolution 50, 820-830 (1996).

Poulin, E. & Féral, J. - P. The fiction and the facts of Antarctic brood protecting- Population genetics and evolution of Schizasterid echinoids. Echinoderms through Time. Proceedings of the Intn. Echinoderm Conf., Dijon (David, B. Guille, A. Féral, J. - P. & Roux, M.) 837-844 (Balkema, 1994).

Poulin, E. & Féral, J. - P. Genetic structure of the brooding sea urchin *Abatus cordatus*, an endemic of the subantarctic Kerguelen Island, and the origin of the diversity of antarctic echinoids. Echinoderms: San Francisco: Proceedings of the Ninth International Echinoderm Conference, San Francisco, California, USA, 5-9 August, 1996 (Mooi, R. & Telford, M.) 793-795 (Balkema, 1998).

Poulin, E., González-Wevar, C., Díaz, A., Gérard, K. & Hüne, M. Divergence between Antarctic and South American marine invertebrates: What molecular biology tells us about Scotia Arc geodynamics and the intensification of the Antarctic Circumpolar Current. Global and Planetary Change 123, 392-399 (2014).

Poulin, E., Palma, A. T. & Féral, J. - P. Evolutionary versus ecological success in Antarctic benthic invertebrates. Trends in Ecology & Evolution 17, 218-222 (2002).

Powell, A. W. B. Discovery Reports, Vol. XXVI 47-196 (1951).

Prescott, G. W. A contribution to a bibliography of Antarctic and Subantarctic algae. (Cramer, 1979).

Primo, C. & Vázquez, E. Antarctic ascidians: an isolated and homogeneous fauna. Polar Research 28, 403-414

(2009).

Primo, C. & Vázquez, E. Zoogeography of the Antarctic ascidian fauna in relation to the sub-Antarctic and South America. *Antarctic Science* 19, 321-321 (2007).

Primo, C. & Vazquez, E. Zoogeography of the southern African ascidian fauna. *Journal of Biogeography* 31, 1987-2009 (2004).

Primo, C. & Vazquez, E. Zoogeography of the southern African ascidian fauna. *Journal of Biogeography* 31, 1987-2009 (2004).

Pruvost, P., Duhamel, G., Le Manach, F. & Palomares, M. L. Marine fisheries catches of subantarctic islands 1950-2010 1, 37-45 (Palomares M.L.D. & Payly D., 2015).

Puccinelli, E., McQuaid, C. D. & Ansorge, I. J. Factors affecting trophic compositions of offshore benthic invertebrates at a sub-Antarctic archipelago: Depth and hydrographic region effects on benthos. *Limnology and Oceanography* (2018).doi:10.1002/lno.10934

PudeBko, R., Angiel, P., Potocki, M., J drejek, A. & Kozak, M. Fluctuation of Glacial Retreat Rates in the Eastern Part of Warszawa Icefield, King George Island, Antarctica, 1979-2018. *Remote Sensing* 10, 892 (2018).

Putman, N. F. Waves of invasion. *Nature Climate Change* 8, 665-667 (2018).

Quartino, M. L., Klöser, H., Wiencke, C. & Schloss, I. Biomass and associations of benthic marine macroalgae from the inner Potter Cove (King George Island, Antarctica) related to depth and substrate. *Polar Biology* 24, 349-355 (2001).

Queirós, A. M., et al. Connected macroalgal sediment systems: blue carbon and food webs in the deep coastal ocean. *Ecological Monographs* e01366 (2019).doi:10.1002/ecm.1366

Rallier du Baty, M. *Annales de l'Institut Océanographique, Paris*. III (3) 51 pp., 2 planches-51 pp., 2 planches (1911).at <<http://ia600400.us.archive.org/5/items/annalesdelinstitut03instuoft/annalesdelinstitut03instuoft.pdf>>

Ramírez, M. E. Flora marina bentonica de la region austral de sudamerica y la Antartica. *Anales del Instituto de la Patagonia* 38, (2010).

Ramos, A. The megazoobenthos of the Scotia Arc islands. *Scientia Marina* 63, 171-182 (1999).

Rautenberger, R., Huovinen, P. & Gómez, I. Effects of increased seawater temperature on UV tolerance of Antarctic

marine macroalgae. *Marine Biology* 162, 1087-1097 (2015).

Redier, L. Contributions à l'étude des hydraires et des bryozoaires de Kerguelen. *CNFRA (Comité National Français des Recherches Antarctiques)* 30, 67-88 (1971).

Refmar, Marégraphe de l'île Saint-Paul. (no date).at <http://refmar.shom.fr/fr/ile_saint-paul>

Refmar, Marégraphe de Kerguelen. (no date).at <<http://refmar.shom.fr/KERGUELEN>>

Regan, C. T. Diagnoses of new marine fishes collected by the British Antarctic ('Terra Nova') Expedition. *Annals and Magazine of Natural History* 13, 11-17 (1913).

Rehm, P., Hooke, R. A. & Thatje, S. Macrofaunal communities on the continental shelf off Victoria Land, Ross Sea, Antarctica. *Antarctic Science* 23, 449-455 (2011).

Reid, P. C., et al. *Advances in Marine Biology* 56, 1-150 (Elsevier, 2009).

Reinbold, T. Deutsche Südpolar-Expedition 1901-1903 im Auftrage des Reichsamtes des Innern. Herausgegeben von Erich von Drygalski Leiter Expedition. VIII. Band. Botanik 177-202 (Erich von Drygalski, 1908).at <img.algaebase.org/pdf/8CCB0C091b65a1B650MRC33EB255/17388.pdf>

Reinbold, T. Wissenschaftliche Ergebnisse der Deutschen Tiefsee-Expedition auf dem Dampfer 'Valdivia' 1898-1899 II 2, 549-586 (1907).

Reinsch, P. F. Ueber einige neue Desmarestien. *Flora* 71, 188-192 (1888).

Reinsch, P. F. Zur Meeresalgenflora von Süd-Georgien. In: . (Eds), pp. 366-449. Berlin:. Band II. Beschreibende Naturwissenschaften, (Neumayer, G. von, 1890).

Reinsch, P. F. Species ac Genera nova Algarum aquae dulcis quae sunt inventa in Speciminibus in Expeditione Vener. transit. hieme 1874-75 in Insula Kerguelensi a clar. Eaton collectis. *Journal of the Linnean Society of London, Botany* 15, 205-221 (1876).

Reisser, C. M. O., Wood, A. R., Bell, J. J. & Gardner, J. P. A. Connectivity, small islands and large distances: the *Cellana strigilis* limpet complex in the Southern Ocean. *Molecular ecology* 20, 3399-413 (2011).

Renard, A. - F. Notice sur la géologie de l'île de Kerguelen. *Bulletin du Musée royal d'Histoire naturelle de Belgique* 4, 223-269, planche V (1886).

Rev, A. E. & Eaton, M. A. An account of the petrological, botanical and zoological collections made in Kerguelen's Island and Rodriguez during Philosophical Transactions of the Royal Society of London the Transit of Venus Expedition, 1874-1875 281-281 (Philosophical Transactions of the Royal Society of London. Vol. 168, 1879).

Reviere de, B. Etude biologique d'*Adenocystis utricularis* et d'*Utriculidium durvillei*, phéophycées des îles Kerguelen. (1980).

Reviere de, B. Hommage à René Delépine à l'occasion de son départ à la retraite. *Cryptogamie, Algologie* 22, 159-172 (2001).

Reviere de, B. & Delépine, R. Biological data on a southern Phaeophyceae *Adenocystis utricularis* (Bory) Skottsberg, possible material for alginate industry. *Proceedings of the 10th International Seaweed Symposium* (Tore Levring ed.) 345-350 (Waite de Gruyter, 1981).

Reynolds, R. W., Rayner, N. A., Smith, T. M., Stokes, D. C. & Wang, W. An Improved In Situ and Satellite SST Analysis for Climate. *Journal of Climate* 15, 1609-1625 (2002).

Reynolds, R. W., Zhang, H. - M., Smith, T. M., Gentemann, C. L. & Wentz, F. Impacts of in situ and additional satellite data on the accuracy of a sea-surface temperature analysis for climate. *International Journal of Climatology* 25, 857-864 (2005).

Riaux-Gobin, C. & Bourgoin, P. Phytoplankton standing stocks at Kerguelen Islands (Subantarctic, Indian Ocean) : annual variations in relation to environmental factors. *Vie et milieu* 56, 23-31 (2006).

Riaux-Gobin, C. & Bourgoin, P. Microphytic standing stocks at Kerguelen Islands (Subantarctic, Indian Ocean), annual variations in relation to environmental factors: II, intertidal and subtidal microphytobenthos. *Polar Biology* 27, 735-747 (2004).

Riaux-Gobin, C. & Bourgoin, P. Microphytobenthos biomass at Kerguelen's Land (Subantarctic Indian Ocean): repartition and variability during austral summers. *Journal of Marine Systems* 32, 295-306 (2002).

Riaux-Gobin, C. & Compère, P. Two marine cocconeid diatoms from Kerguelen's Land (Austral Ocean, Indian sector): *Cavinula kerguelensis* nom. nov. and *Cocconeopsis wrightii*. *Diatom Research* 19, 59-69 (2004).

Riaux-Gobin, C. & Compère, P. Observations sur le polymorphisme de *Cocconeis californica* Grunow, aux îles Kerguelen. *Diatom Research* 11, 89-104 (1996).

Riaux-Gobin, C., et al. Environmental conditions, particle flux and sympagic microalgal succession in spring before the sea-ice break-up in Adélie Land, East Antarctica. *Polar Research* 32, 196-205 (2013).

Riaux-Gobin, C. & Klein, B. Handbook of methods in aquatic microbial ecology 369-376 (P.F. Kemp, B.F. Sherr, E.B. Sherr, J.J. Cole, 1993).

Riaux-Gobin, C., Klein, B. & Duchêne, J. - C. A pigment analysis of feeding modes of *Thelepus extensus* (Polychaeta, Terebellidae) in relation to wave exposure at the Îles Kerguelen. *Antarctic Science* 12, 52-63 (2000).

Riaux-Gobin, C., Romero, O. E. & Al-Handal, A. Y. *Cocconeis costata* var. *subantarctica* var. nov., a new marine diatom off kerguelen archipelago (Southern Ocean, indian sector). *Diatom Research* 24, 393-404 (2009).

Riaux-Gobin, C. & Witkowski, A. *Cocconeis subantarctica* sp. nov. from Kerguelen Archipelago (Austral Ocean) and comparison with *Cocconeis stauroneiformis* (W.Smith) Okuno. *Oceanological and Hydrobiological Studies* 46, (2017).

Riaux-Gobin, C., Witkowski, A. & Romero, O. E. *Cocconeis germainii* sp. nov. and a related taxon from Kerguelen Archipelago (Austral Ocean, indian sector). *Diatom Research* 22, 329-340 (2007).

Ricciardi, A. Tracking marine alien species by ship movements. *Proceedings of the National Academy of Sciences* 113, 5470-5471 (2016).

Ricciardi, A., et al. Invasion Science: A Horizon Scan of Emerging Challenges and Opportunities. *Trends in Ecology & Evolution* 32, 464-474 (2017).

Richard, Y., et al. Temperature changes in the mid- and high- latitudes of the Southern Hemisphere: TEMPERATURE CHANGES IN SOUTHERN HEMISPHERE. *International Journal of Climatology* 33, 1948-1963 (2013).

Richardson, M. G. The distribution of Antarctic marine macro-algae related to depth and substrate. *British Antarctic Survey Bulletin* 49, 1-13 (1979).

Richer de Forges, B. Etude du crabe des îles Kerguelen *Halicarcinus planatus* (Fabricius). *CNFRA (Comité National Français des Recherches Antarctiques)* 42, 71-134 (1977).

Richerson, K., Driscoll, R. & Mangel, M. Increasing temperature may shift availability of euphausiid prey in the Southern Ocean. *Marine Ecology Progress Series* 588, 59-70 (2018).

Ricker, R. W. Taxonomy and biogeography of Macquarie Island seaweeds. (British Museum (Natural History), 1987).at <<http://img.algaebase.org/pdf/5964B93702fb736599tLo34ACCB7/13484.pdf>>

Ridley, S. O. & Dendy, A. Report on the scientific results of the voyage of H.M.S. Challenger during the years 1873-76 under the command of Captain George S. Nares .. and the late Captain Frank Tourle Thomson, R.N. 1-557, 51

plates (1887).

Riesgo, A., Taboada, S. & Avila, C. Evolutionary patterns in Antarctic marine invertebrates: An update on molecular studies. *Marine Genomics* 23, 1-13 (2015).

Riser, N. W. Nemertina. *CNFRA (Comité National Français des Recherches Antarctiques)* 35, 1-4 (1974).

Rivière, M. L., et al. Evaluation de la sensibilité des habitats élémentaires (DHFF) d'Atlantique, de Manche et de Mer du Nord aux pressions physiques. UMS 2006 - Patrimoine Naturel, Muséum National d'Histoire Naturelle, 36 Rue Geoffroy Saint-Hilaire, Paris 75005, France (2017).doi:10.13140/rg.2.2.13808.66563

Rodhouse, P. G., White, M. G. & Jones, M. R. R. Trophic relations of the cephalopod *Martialia hyadesi* (Teuthoidea: Ommastrephidae) at the Antarctic Polar Front, Scotia Sea. *Marine Biology* 114, 415-421 (1992).

Rodríguez, E. & López-González, P. J. New record of the sea anemone *Kadosactis antarctica* (Carlgren, 1928): re-description of an Antarctic deep-sea sea anemone, and a discussion of its generic and familial placement. *Helgoland Marine Research* 59, 301-309 (2005).

Rodríguez, J. P., et al. Effects of temperature and salinity on the reproductive phases of *Macrocystis pyrifera* (L.) C. Agardh (Phaeophyceae) in the Magellan region. *Journal of Applied Phycology* 31, 915-928 (2019).

Rogers, A. D. *Antarctic Ecosystems: An Extreme Environment in a Changing World* (Rogers, A. D. Johnston, N. M. Murphy, E. J. & Clarke, A.) 417-467 (Blackwell Publishing Ltd, 2012).at
<<http://eu.wiley.com/WileyCDA/WileyTitle/productCd-1405198400.html>>

Rogers, A. D. Evolution and biodiversity of Antarctic organisms: a molecular perspective. *Philosophical Transactions of the Royal Society B: Biological Sciences* 362, 2191-2214 (2007).

Romanelli, M. V. & Tablado, A. *Leptychaster kerguelenensis* (Echinodermata: Asteroidea) from Southwest Atlantic: Redescription and geographic distribution. *Zootaxa* 2971, 59-68 (2011).

Romiguier, J., et al. Comparative population genomics in animals uncovers the determinants of genetic diversity. *Nature* 515, 261-263 (2014).

Roquet, F., et al. A Southern Indian Ocean database of hydrographic profiles obtained with instrumented elephant seals. *Scientific Data* 1, 140028 (2014).

Rosa, L. H., et al. *Fungi of Antarctica* (Rosa, L. H.) 221-242 (Springer International Publishing, 2019).at
<http://link.springer.com/10.1007/978-3-030-18367-7_10>

Rosenfeld, S., et al. A new record of kelp *Lessonia spicata* (Suhr) Santelices in the Sub-Antarctic Channels: implications for the conservation of the "huïro negro" in the Chilean coast. PeerJ 7, e7610 (2019).

Rouault, M., Mélice, J. - L., Reason, C. J. C. & Lutjeharms, J. R. E. Climate variability at Marion Island, Southern Ocean, since 1960. Journal of Geophysical Research 110, 1-9 (2005).

Rouault, M., Mélice, J. - L., Reason, C. J. C. & Lutjeharms, J. R. E. Climate variability at Marion Island, Southern Ocean, since 1960. Journal of Geophysical Research 110, (2005).

Roule, L., Maas, O., Bedot, M. & Topsent, E. Expédition Antarctique Française (1903-1905) commandée par le Dr Jean Charcot 1-8, 1 planche, 1-18, 1 planche, 1-6, 1 planche, 1 (Masson et Cie, 1906).

Roule, L., Angel, M. M. & Despax, R. Deuxième expédition antarctique française (1908-1910) commandée par le DR Jean Charcot 1-24, 4 planches (Masson et Cie, 1913).

Roule, L. & Calvet, L. Expédition Antarctique Française (1903-1905) commandée par le Dr Jean Charcot 1-19, 3 planches, 1-47, 3 planches (Masson et Cie, 1908).

Rousseau, F., Burrowes, R., Peters, A. F., Kuhlenkamp, R. & de Reviere, B. A comprehensive phylogeny of the Phaeophyceae based on nrDNA sequences resolves the earliest divergences. Comptes Rendus de l'Académie des Sciences - Series III - Sciences de la Vie 324, 305-319 (2001).

Rousseau, F., de Reviere, B., Leclerc, M. - C., Asensi, A. & Delépine, R. Adenocystaceae fam. nov. (Phaeophyceae) based on morphological and molecular evidence. European Journal of Phycology 35, 35-43 (2000).

Rudman, W. B. & Firminger, P. I. The Sea Slug Forum - Home. (2006).at <<http://www.seaslugforum.net/>>

Rullier, F. Quelques Annélides Polychètes des îles Kerguelen. CNFRA (Comité National Français des Recherches Antarctiques) 15, 17-28 (1966).

Rullier, F. Nouvelle contribution à l'étude des annélides polychètes des îles Kerguelen. CNFRA (Comité National Français des Recherches Antarctiques) 32, 1-27 (1973).

Runcie, J. W. & Riddle, M. J. Photosynthesis of marine macroalgae in ice-covered and ice-free environments in East Antarctica. European Journal of Phycology 41, 223-233 (2006).

Russell, M. P. Advances in Marine Biology 66, 171-212 (Elsevier, 2013).

Ryu, T., Veilleux, H. D., Donelson, J. M., Munday, P. L. & Ravasi, T. The epigenetic landscape of transgenerational

acclimation to ocean warming. *Nature Climate Change* 8, 504-509 (2018).

Sabine, C. L., et al. Surface Ocean CO₂ Atlas (SOCAT) gridded data products. *Earth System Science Data* 5, 145-153 (2013).

Sahade, R., et al. Climate change and glacier retreat drive shifts in an Antarctic benthic ecosystem. *Science Advances* 1, e1500050-e1500050 (2015).

Sallée, J. - B., Speer, K. & Morrow, R. Response of the Antarctic Circumpolar Current to Atmospheric Variability. *Journal of Climate* 21, 3020-3039 (2008).

Sanches, P. F., Pellizzari, F. & Horta, P. A. Multivariate analyses of Antarctic and sub-Antarctic seaweed distribution patterns: An evaluation of the role of the Antarctic Circumpolar Current. *Journal of Sea Research* 110, 29-38 (2016).

Sanmartín, I., Wanntorp, L. & Winkworth, R. C. West Wind Drift revisited: testing for directional dispersal in the Southern Hemisphere using event-based tree fitting. *Journal of Biogeography* 34, 398-416 (2007).

Sannié, C. XI. Les algues utiles d'Océanie. *Revue internationale de botanique appliquée et d'agriculture tropicale* 31, 118-119 (1951).

Santos, A. M. C., Field, R. & Ricklefs, R. E. New directions in island biogeography: New directions in island biogeography. *Global Ecology and Biogeography* 25, 751-768 (2016).

Sarà, M., Balduzzi, A., Barbieri, M., Bavestrello, G. & Burlando, B. Biogeographic traits and checklist of Antarctic demosponges. *Polar Biology* 12, (1992).

Saucède, T., et al. The phylogenetic position and taxonomic status of *Sterechinus bernasconiae* Larrain, 1975 (Echinodermata, Echinoidea), an enigmatic Chilean sea urchin. *Polar Biology* 38, 1223-1237 (2015).

Saucède, T., et al. Modeling species response to climate change in sub-Antarctic islands - Echinoids as a case study for the Kerguelen Plateau. *The Kerguelen Plateau: marine ecosystem and fisheries. Proceedings of the Second Symposium* 95-116 (Welsford, D., J. Dell and G. Duhamel, 2019).doi:10.5281/zenodo.3251680

Saucède, T., et al. Changement climatique et suivi de la biodiversité marine côtière aux Iles Kerguelen. {15e Rencontres Bourgogne-Franche-Comté Nature, Changement climatique, humanité et biodiversité}, {{Revue Scientifique Bourgogne-Franche-Comté Nature}} 29: 273-284. *Revue Scientifique Bourgogne-Franche-Comté Nature* 29, 273-284 (2019).

Saunders, G. W. Long distance kelp rafting impacts seaweed biogeography in the Northeast Pacific: the kelp conveyor hypothesis. *Journal of Phycology* 50, 968-974 (2014).

Saunders, G. W., Huisman, J. M., Vergés, A., Kraft, G. T. & Le Gall, L. Phylogenetic Analyses Support Recognition of Ten New Genera, Ten New Species and 16 New Combinations in the Family Kallymeniaceae (Gigartinales, Rhodophyta). *Cryptogamie, Algologie* 38, 79-132 (2017).

Saunders, K. Holocene climate variability on sub-Antarctic Campbell, Macquarie and Marion Islands. *Quaternary International* 279-280, 429-430 (2012).

Sauvage, H. E. Mémoire sur la faune ichthyologique d l'île St. Paul. *Archives de Zoologie Expérimentale et Générale* 8, 1-46, 2 planches (1879).

Savaglia, V., Matula, C. V., Quartino, M. L., Valli Francione, M. & Zacher, K. Physiological response to irradiance, temperature and co-cultivation in Antarctic engineering brown algae (*Desmarestia menziesii* and *D. anceps*). *Polar Biology* (2019).doi:10.1007/s00300-019-02578-1

Sayer, M., Fischer, P. & Féral, J. - P. Scientific Diving in Europe: Integration, Representation and Promotion. Diving for SCience 2008 - Proceedings of the American Academy of Underwater Sciences 27th Symposium. Dauphin Island, AL: AAUS (Brueggeman, P. & Pollock, N. W.) 139-146 (2008).

Schatt, P. Développement et croissance embryonnaire de l'oursin incubant *Abatus cordatus* (Echinoidea, Spatangoida). (1985).at
<www.proteker.net/IMG/pdf/1985_schatt_these_developpement_et_croissance_embryonnaire_de_l_oursin_incubant_abatus_cordatus_echinoidea_spatangoida_.pdf>

Schatt, P. & Féral, J. - P. The brooding cycle of *Abatus cordatus* (Echinodermata : spatangoida) at Kerguelen Islands. *Polar biology* 11, 283-292 (1991).

Schatt, P. & Féral, J. - P. Completely Direct Development of *Abatus cordatus*, a Brooding Schizasterid (Echinodermata: Echinoidea) from Kerguelen, with Description of Perigastrulation, a Hypothetical New Mode of Gastrulation. *Biological Bulletin* 190, 24-44 (1996).

Schatt, P., Féral, J. - P. & Guille, A. Ecologie marine des îles subantarctiques et antarctiques. *CNFRA (Comité National Français des Recherches Antarctiques)* 57, 109-118 (1987).

Schiaparelli, S., Albertelli, G. & Cattaneo-Viotti, R. The epibiotic assembly on the sponge *Haliclona dancoi* (Topsent, 1901) at Terra Nova Bay (Antarctica, Ross Sea). *Polar Biology* 26, 342-347 (2003).

Schiaparelli, S., Ghiglione, C., Alvaro, M. C., Griffiths, H. J. & Linse, K. Diversity, abundance and composition in macrofaunal molluscs from the Ross Sea (Antarctica): results of fine-mesh sampling along a latitudinal gradient. *Polar Biology* (2014).doi:10.1007/s00300-014-1487-9

Schiaparelli, S. & Hopcroft, R. R. The Census of Antarctic Marine Life: Diversity and change in Southern Ocean

Ecosystems. Deep Sea Research Part II: Topical Studies in Oceanography 58, 1-4 (2011).

Schinner, G. O. & McClintock, J. B. Structural characteristics of marsupial brood pouches of the antarctic sea urchins *Abatus nimrodi* and *Abatus shackletoni* (Echinoidea: Spatangoida). *Journal of Morphology* 216, 79-93 (1993).

Schofield, O., et al. How Do Polar Marine Ecosystems Respond to Rapid Climate Change? *Science* 328, 1520-1523 (2010).

Schories, D. & Kohlberg, G. Molluscs, Mollusca Chapter from "Marine Wildlife, King George Island, Antarctica". *Conchylia* 47, 35-66 (2016).

Schotte, M. *Serolis apheles*, a new species (Isopoda: Serolidae) from the southwest Indian Ocean, and a range extension for *Serolis antarctica* Beddard, 1884. *Proceedings of The Biological Society of Washington* 105, 90-96 (1991).

Schotte, M., et al. World List of Marine, Freshwater and Terrestrial Isopod Crustaceans. (2008).at <<http://www.marinespecies.org/isopoda/>>

Schuchert, P. The European athecate hydroids and their medusae (Hydrozoa, Cnidaria): Capitata Part 1. *Revue Suisse De Zoologie* 113, 325-410 (2006).

Schuchert, P. World Hydrozoa Database - Intro. (2014).at <<http://www.marinespecies.org/hydrozoa/index.php>>

Schüller, M. & Ebbe, B. Global distributional patterns of selected deep-sea Polychaeta (Annelida) from the Southern Ocean. *Deep Sea Research Part II: Topical Studies in Oceanography* 54, 1737-1751 (2007).

Lamb, I. M. & Zimmerman, M. H. Antarctic Research Series (Schultz, G. A. Lamb, I. M. Lowry, J. Tibbs, J. F. & Zimmerman, M. H.) 23, 130-227 (American Geophysical Union, 1975).

Schwamborn, R. How reliable are the Powell-Wetherall plot method and the maximum-length approach? Implications for length-based studies of growth and mortality. *Reviews in Fish Biology and Fisheries* 28, 587-605 (2018).

Schwamborn, R. How reliable are the Powell-Wetherall plot method and the maximum-length approach? Implications for length-based studies of growth and mortality. *Reviews in Fish Biology and Fisheries* 28, 587-605 (2018).

Searles, R. B., Leister, G. L. & Brauner, J. F. Seaweeds of southern South America. *Antarctic Journal of the United States* 9, 23-24 (no date).

Seefeldt, M. A., et al. Different feeding strategies in Antarctic scavenging amphipods and their implications for

colonisation success in times of retreating glaciers. *Frontiers in Zoology* 14, (2017).

Seefeldt, M. A., Weigand, A. M., Havermans, C., Moreira, E. & Held, C. Fishing for scavengers: an integrated study to amphipod (Crustacea: Lysianassoidea) diversity of Potter Cove (South Shetland Islands, Antarctica). *Marine Biodiversity* 48, 2081-2104 (2018).

Séférian, R., Rocher, M., Metz, N. & Ciais, P. Évolution récente du cycle du carbone planétaire : facteurs humains et naturels. *La Météorologie* 93, 3-4 (2016).

Selles, J. Inventaire des données disponibles pour la caractérisation de Zones Fonctionnelles Halieutiques à Saint Paul et Amsterdam. 1-49 (MNHN, 2019).

Senna, P. A. C., Souza, M. G. M. & Compère, P. A check-list of the algae of the Federal District (Brazil). (National Botanic Garden of Belgium, 1998).at <<http://catalog.hathitrust.org/api/volumes/oclc/40511768.html>>

Serena, M., Grant, T. R. & Williams, G. A. Reducing bycatch mortality in crustacean traps: Effect of trap design on platypus and yabby retention rates. *Fisheries Research* 175, 43-50 (2016).

Shao, A. E., Gille, S. T., Mecking, S. & Thompson, L. A. Properties of the Subantarctic Front and Polar Front from the skewness of sea level anomaly. *Journal of Geophysical Research: Oceans* 120, 5179-5193 (2015).

Sharma, S., et al. A global database of lake surface temperatures collected by in situ and satellite methods from 1985-2009. *Scientific Data* 2, 150008 (2015).

Sharpe, R. B. An account of the petrological, botanical and zoological collections made in Kerguelen's Island and Rodriguez during Philosophical Transactions of the Royal Society of London the Transit of Venus Expedition, 1874-1875 101-162 (Philosophical Transactions of the Royal Society of London. Vol. 168, 1879).

Shenkar, N., et al. Ascidiacea World Database. (2014).at <<http://www.marinespecies.org/ascidiacea/index.php>>

Sheppard, E. M. *Discovery Reports*, Vol. VII 255-362, plate XIV (1933).

Sheppard, E. M. *Discovery Reports*, Vol. XXIX 143-198, plates VIII-IX (1957).

SiciDski, J. & Gillet, P. Biogeographical affinities of polychaetes from Îles Crozet. *Antarctic Science* 14, 353-363 (2002).

SiciDski, J., et al. Admiralty Bay Benthos Diversity A census of a complex polar ecosystem. *Deep Sea Research Part II: Topical Studies in Oceanography* 58, 30-48 (2011).

Siegfried, W. R., Condy, P. R. & Laws, R. M. Antarctic nutrient cycles and food webs. (Springer-Verlag, 1985).at
<<https://link.springer.com/book/10.1007/978-3-642-82275-9>>

Silberfeld, T., Rousseau, F. & Reviere, B. de An Updated Classification of Brown Algae (Ochrophyta, Phaeophyceae). *Cryptogamie, Algologie* 35, 117-156 (2014).

Silva, P. C. & DeCew, T. C. *Ahnfeltiopsis*, a new genus in the Phylloporaceae (Gigartinales, Rhodophyceae). *Phycologia* 31, 576-580 (1992).

Silva, P. C., Basson, P. W. & Moe, R. L. *Catalogue of the benthic marine algae of the Indian Ocean*. (University of California Press, 1996).

Simpson, R. D. Physical and biotic factors limiting the distribution and abundance of littoral molluscs on Macquarie Island (sub-Antarctic). *Journal of Experimental Marine Biology and Ecology* 21, 11-49 (1976).

Skottsberg, C. *Botanische Ergebnisse der schwedischen Expedition nach Patagonien und dem Feuerlande 1907-1909*. IX. Marine algae. 2. Rhodophyceae. *Kungliga Svenska Vetenskapsakademiens Handlingar, Ny Följd* 63, 1-70 (1923).

Skottsberg, C. *Communities of marine algae in sub-Antarctic and Antarctic waters*. *Kungliga Svenska Vetenskapsakademiens Handlingar, ser. 3* 19, 1-92 (1941).

Skottsberg, C. *Botanische Ergebnisse der schwedischen expedition nach Patagonien und dem Feuerlande. 1907-1909*. VIII. Marine algae 1. Phaeophyceae. *Kungliga Svenska Vetenskapsakademiens Handlingar* 61, 1-56 (1921).

Sluiter, C. - P. *Expédition Antarctique Française (1903-1905) commandée par le Dr Jean Charcot* 1-58 (Masson et Cie, 1908).

Sluiter, C. - P. *Deuxième expédition antarctique française (1908-1910) commandée par le DR Jean Charcot* 1-39, 4 planches (Masson et Cie, 1914).

Smith, E. A. *An account of the petrological, botanical and zoological collections made in Kerguelen's Island and Rodriguez during Philosophical Transactions of the Royal Society of London the Transit of Venus Expedition, 1874-1875* 167-192 (Philosophical Transactions of the Royal Society of London. Vol. 168, 1879).

Smith, E. A. *An account of the petrological, botanical and zoological collections made in Kerguelen's Island and Rodriguez during Philosophical Transactions of the Royal Society of London the Transit of Venus Expedition, 1874-1875* Smith, E.A.-Smith, E.A. (Philosophical Transactions of the Royal Society of London. Vol. 168, 1879).

Smith, E. A. Descriptions of some new shells from Kerguelen Island. *Annals and Magazine of Natural History* 16, 67-73 (1875).

Smith, J., O'Brien, P. E., Stark, J. S., Johnstone, G. J. & Riddle, M. J. Integrating multibeam sonar and underwater video data to map benthic habitats in an East Antarctic nearshore environment. *Estuarine, Coastal and Shelf Science* 164, 520-536 (2015).

Smith Jr., W. O., Ainley, D. G., Arrigo, K. R. & Dinniman, M. S. The Oceanography and Ecology of the Ross Sea. *Annual review of marine science* 6, 469-487 (2014).

Smith, P. J., et al. DNA barcodes and species identifications in Ross Sea and Southern Ocean fishes. *Polar Biology* 35, 1297-1310 (2012).

Smith, S. D. A. Kelp rafts in the Southern Ocean. *Global Ecology and Biogeography* 11, 67-69 (2002).

Smith, S. D. A. & Simpson, R. D. Spatial variation in the community structure of intertidal habitats at Macquarie Island (sub-Antarctic). *Antarctic Science* 14, 374-384 (2002).

Smith, V. R. Climate change in the sub-Antarctic: An illustration from Marion Island. *Climatic Change* 52, 345-357 (2002).

Smith, W. O., Ainley, D. G. & Cattaneo-Vietti, R. Trophic interactions within the Ross Sea continental shelf ecosystem. *Philosophical Transactions of the Royal Society B: Biological Sciences* 362, 95-111 (2007).

Sotka, E. E., Wares, J. P., Barth, J. A., Grosberg, R. K. & Palumbi, S. R. Strong genetic clines and geographical variation in gene flow in the rocky intertidal barnacle *Balanus glandula*. *Molecular Ecology* 13, 2143-2156 (2004).

Soto Àngel, J. J. & Peña Cantero, Á. L. A new piece in the puzzle of the Antarctic Biogeography: What do benthic hydroids tell us about the Scotia Arc affinities? *Polar Biology* 40, 863-872 (2017).

Soto, E. H., et al. Biotopos marinos intermareales entre Canal Trinidad y Canal Smyth, Sur de Chile. *Revista de biología marina y oceanografía* 47, 177-191 (2012).

Souster, T. A., Morley, S. A. & Peck, L. S. Seasonality of oxygen consumption in five common Antarctic benthic marine invertebrates. *Polar Biology* 41, 897-908 (2018).

South, G. R. Biogeography of benthic marine algae of the southern oceans. *Proceedings of the International Symposium on Marine Biogeography and Evolution in the Southern Hemisphere* 137, 85-108 (Wellington, N.Z. : New Zealand Dept. of Scientific and Industrial Research, 1979).

South, G. R. & Hay, C. H. Influence of wave action and latitude on morphology and standing crop of New Zealand *Durvillaea antarctica* (Chamisso) Hariot (Phaeophyta, Durvilleales). *Journal of the Royal Society of New Zealand* 9, 289-296 (1979).

Spalding, M. D., et al. Marine Ecoregions of the World: A Bioregionalization of Coastal and Shelf Areas. *BioScience* 57, 573-583 (2007).

Stach, T. & Turbeville, J. M. Phylogeny of Tunicata inferred from molecular and morphological characters. *Molecular Phylogenetics and Evolution* 25, 408-428 (2002).

Stagg, H. M. J., et al. Geology of the Continental Margin of Enderby and Mac. Robertson Lands, East Antarctica: Insights from a Regional Data Set. *Marine Geophysical Researches* 25, 183-219 (2004).

Stampanato, S. & Jangoux, M. Les astérides (Echinodermata) récoltés autour des îles Saint-Paul et Amsterdam (océan Indien sud). *Zoosystema* 19, 27-33 (1997).

Stanwell-Smith, D. & Barnes, D. K. A. Benthic community development in Antarctica: recruitment and growth on settlement panels at Signy Island. *Journal of Experimental Marine Biology and Ecology* 212, 61-79 (1997).

Stark, J. S. Patterns of higher taxon colonisation and development in sessile marine benthic assemblages at Casey Station, Antarctica, and their use in environmental monitoring. *Marine Ecology Progress Series* 365, 77-89 (2008).

Stark, J. S., Raymond, T., Deppeler, S. & Morrison, A. K. *World Seas: an Environmental Evaluation (Second Edition)* 3 (Ecological issues and environmental impacts), 1-44 (Charles Sheppard, 2019).

Stephen, A. C. *Discovery Reports*, Vol. XXI 237-260, plates VII-VIII (1942).

Stephens, T. A. Terminal blades in *Macrocystis* and their unexplored links to functional biology. *Ecology* 98, 2727-2729 (2017).

Stephens, T. A., Desmond, M. J. & Hepburn, C. D. Biomass across space and tide: architecture of a kelp bed with implications for the abiotic environment. *Hydrobiologia* 827, 391-404 (2019).

Stephens, T. A. & Hepburn, C. D. Mass-transfer gradients across kelp beds influence *Macrocystis pyrifera* growth over small spatial scales. *Marine Ecology Progress Series* 515, 97-109 (2014).

Stock, J. M. *Pycnogonides*. 30, 129 (1971).

Stöhr, S. & O'Hara, T. D. *The World Ophiuroidea Database*. (2014).at

<<http://www.marinespecies.org/ophiuroida/index.php>>

Straube, N., Kriwet, J. & Schliewen, U. K. Cryptic diversity and species assignment of large lantern sharks of the *Etmopterus spinax* clade from the Southern Hemisphere (Squaliformes, Etmopteridae). *Zoologica Scripta* 40, 61-75 (2011).

Strugnell, J. M., Watts, P. C., Smith, P. J. & Allcock, A. L. Persistent genetic signatures of historic climatic events in an Antarctic octopus. *Molecular ecology* 21, 2775-2787 (2012).

Suryan, R. M., et al. Environmental forcing on life history strategies: Evidence for multi-trophic level responses at ocean basin scales. *Progress in Oceanography* 81, 214-222 (2009).

Sutherland, J. E., et al. A New Look at an Ancient Order- Generic Revision of the Bangiales (rhodophyta) -1. Generic Revision of the Bangiales. *Journal of Phycology* 47, 1131-1151 (2011).

Sweetman, A. K., et al. Major impacts of climate change on deep-sea benthic ecosystems. *Elem Sci Anth* 5, 4 (2017).

Taboada, S., et al. Antitumoural activity in Antarctic and sub-Antarctic benthic organisms. *Antarctic Science* 22, 494-507 (2010).

Tala, F., et al. Long-term persistence of the floating bull kelp *Durvillaea antarctica* from the South-East Pacific: Potential contribution to local and transoceanic connectivity. *Marine Environmental Research* 149, 67-79 (2019).

Tala, F., Velásquez, M., Mansilla, A., Macaya, E. C. & Thiel, M. Latitudinal and seasonal effects on short-term acclimation of floating kelp species from the South-East Pacific. *Journal of Experimental Marine Biology and Ecology* 483, 31-41 (2016).

Tatiàn, M., Antacli, J. C. & Sahade, R. Ascidiaceans (Tunicata, Ascidiacea)- species distribution along the Scotia Arc. *Scientia Marina* 69, 205-214 (2005).

Tattersall, W. N. British Antarctic ("Terra Nova") expedition, 1910 191-258, 11 planches (1921).

Tattersall, W. N. British Antarctic ("Terra Nova") expedition, 1910. Natural History Report 191-258 (1921).

Tattersall, W. N. 'Discovery' National Antarctic Expedition (1901-1904). Vol. IV 1-42, 8 plates (1908).

Teixidó, N., et al. Hierarchical segmentation-based software for cover classification analyses of seabed images (Seascape). *Marine Ecology Progress Series* 431, 45-53 (2011).

Tellier, F., et al. The importance of having two instead of one in kelp management: the *Lessonia nigrescens* species complex. *Cahiers de Biologie Marine* 52, 455-465 (2011).

Tempera, F., et al. Seafloor Geomorphology as Benthic Habitat 169-184 (Elsevier, 2012).at
<<https://linkinghub.elsevier.com/retrieve/pii/B9780123851406000086>>

Testut, L., et al. Sea level at Saint Paul Island, southern Indian Ocean, from 1874 to the present. *Journal of Geophysical Research* 115, (2010).

Testut, L., Wöppelmann, G., Simon, B. & Téchiné, P. The sea level at Port-aux-Français, Kerguelen Island, from 1949 to the present. *Ocean Dynamics* 56, 464-472 (2006).

Thatje, S. The future fate of the Antarctic marine biota? *Trends in ecology & evolution* 20, 418-9 (2005).

Thatje, S., Hillenbrand, C. - D. & Larter, R. On the origin of Antarctic marine benthic community structure. *Trends in ecology & evolution* 20, 534-540 (2005).

Thiebot, J. - B., Cherel, Y., Trathan, P. N. & Bost, C. - A. Coexistence of oceanic predators on wintering areas explained by population-scale foraging segregation in space or time. *Ecology* 93, 122-130 (2012).

Thiele, J. Die Cephalopoden der deutschen Südpolar-Expedition 1901-1903. *Deutsche Südpolar-Expedition 1901-1903, Zoology* 16, 431-466, planches 52-55 (1920).

Thiele, J. Die Kiesel-und Hornschwämme der Sammlung Plate. *Zoologische Jahrbücher* 6, 407-496, Plates 27-33 (1905).

Thiriot-Quévieux, C. Le caryotype d'*Aulacomya ater* (Mollusca Bivalvia Mytilidae) des Iles Kerguelen. *Marine Biology* 79, 89-91 (1984).

Thiriot-Quévieux, C. Génétique des populations d'invertébrés marins dans l'environnement subantarctique. Actes du colloque sur la recherche dans les Terres Australes (Kerguelen, Crozet, Saint-Paul et Amsterdam) et à partir des navires qui les desservent 165-167 (CNFRA, 1989).

Topsent, E., Vayssière, A., Coutière, H. & Calman, W. - J. Deuxième expédition antarctique française (1908-1910) commandée par le Dr Jean Charcot 1-88, 6 planches, 1-50, 1-8, 1 (Masson et Cie, 1917).at
<<http://ia700303.us.archive.org/5/items/deuximeexpdis1917fran/deuximeexpdis1917fran.pdf>>

Torre, L., Tabares, P. C. C., Momo, F., Meyer, J. F. C. A. & Sahade, R. Climate change effects on Antarctic benthos: a spatially explicit model approach. *Climatic Change* 141, 733-746 (2017).

Townsend, R. A. Synarthrophyton, a new genus of Corallinaceae (Cryptonemiales, Rhodophyta) from the southern hemisphere. *Journal of Phycology* 15, 251-259 (1979).

Trathan, P. N., et al. *Advances in Marine Biology* 69, 15-78 (Elsevier, 2014).

Treasure, A. M., Ruzicka, J. J., Pakhomov, E. A. & Ansorge, I. J. Physical Transport Mechanisms Driving Sub-Antarctic Island Marine Ecosystems. *Ecosystems* 22, 1069-1087 (2019).

Treguier, A. M., et al. Southern Ocean overturning across streamlines in an eddy simulation of the Antarctic Circumpolar Current. *Ocean Science* 3, 491-507 (2007).

Tremblay, Y. & Cherel, Y. Geographic variation in the foraging behaviour, diet and chick growth of rockhopper penguins. *Marine Ecology Progress Series* 251, 279-297 (2003).

Tremblay, Y. & Cherel, Y. Benthic and pelagic dives: a new foraging behaviour in rockhopper penguins. *Marine Ecology Progress Series* 204, 257-267 (2000).

Trouessart, E. L., Menegaux, A. & Anthony, Expédition Antarctique Française (1903-1905) commandée par le Dr Jean Charcot 1-28, 4 planches, 1-79, 13 planches, 1-18, 2 planch (Masson et Cie, 1907).

Trouslard, E. Ecorégionalisation et caractérisation des enjeux de conservation des habitats benthiques marins du plateau de Kerguelen. (2017).at
<http://www.proteker.net/IMG/pdf/2017_trouslard_master_2_ecoregionalisation_et_caracterisation_des_enjeux_de_conservation_des_habitats_benthiques_marins_du_plateau_de_kerguelen.pdf>

Truchot, J. - P. Crustacés amphipodes. CNFRA (Comité National Français des Recherches Antarctiques) 35, 19-23 (1974).

Turner, R. L. & Dearborn, J. H. Organic and inorganic composition of post-metamorphic growth stages of *Ophionotus hexactis* (E.A. Smith) (Echinodermata: Ophiuroidea) during intraovarian incubation. *Journal of Experimental Marine Biology and Ecology* 36, 41-51 (1979).

Tyberghein, L., et al. Bio-ORACLE: a global environmental dataset for marine species distribution modelling: Bio-ORACLE marine environmental data rasters. *Global Ecology and Biogeography* 21, 272-281 (2012).

Tynan, C. T. Ecological importance of the Southern Boundary of the Antarctic Circumpolar Current. *Nature* 392, 708-710 (1998).

Uher, B. Morphological characterization of three subaerial *Calothrix* species (Nostocales, Cyanobacteria). *Fottea* 7, 33-38 (2007).

Uhrin, A. V. & Fonseca, M. S. Effect of Caribbean Spiny Lobster Traps on Seagrass Beds of the Florida Keys National Marine Sanctuary: Damage Assessment and Evaluation of Recovery. American Fisheries Society Symposium 41, 579-588 (2005).

Uhrin, A. V., Matthews, T. R. & Lewis, C. Lobster Trap Debris in the Florida Keys National Marine Sanctuary: Distribution, Abundance, Density, and Patterns of Accumulation. Marine and Coastal Fisheries 6, 20-32 (2014).

Vaillant, L. Expédition Antarctique Française (1903-1905) commandée par le Dr Jean Charcot 1-52 (Masson et Cie, 1908).

Valdivia, N., Pardo, L. M., Macaya, E. C., Huovinen, P. & Gómez, I. Different ecological mechanisms lead to similar grazer controls on the functioning of periphyton Antarctic and sub-Antarctic communities. Progress in Oceanography (2018). doi:10.1016/j.pocean.2018.01.008

Groeneveld, J. C. Offshore fisheries of the Southwest Indian Ocean: their status and the impact on vulnerable species (van der Elst, R. & Everett, B.) 121-159 (2015).

van Oppen, M. J. H., Diekmann, O. E., Wiencke, C., Stam, W. T. & Olsen, J. L. Tracking dispersal routes - Phylogeography of the Arctic Antarctic disjunct seaweed *Acrosiphonia arcta* (Chlorophyta). Journal of Phycology 30, 67-80 (1994).

van Putten, I. E., et al. The Environmental Impact of Two Australian Rock Lobster Fishery Supply Chains under a Changing Climate: Environmental Impact of Lobster Supply Chains. Journal of Industrial Ecology 20, 1384-1398 (2016).

Van Soest, R. W. M., et al. World Porifera Database. (2014). at <<http://www.marinespecies.org/porifera/>>

Vaney, C. Deuxième expédition antarctique française (1908-1910) commandée par le Dr Jean Charcot 1-54, 5 planches (Masson et Cie, 1914).

Vaney, C. Expédition Antarctique Française (1903-1905) commandée par le Dr Jean Charcot 1-30, 2 planches (1907).

Vaney, C., et al. Voyage of S.Y. "Scotia", 1902-1904 1-415 (The Scottish Oceanographical Laboratory, 1912).

Vanhöffen, E. Die Isopoden der Deutschen Südpolar-Expedition 1901-03. Deutsche Südpolar-Expedition, 1901-1903 15, 447-598 (1914).

Varney, B. M. Climate and weather at Kerguelen Islands. Monthly Weather Review 54, 425-426 (1926).

Vasseur, P. Ascidies des îles Kerguelen récoltées par P. Arnaud. *Téthys* 5, 735-746 (1974).

Vayssière, A., Joubin, L., Lamy, E. & Thiele, J. Expédition Antarctique Française (1903-1905) commandée par le Dr Jean Charcot 1-51, 4 planches, 1-12, 1 planche, 1-20, 1 planche (Masson et Cie, 1906).

Veen, L. E., van Reenen, G. B. A., Sluiter, F. P., van Loon, E. E. & Bouten, W. A semantically integrated, user-friendly data model for species observation data. *Ecological Informatics* 8, 1-9 (2012).

Vélain, C. Sur la faune malacologique des îles Saint Paul et Amsterdam. *Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences*. 83, 284-287 (1876).

Vélain, C. Remarques générales au sujet de la faune des îles Saint-Paul et Amsterdam suivies d'une description de la faune malacologique des deux îles. (1878).

Verbruggen, H., et al. Data mining approach identifies research priorities and data requirements for resolving the red algal tree of life. *BMC Evolutionary Biology* 10, 16 (2010).

Campos, L. S., et al. *Adaptation and Evolution in Marine Environments, Volume 2* (Verde, C. & di Prisco, G.) 177-203 (Springer Berlin Heidelberg, 2013).at <http://link.springer.com/10.1007/978-3-642-27349-0_10>

Verheye, M. L., Backeljau, T. & d'Udekem d'Acoz, C. Locked in the icehouse: Evolution of an endemic Epimeria (Amphipoda, Crustacea) species flock on the Antarctic shelf. *Molecular Phylogenetics and Evolution* 114, 14-33 (2017).

Vicente, N. & Arnaud, P. M. Nudibranches des îles Kerguelen. *Téthys* 5, 629-634 (1974).

Vicente, N. & Arnaud, P. M. Invertébrés marins des XIIe et XVe expéditions antarctiques françaises en Terre Adélie. 12 : Gastéropodes opisthobranches. *Téthys* 5, 531-548 (1974).

Villegas, M., Laudien, J., Sielfeld, W. & Arntz, W. Effect of foresting barren ground with *Macrocystis pyrifera* (Linnaeus) C. Agardh on the occurrence of coastal fishes off northern Chile. *Journal of Applied Phycology* (2018).doi:10.1007/s10811-018-1657-1

Volckaert, F. A. M., Rock, J. & Van de Putte, A. P. Connectivity and molecular ecology of Antarctic fishes. *Adaptation and Evolution in Marine Environments, Volume 1. The Impacts of Global Change on Biodiversity. From Pole to Pole* (di Prisco, G. & Verde, C.) 75-96 (Springer, 2012).doi:10.1007/978-3-642-27352-0

Vranckx, R. & Durliat, M. The "ventral organ" of *Jasus paulensis* (Crustacea, Decapoda). *Journal of Experimental Zoology* 222, 37-43 (1982).

- Vranckx, R. Évolution du stock de langoustes sur les fonds de pêche des îles Saint Paul et Nouvelle-Amsterdam de 1962 à 1970. Bulletin du Muséum National d'Histoire Naturelle, Paris, 3e ser., Ecologie générale 11 155, 193-204 (1973).
- Walker, A. O. 'Discovery' National Antarctic Expedition (1901-1904). Vol. III 1-39, 13 plates (1907).
- Waller, C. L., Overall, A., Fitzcharles, E. M. & Griffiths, H. First report of *Laternula elliptica* in the Antarctic intertidal zone. *Polar Biology* 40, 227-230 (2017).
- Ward, B. A., Dutkiewicz, S., Jahn, O. & Follows, M. J. A size-structured food-web model for the global ocean. *Limnology and Oceanography* 57, 1877-1891 (2012).
- Warén, A., Arnaud, P. M. & Cantera, J. R. Description of 2 new Gastropods of the Trichopropidae from Kerguelen and Crozet Islands (South Indian Ocean). *Veliger* 29, 157-165 (1986).
- Watanabe, S., Metaxas, A. & Scheibling, R. E. Dispersal potential of the invasive green alga *Codium fragile* ssp. *fragile*. *Journal of Experimental Marine Biology and Ecology* 381, 114-125 (2009).
- Waters, J. M. Driven by the West Wind Drift? A synthesis of southern temperate marine biogeography, with new directions for dispersalism. *Journal of Biogeography* 35, 417-427 (2008).
- Waters, J. M., Fraser, C. I. & Hewitt, G. M. Founder takes all: density-dependent processes structure biodiversity. *Trends in Ecology & Evolution* 28, 78-85 (2013).
- Waters, J. M., King, T. M., Fraser, C. I. & Craw, D. An integrated ecological, genetic and geological assessment of long-distance dispersal by invertebrates on kelp rafts. *Frontiers of Biogeography* 10, (2018).
- Waters, J. M., King, T. M., Fraser, C. I. & Garden, C. Rafting dispersal in a brooding southern sea star (Asteroidea : Anasterias). *Invertebrate Systematics* 32, 253-258 (2018).
- Watson, L. A., Stark, J. S., Johnstone, G. J., Wapstra, E. & Miller, K. Patterns in the distribution and abundance of sea anemones off Dumont d'Urville Station, Antarctica. *Polar Biology* 41, 1923-1935 (2018).
- Weber, L. - A. Macroalgal distribution shifts during the climate change induced glacier retreat in Potter Cove, West Antarctic Peninsula, 1993-2016. (2017).at
<https://epic.awi.de/id/eprint/47329/1/Weber_Lukas_Bachelorthesis_SS17.pdf>
- Weber, M. Siboga Expeditie 1-176 (Brill, E.J., 1902).

Weimerskirch, H., et al. Status and trends of albatrosses in the French Southern Territories, Western Indian Ocean. *Polar Biology* 41, 1963-1972 (2018).

Weimerskirch, H., Inchausti, P., Guinet, C. & Barbraud, C. Trends in bird and seal populations as indicators of a system shift in the Southern Ocean. *Antarctic Science* 15, 249-256 (2003).

Weis, D., et al. Trace of the Kerguelen mantle plume: Evidence from seamounts between the Kerguelen Archipelago and Heard Island, Indian Ocean. *Geochemistry, Geophysics, Geosystems* 3, 1-27 (2002).

Weiss, A. Integrative taxonomy of Antarctic and Subantarctic sea spiders (Pycnogonida) using morphological and molecular methods. (2013).at <http://edoc.ub.uni-muenchen.de/16477/1/Weis_Andrea.pdf>

Wells, E., Brewin, P. & Brickel, P. Intertidal and subtidal benthic seaweed diversity of South Georgia. 1-18 (2011).at <<https://www.gov.gs/docsarchive/Environment/Biodiversity/south%20georgia%20seaweed%20report.pdf>>

Wheeler, W. M. Ants Carried in A Floating Log From the Brazilian Mainland to San Sebastian Island. *Psyche: A Journal of Entomology* 23, 180-183 (1916).

White, M. G. & Burren, P. J. Reproduction and larval growth of *Harpagifer antarcticus* Nybelin (Pisces, Notothenioidei). *Antarctic Science* 4, 421-430 (1992).

Wiencke, C. Recent advances in the investigation of Antarctic macroalgae. *Polar Biology* 16, 231-240 (1996).

Wiencke, C., et al. Life strategy, ecophysiology and ecology of seaweeds in polar waters. *Reviews in Environmental Science and Bio/Technology* 6, 95-126 (2007).

Amsler, C. D. *Seaweed Biology* (Wiencke, C. & Bischof, K.) 219, 177-188 (Springer Berlin Heidelberg, 2012).

Edwards, M. S. & Connell, S. D. *Seaweed Biology* (Wiencke, C. & Bischof, K.) 219, 135-156 (Springer Berlin Heidelberg, 2012).

Eggert, A. *Seaweed Biology* (Wiencke, C. & Bischof, K.) 219, 47-66 (Springer Berlin Heidelberg, 2012).

Gordillo, F. J. L. *Seaweed Biology* (Wiencke, C. & Bischof, K.) 219, 67-86 (Springer Berlin Heidelberg, 2012).

Hanelt, D. & Figueroa, F. L. *Seaweed Biology* (Wiencke, C. & Bischof, K.) 219, 3-23 (Springer Berlin Heidelberg, 2012).

- Huovinen, P. & Gómez, I. *Seaweed Biology* (Wiencke, C. & Bischof, K.) 219, 293-313 (Springer Berlin Heidelberg, 2012).
- Iken, K. *Seaweed Biology* (Wiencke, C. & Bischof, K.) 219, 157-175 (Springer Berlin Heidelberg, 2012).
- Karsten, U. *Seaweed Biology* (Wiencke, C. & Bischof, K.) 219, 87-107 (Springer Berlin Heidelberg, 2012).
- Roleda, M. Y. & Hurd, C. L. *Seaweed Biology* (Wiencke, C. & Bischof, K.) 219, 407-431 (Springer Berlin Heidelberg, 2012).
- Rothäusler, E., Gutow, L. & Thiel, M. *Seaweed Biology* (Wiencke, C. & Bischof, K.) 219, 359-380 (Springer Berlin Heidelberg, 2012).
- Wiencke, C. & Amsler, C. D. *Seaweed Biology* (Wiencke, C. & Bischof, K.) 219, 265-291 (Springer Berlin Heidelberg, 2012).
- Wiencke, C. & Clayton, M. N. *Biology of polar benthic algae*. *Botanica Marina* 52, (2009).
- Wildeman De, E. *Resultats de Voyage du S. Y. Belgica, en 1897-99*. *Botanique* 47 pp. (J.-E. Buschmann, 1935).
- Wilkie, I. C. & Brogger, M. I. The peristomial plates of ophiuroids (Echinodermata: Ophiuroidea) highlight an incongruence between morphology and proposed phylogenies. *PLOS ONE* 13, e0202046 (2018).
- Williams, G. D., et al. The suppression of Antarctic bottom water formation by melting ice shelves in Prydz Bay. *Nature Communications* 7, 12577 (2016).
- Wilson, D. J., et al. Ice loss from the East Antarctic Ice Sheet during late Pleistocene interglacials. *Nature* 561, 383-386 (2018).
- Wilson, N. G., Schrödl, M. & Halanych, K. M. Ocean barriers and glaciation: evidence for explosive radiation of mitochondrial lineages in the Antarctic sea slug *Doris kerguelenensis* (Mollusca, Nudibranchia). *Molecular ecology* 18, 965-984 (2009).
- Wintle, B. A., et al. Global synthesis of conservation studies reveals the importance of small habitat patches for biodiversity. *Proceedings of the National Academy of Sciences* 116, 909-914 (2019).
- Witkowski, A., Kulikovskiy, M. & Riaux-Gobin, C. Current advances in algal taxonomy and its applications: phylogenetic, ecological and applied perspective 61-68 (K.WoBowski, I.Kaczmarska, J.M.Ehrman & A.Z.Wojtal, 2012).

Witkowski, A., Riaux-Gobin, C. & Daniszewska-Kowalczyk, G. New marine littoral diatom species (Bacillariophyta) from Kerguelen Islands. II. Heteropolar species of Fragilariaceae. *Vie et milieu* 60, 265-281 (2010).

Witkowski, A., Riaux-Gobin, C. & Daniszewska-Kowalczyk, G. New marine diatom (Bacillariophyta) species described from Kerguelen Islands coastal area and pertaining to *Navicula* ss. with some remarks on morphological variation of the genus. *Vie et milieu* 60, 117-133 (2010).

Woelkerling, W. J., Gustavsen, G., Myklebost, H. E., Prestø, T. & Sæstad, S. M. The coralline red algal herbarium of Mikael Foslie: revised catalogue with analyses. (NTNU, 2005).

Womersley, H. B. S. New Marine Chlorophyta from Southern Australia. *Pacific Science* 9, 387-395 (1955).

Womersley, H. Southern Australian species of *Polysiphonia* Greville (Rhodophyta). *Australian Journal of Botany* 27, 459 (1979).

WoRMS editorial Board, WoRMS - World Register of Marine Species. (2014).at <<http://www.marinespecies.org/>>

Wray, G. A. Genomics and the Evolution of Phenotypic Traits. *Annual Review of Ecology, Evolution, and Systematics* 44, 51-72 (2013).

Wright, S., et al. SCUBA divers as oceanographic samplers: The potential of dive computers to augment aquatic temperature monitoring. *Scientific Reports* 6, 30164 (2016).

Wu, Y., Hannah, C., Petrie, B., Wang, X. & Devred, E. Enhanced sea surface temperature due to kelp canopies. *Marine Ecology Progress Series* 581, 103-117 (2017).

Wulff, A., et al. Biodiversity, biogeography and zonation of marine benthic micro- and macroalgae in the Arctic and Antarctic. *Botanica Marina* 52, (2009).

Wynne, M. Concerning the names of two phaeophycean algae: (Bory) M.E. Ramírez and Skottsberg. *Cryptogamie Algologie* 20, 289-293 (1999).

Wynne, M. J. The Current Status of Genera in the Delesseriaceae (Rhodophyta). *Botanica Marina* 26, (1983).

Wynne, M. J. *Rhodymenia coccocharpa*, a new combination based on *Phyllophora coccocharpa* Mont. *Contributions from the University of Michigan Herbarium* 25, 241-247 (2007).

Wynne, M. J. & Saunders, G. W. Taxonomic assessment of North American species of the genera *Cumathamnion*, *Delesseria*, *Membranoptera* and *Pantoneura* (Delesseriaceae, Rhodophyta) using molecular data. *ALGAE* 27,

155-173 (2012).

Wynne, M. J. The red algal families Delesseriaceae and Sarcomeniaceae. (Koeltz Scientific Books, 2013).

Wyville Thomson, C. & Murray, J. The voyage of H.M.S. Challenger - Part 1 332-366 (1885).

Wyville Thomson, C. & Murray, J. The voyage of H.M.S. Challenger - Part 1 367-414 (1885).

Xavier, J. C., et al. Future Challenges in Southern Ocean Ecology Research. *Frontiers in Marine Science* 3, 94 (2016).

Yang, E. C., et al. Ligulate Desmarestia (Desmarestiales, Phaeophyceae) revisited: *D. japonica* sp. nov. and *D. dudresnayi* differ from *D. ligulata*. *Journal of Phycology* 50, 149-166 (2014).

Yates, P., et al. Spatio-temporal dynamics in maturation and spawning of Patagonian toothfish *Dissostichus eleginoides* on the sub-Antarctic Kerguelen Plateau: *dissostichus eleginoides* maturation. *Journal of Fish Biology* 92, 34-54 (2018).

Yoneshigue-Valentin, Y., et al. Marine macroalgal diversity in Admiralty Bay, King George Island, South Shetlands Islands, Antarctica. 1-9 (2012).

Young, S. B. & Schofield, E. K. Pollen Evidence for Late Quaternary Climate Changes on Kerguelen Islands. *Nature* 245, 311-312 (1973).

Zacher, K. Effects of UV Radiation on Antarctic Benthic Algae - With Emphasis on Early Successional Stages and Communities. (2007).at

<https://www.researchgate.net/profile/Katharina_Zacher/publication/27336182_Effects_of_UV-Radiation_on_Antarctic_Benthic_Algae_with_Emphasis_on_Early_Successional_Stages_and_Communities/links/0c9605231b2665042d000000/Effects-of-UV-Radiation-on-Antarctic-Benthic-Algae-with-Emphasis-on-Early-Successional-Stages-and-Communities.pdf?_sg%5B0%5D=DLnkt_Fecju3WiwzUyEKvx0UtZfIpuZTN38Z_HgfUIQ_M5jHIsnXVm7KL4AAFpb5d9nCU9sHtFHs6wI9j6m9vg.mCJrnZY1I4-hgwtiAsvcis-hksw5GnrP-N_IY0aeZEBVL_eaAHMVzmuMrsn1maEgh8qQ8Iht05WMVAvIjZPg&_sg%5B1%5D=MGeE9gUVNdbGsFX6lGoa6YipfGrgWfmo17Cg2UYM0W7_glOef54ICQTxfLF0aZU0tSDzIMsvt91No3wRL6--kfbdkgUnHmQEOzEKJO2xHnxi.mCJrnZY1I4-hgwtiAsvcis-hksw5GnrP-N_IY0aeZEBVL_eaAHMVzmuMrsn1maEgh8qQ8Iht05WMVAvIjZPg&_iepl=>

Zacher, K., Savaglia, V. & Bartsch, I. Effects of temperature and interspecific competition on growth and photosynthesis of two endemic Antarctic *Desmarestia* species. *Algological Studies* 151, 103-122 (2016).

Zaixso, H. E. & Boraso de Zaixso, A. Recursos biológicos bentónicos: la Zona Costera Patagónica Argentina. (2015).

Zaneveld, J. S. Vertical zonation of Antarctic and subantarctic benthic marine algae. *Antarctic Journal of the United States* 1, 211-214 (1966).

Zaneveld, J. S. Vertical zonation of Antarctic and SubAntarctic benthic marine algae. *Antarctic Journal of the United States* 1, 210-211 (1966).

Zaneveld, J. S. Proceedings of the Fifth International Seaweed Symposium, Halifax, August 25-28, 1965 217-231 (Pergamon Press, 1966). at <<https://linkinghub.elsevier.com/retrieve/pii/B9780080118413500367>>

Zaneveld, J. S. The Xanthophyceae and Chlorophyceae of the western Ross Sea, Victoria Land, Antarctica and Macquarie Island collected under the direction of prof. dr. J.S. zaneveld (1963-1967). *BLUMEA - Biodiversity, Evolution and Biogeography of Plants* 33, 141-180 (1988).

Zaneveld, J. S. Sub-ice observations of Ross Sea marine algae. *Antarctic Journal of the United States* 3, 127-128 (1968).

Zaneveld, J. S. The benthic algal vegetation of Antarctica. *Bulletin of the U.S. Antarctic projects officer* 5, 66-69 (1964).

Zaneveld, J. S. & Sanford, R. B. Crustose corallinaceous algae (Rhodophyta) of the New Zealand and United States Scientific Expedition to the Ross Sea, Balleny Islands, and Macquarie Ridge, 1965. *BLUMEA - Biodiversity, Evolution and Biogeography of Plants* 26, 205-231 (1980).

Zapata-Guardiola, R. & López-González, P. J. Two new species of Antarctic gorgonians (Octocorallia: Primnoidae) with a redescription of *Thouarella laxa* Versluys, 1906. *Helgoland Marine Research* 64, 169-180 (2009).

Ziegler, A., Smith, C., Edwards, K. & Vernet, M. Glacial dropstones: islands enhancing seafloor species richness of benthic megafauna in West Antarctic Peninsula fjords. *Marine Ecology Progress Series* 583, 1-14 (2017).

Zielinski, K. Benthic macroalgae of Admiralty Bay (King George Island, South Shetland Islands) and circulation of algal matter between the water and the shore. *Polish Polar Research* 2, 71-94 (1981).

Zielinski, K. Bottom macroalgae of the Admiralty Bay (King George Island, South Shetlands, Antarctica). *Polish Polar Research* 11, 95-131 (1990).

Zinova, A. D. Novye dannye o morskikh subantarkticheskikh i antarkticheskikh vodorosliakh [New data on Subantarctic and Antarctic marine algae]. *Akademiia nauk SSSR. Botanicheskiy institut. Novosti sistematiki nizshikh rasteniy.* 103-109 (1966).

Zinova, A. D. Morskie vodorosli iz bukhty Khoupful, ostrov Kergelen [Marine algae from Hopeful Bight, Kerguelen

Island]. Akademiia nauk SSSR. Botanicheskiy institut. Novosti sistematiki nizshikh rasteniy. 10, 44-49 (1973).

Zinova, A. D. Prestaviteli sem. Delesseriaceae (Rhodophyta) u ostrovov Kergelen i Makkurori / Delesseriaceae apud Insulas Kerguelen et Macquarie. [Members of the family Delesseriaceae (Rhodophyta) on Kerguelen and Macquarie Islands]. Akad. nauk SSSR, Bot. Inst., Otd. Sporovykh Rast., Bot. Mater. 16, 52-67 (1963).

Zinova, A. D. Sostav i kharakter flory vodorosley u beregov Antarktidi i u ostrovov Kergelen i Makkuori [Composition and character of algal flora at the Antarctic coast and in the vicinity of Kerguelen and Macquarie Islands]. Sovetskaia antarkticheskaia ekspeditsiia. Informatsionnyi biulleten 3, 47-49 (1958).

Cook, D. & Zolnikov, T. R. Global Adaptation and Resilience to Climate Change (Zolnikov, T. R.) 31-49 (Tessa Rava Zolnikov, 2019).at <http://link.springer.com/10.1007/978-3-030-01213-7_3>

Zotero, getting_stuff_into_your_library [Zotero Documentation]. (no date).at <https://www.zotero.org/support/getting_stuff_into_your_library>

Zuccarello, G. C. & West, J. A. Bostrychia (Rhodomelaceae, Rhodophyta) species of New Zealand, and relationships in the Southern Hemisphere. New Zealand Journal of Marine and Freshwater Research 42, 315-324 (2008).

Zuur, A. F., Ieno, E. N. & Elphick, C. S. A protocol for data exploration to avoid common statistical problems. Methods in Ecology and Evolution 1, 3-14 (2010).

—
biblio|simple|csl=nature|export=oui|details=complet>
biblio|annee_type|csl=nature|export=non|details=complet|afficher_id=oui>
biblio|premier_auteur|csl=nature|details=complet>
biblio|simple|csl=nature|export=oui|details=complet|afficher_id=oui>